

No. 4417

MADRAS,
Chepauk, 4th March 1888.

From

THE SUPERINTENDENT OF WORKS,
PRESIDENCY,

To

The Chief Engineer,

P. W. Department.

Sir,

Enclosures.

I have the honor to bring to your notice that the Officer Commanding Royal Artillery has with reference to Order of Government No 6854 of 29th October 1887, concerning Armament for Fort St. George only, requested me to take charge of Colive's Battery stating that the Barrack Master has intimated that he is precluded from taking over the same as it is not on the Returns of his Department.

2. If this Department is to take charge of the Battery there is no Establishment at its disposal to look after it and I request

L. G. Co. 1812 W. 25-7-80.
C. No. 8602 + 7116 of 80

I. W. C. No. 1386
From

The Supt of Works
Presidency

No. 4417

Dated 4th }
Received 5th } March 1887.

Enclosure
Subject.

Chief Battery—
Brings to notice that
the officer commanding
P. A. has requested him
to take charge of—
and requests instruction
on it.

Department the O. C.

R. A. would not be
its proper custodian, as
it contains no firm—

The expenditure necessary
for its proper maintenance
is a charge against "Repairs
Building", and can be
incurred at the discretion
of the S. of W.

S. W.

~~Att~~

8/3/87

1356
Hon W Huddleston

No 660 P.

PUBLIC WORKS DEPARTMENT.

GOVT. }
OF MADRAS. } . 188 . { P. W.
DEPT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 12th March 1881 -

Read the following :-

SECRETARY.

Chepauk, 8 March 1881.

OFFICE NOTE.

To W For orders

From S. P. President
No 4417 of 40 March 1881

Major Vibut is I think
in error, and the request
of the Officer commanding
A. C. is perfectly regular -

The Battery in question
is an unoccupied building
and its charge rests
with this Department -

Even if it were in
charge of the Military

From the Supt. of P. W. Presy No 4417 of 24 March 1881.

The request of the
A. C. Royal Artillery is
perfectly regular - Chiver's
Battery is an unoccupied
building, and its charge
rests with the P. W. Dept.

2. The expenditure
necessary for its proper
maintenance is a charge
against "Repairs, Military",
& can be incurred at the
discretion of the Supt. of Works
Presidency.

S 19/3

To The Supt. of P. W. Presy
Desd
12-3-81

S of

5.3. 1881

B. H. 660 H 7 12. March 1881