

P. H. C. No. 25

9M
A. H. 68 d/26/4/82
No 544 d/26/4/82
To C

For note and
return

Recd
1.5.82
W. 18.86
25.4.82
Dy. J.

Noted and returned.

28 April 1882. tth
27.4.82
Mr C.

B. A. 1029 W d/2nd May/82.

Recorded.

1.5.82

GO 447 W. 18.2.82.

1.5.82

P. H. C. No. 25

From
The Supr. Engineer
6 circle.
To.
The Chief Engineer
Prod.

No 142 T. J.
Dated 21st April 1882.
Recd 24th

Reserve stocks to be
maintained at the different
Head works: —

of — of the Sanjore & hezafan
Dus has been approved by the
Chief Engineer for Irrig. —

Entd in Receipt Regr.

With Order

10/5

P.W.C. No. 2705

1st MAY 1882, No. 1073 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

No. 9.

READ—the following letter from J. W. RUNDALL, Esq., Superintending Engineer, Second Circle, to the Chief Engineer, Public Works Department, dated Ongole, 7th April 1882, No. 27 K.S. :—

With reference to paragraph 2 of G.O., No. 447 W., of the 18th February last, I have the honor to state that I do not think any reduction of stock in the Kistna Eastern Division is possible, as the Kistna completion estimates having been sanctioned, there will be an immediate increase of work in the shops, and unless we have a fair stock of metals, timber, &c., delays most prejudicial to the satisfactory progress of works might occur.

2. There is, properly speaking, no local market to fall back upon, and at Bezvada we must be entirely dependent on our own resources.

No. 10.

ORDER—dated 1st May 1882, No. 1073 W., Public Works.

The limit of reserve stock in the Kistna Eastern Division will remain at Rs. 48,000 as ordered in paragraph 2 of G.O., No. 914 W., dated 4th April 1881.

(True Extract.)

(Signed) R. H. SANKEY, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, Second Circle.

„ Chief Engineer for Irrigation.

„ Examiner of Public Works Accounts.

Exd. A. F. Goodall.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1882) Madras.
PUBLIC WORKS.

Dated May, 1st.

Recd.

Encl.

G.O., 1st May 1882, No. 1073 W.

MAY.
Nos. 9-10.

Reserve Stock.

The limit of the — in the Kistna Eastern
Division to remain at Rs. 48,000.

No 14272

Supa Sngs' Office b: Circle
Upper amount 21st April/82

From,

Col. J. Beatty R.R.

Supa Engineer bth Circle.

To,

Col. R. H. Sankey B.S.R.R.
Chief Engineer P.W.D.

Sir,

With reference to para 2
of G.O. No 447 W of the 14th
February 1882, I have the honor
to inform you that the limit
of Reserve Stock to be main-
-tained at the different Head
works in the Tanjore Division
has been fixed at Rs 11,017 and
this was approved of by the
Chief Engineer for Irrigation
in his memo No $\frac{VI}{66 \text{ T.T.}}$ of the 9th
November 1881-

2. Similarly the limit fixed
for the Megapattam^{Division} was Rupees

1033, and this was also approved by the Chief Engineer for Irrigation. The quantity in hand was in excess of the limit fixed and will be gradually reduced to that limit as it can be used up on the works.

3. The information required in para 1 of the G.O. quoted above regarding the materials at site of works will be forwarded as soon as replies have been received from the Divisional officers.

I have the honor to be

Sir

your most obed^t serv^t

L. Beatty - Esq. R.R.

Sup^a Engineer C.E.

9m
A^h 68 d/26/4/82
No 544 d/26/4/82
To C

For note and
return

Recd
15.82
W. No 86
Dyfe
25.4.82

Noted and returned.

21 April 1882. tly
27.4.82
Mr C.

B A^h 1009 W d/2nd May/82
Recorded

CO
1.5.82
CO 447 W. 18.2.82

Long

P. H. C. No 2548

From
The Sup^r Engineer
6 circle.

S.
The Chief Engineer
Dund.

No 142 T. J.
Dated 21st } April 1882.
Recd 24th }

Reserve stocks to be
maintained at the different
head works: —

Inform that the limit
of — of the Sanyore & hegepale
Dus has been approved by the
Chief Eng^r for Irrig. —

Entd in Receipt Regr.

With Order To

From

9906
22 APR 82

Long

Entd in Receipt Regr.