

only 6/5 Re 13/5 Trays
 cir: 7.5. R
 * only 6/5 Re 10/0

Entd. in Receipt Regr.

G. O. 30794-12-12-81.
B-2022-25-1-82.

P. W. C. No 2804
From

No 12337

PUBLIC WORKS DEPARTMENT.

als of
ender.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 15th May 1882.

Read the following:—

The Supt Engineer
First Circle

From the Suptg. Engr 1st Circle A.C. No 294. G. O. 19th April 82

To

The Chief Engineer
P. W. Department

Dated 19th April 1882
Despd 29th May
Recd 1st May

No 294 G.O.

Enclosure

Dowlaishweram Work shop
Office Establishment
the—Members of the—
Recommends that the
may now be graded
as are the members
other Sub Divisional
Establishments as per
Statement herewith

+ Present Cost - Rs 215-0-0
Total mean cost
Proposed scale - " 242-8-0
Increase per annum Rs 27-8-0
Per annum Rs 330-0-0

It is observed that
calculated in accordance
with Section 38(a) of the
Pay and Ag. allowance
Code, the proposal of the
Suptg. Engineer involves
a total mean increase
of Rs 330 per annum.
Unless therefore the pro-
posed scale can be re-
vised so as to keep the
total mean cost within
the present figure, the
application cannot be
entertained.

S.E. 1st circle.

despd 16/5

cu

6-5-82

MT

8/5/82

Ms. 12-5
C. 9.5.82

No. 294 G.O.

FROM

THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

P. W. Department
FOR IRRIGATION.

Dowlaishweram, *19th April 1882*
Sept 29th 1882

SIR,

With reference to G.O.
N^o 3079 dt. 12th December 1881
N^o 202 dt. 25th January 1882 I
have the honor to recommend that
the members of Office Establishment
of the Dowlaishweram Workshops,
which was in G.O. N^o 1489 A 1/6/81.
brought on to the permanent Establish-
ment of the Department, may now be
graded as are the members of other
S. D. Establishments.

2. I *enclose* a list giving the
names, lengths of service present pay-
and grading recommended.

I have the honor to be,
your most obedient *Sir* servant
C. J. J. J.
Off^r Sup^r Eng^r 1st Circle



Enclos. *One*

List.

Mr. 31/2504/12

Enclosure in a
letter N^o 294 dated
19th April 1882
from the Sup^r Eng^r
1st Circle.

+
no such G.O. can
be traced

ls of
der.

I
that
nt
,
'87.
fish
be
gr
the
ray
be
t
C
P

Comp'd JK

Comptroler
Off^e & Sup^e Engineer 1st Circle.