

(1) Number of pages 14
(2) Date of repair 23-23-87
(3) Initials of the Referencer lmg ✓

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Public works DEPARTMENT

G.O. No. 1371-W
B.P. No.

Press.
Mis.

Dated 2-6-1882

197

L.B.

Not to be folded or roughly handled

2ND JUNE 1882, No. 1371 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

General.
Account.

No. 1.

READ—the following papers:—

From the Inspector-General of Ordnance, dated 21st February 1882, No. 8954.
From the Superintending Engineer, Fifth Circle, dated 24th May 1882, No. 613.

No. 2.

ORDER—dated 2nd June 1882, No. 1371 W., Public Works.

As the blasting powder in the Chingleput Division cannot be profitably utilised either there or in any other Public Works Division, the Superintending Engineer, Fifth Circle, is authorised to return it to the Arsenal, Fort St. George, as suggested by the Inspector-General of Ordnance in his letter above recorded.

(True Extract.)

Under Secy to Govt., P.W.D.,
Irrigation Branch.

To the Superintending Engineer, Fifth Circle.
" Examiner of Public Works Accounts.
" Military Department.

Exd. A. F. Goodall.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1882) Madras.
PUBLIC WORKS.

Dated June, 2nd.

Recd.

Enc.

G.O., 2nd June 1882, No. 1371 W.

JUNE.

Nos. 1-2.

Blasting Powder in the Chingle
put Division.

Authorising the Superintending Engineer,
Fifth Circle, to return the — to the Arsenal,
Port St. George.

Indiant Department.

ORDNANCE OFFICE:

Fort Saint George.

21 February 1882.

No. 8954

From

The Offg. Dy. Inspector General of Ordnance.
(In ch. Ordn. Office).

To

The Chief Engineer
Chepank.

Sir,

In reply to your No. 426C dated 7th
Instant, I have the honor to inform you
that there exists no departmental objection
to receive the powder into Ordnance charge
but before finally deciding upon returning
it to the Arsenal Madras I would suggest
that enquiries may be made as to
whether the powder could be utilized
by some other Division of the Public
Works Department.

I have the honor to be,

Sir

Your most Obedt. Servant

J. M. M. L. Lt. Col. R. A.

Offg. Dy. Insp. Genl. of Ordn.
(In ch. Ordn. Office).

N^o 426.C. of 17-2-82
 G.O. N^o 914 of 4-4-87.
 B N^o 2890 of 18-11-87.
 B N^o 2611 of 25-10-87

N^o 219. D of 24-2-82
 The S.E. V Circle

Please ascertain
 from other Suply Depts, whether
 the powder mentioned in
 your letter N^o 833 of 26.1.82
 can be utilized in any
 of the divisions of this circle,
 and report the result to this
 Office.

23.2.82
 Dy. M.

From
 The Insp^t Genl. of Ordnance
 To
 The Chief Engineer
 Bangalore
 Dated 21
 Received 26/2/88
 No. 8957

Inspection of
 the powder
 at
 the
 Bangalore
 Ordnance
 Depot

SUPERINTENDING ENGINEER'S OFFICE,
 5TH CIRCLE, MADRAS,
 Bangalore. Chepauk, 24th May 1882.

No. 613.
 From
 THE SUPERINTENDING ENGINEER,
 5TH CIRCLE,

To
 THE Chief Engineer P.W.D.

SIR,
 In returning your Enclosure
 -ment N^o 219 D dated 24th Febr.
 -ary, 1882, I have the honor to re-
 -port that the Superintending
 Engineers 3rd, 4th and 5th Circle
 do not require the blasting powder.
 The Superintending Engineer 1st
 Circle states that the powder
 could not be utilised in his
 Circle unless delivered at Dow-
 -laishurram for 3 Annas per lb,
 as powder suitable for blasting
 purposes

Enclosures. 1.

purposes is obtainable at the Dow.
Laishram quarries for some
what under that price. The
Superintending Engineer in Circle
also considers the price prohibitory.
The powder is not required in
the other three Divisions in this
Circle.

I have the honor to be
Sir,

Yours Most Obedt Servt.

B.H. Norton.

Asst. Commr. P.C.,
Offg. Supy. Eng^{rs} in
Circle

Indians Arms
Act No. 21 of 1878
No. 69148. 4-4-81
B-26118. 25-10-
" 28908-18-11-81
Ch. 426C-17-2-82.

From

Offg.
THE SUPERINTENDING ENGINEER,

5TH CIRCLE,

To

THE Chief Engineer,
P. W. Department
Madras

Dated

24th

Recd.

May 1882.

1371W

ENCLOSURES. 1/

No. 613.

Blasting Powder.

Reports that
is not required in any of the
Divisions of other Circles also
in the other 3 Divisions of this
Circle.

all 44/5

only 26/5 Re 3/6

10 1371W sent
ack.

No 219 Day 24-2-82

No 1197. 13/5

To Mr. 5th Circle

Please ascertain
from other Suptg. Engrs.
whether the Powder
mentioned in your
letter No 833 of 26.1.82
can be utilized
in any of the Divisions
of their circles & report
the result to this office.

J. D. R. 1/1
23.2.82
S. W.

Indoian Arms
Act No. 81 of 1878
No. 914 W of 4-4-81

G.O. No. 914 W of 4-4-81
Act No. XI of 1878 (Arms Act)
C.E. No. 426 C of 17-2-82

No 1371 W ^{Real} _{ack.}

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 2nd June/82

Read the following:—

13/6

of
of

The Super Genl of } (H.O. No. 8954 of 21st Feb'y/82)
Ordinance }

The Supt Engineer } (" " 613 of 24th May ")
5th Circle }

As the blasting powder in the Chingleput Division cannot be profitably utilised either there or in any other Public Works Division the Suptg. Engineer 5th Circle is authorised to return it to the Arsenal Fort St. George as suggested by the Inspector General of Ordnance in his letter above recorded.

To The S.G. 5th Circle
" Supt. P.W.D.
" Supt. Engrs.
20/5
17/6

26.5.82

Att

only 26/5 Re 2/6

7

411
O.S. 4/5
12615 Re. 3/11

1197
2227

Gobt. of (1882) Madras.
PUBLIC WORKS.

Dated

Recd.

Pres 3/6/82
3/1/82
1882-5-6
Glen

Encl

G.O. 2 June 1882, No. 137111

Nos. 1 to 2

Blasting Powder in the Chingleput
Division. On the rising
the Superintending Engr
- near 5th (in old) to return
the ——— to the Arsenal
Fort Saint George.

Entd. in Receipt Regr

103/6