

(1) Number of pages 14
 (2) Date of repair 17-3-87
 (3) Initials of the Referencer low ✓

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Public Works DEPARTMENT

G.O. No.	1441 W	Press.
B.P. No.		Mis.
Dated	9-6-1882	197 .

158

Not to be folded or roughly handled

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

No. 51.

READ—the following letter from Lieutenant-Colonel H. R. MEAD, R.E., Superintending Engineer, Fourth Circle, to the Chief Engineer, Public Works Department, dated Camp Ootacamund, 22nd May 1882, No. 193 :—

As the list of Imperial Irrigation Works for North Arcot District has been approved of by the Chief Engineer for Irrigation, it is necessary to modify slightly the Sub-divisional charges.

Under G.O., No. 265 W., dated 3rd February, half the district was so called abandoned, the Executive Engineer's headquarters was at Vellore, his personal charge the Military Station at Vellore, the few irrigation works round it, and also any Provincial Works at Chittoor or in the abandoned taluks.

The Northern Sub-division consisted of the Pálár North Section and the Poiny System, in fact of little more than Wálajápet Taluk, the headquarters at Ranipet. The Southern Sub-division with headquarters at Arni consisted of the South Section of the Pálár and the Cheyár works, also the irrigation and other works in the Wandiwash and Arcot Taluks.

The establishment consists of—

- 1 Executive Engineer.
- 2 Assistant Engineers.
- 5 Upper Subordinates.

I think it absolutely necessary that this should be increased, and propose that one Upper Subordinate from another division in the circle (namely the West Coast) should be permanently attached to this North Arcot Division.

I would propose to arrange them as follows :—

1st Sub-division.—Executive Engineer, headquarters Vellore, with two Upper Subordinates.

Personal charge, taluks of Chittoor, Palmanér, Vellore, and Gudiyátam. In these four taluks there are but few Imperial Irrigation Works.

2nd Sub-division.—One Assistant Engineer in charge, headquarters Ranipet, with two Upper Subordinates.

Charge, Chandragiri and Wálajápet Taluks; this includes the North Pálár Section and the Poiny System.

3rd Sub-division.—One Assistant Engineer in charge, headquarters Arni, with two Upper Subordinates.

Charge, Arcot, Pólúr, and Wandiwash Taluks; this includes the South Pálár Section and the Cheyár System.

I have the honor to request your approval of the above arrangement.

No. 52.

ORDER—dated 9th June 1882, No. 1441 W., Public Works.

The arrangements proposed by the Superintending Engineer are approved.

The numerical designation of the Sub-divisions should be altered to territorial designations as follows :—

Headquarter Sub-division.

Ranipet do.

Arni do.

2. The extra Upper Subordinate required for the North Arcot Division can be provided under the arrangements sanctioned in separate Proceedings constituting the new Nilgiri Division.

(True Extract.)

Under Secy. to Govt., P.W.D.,
Irrigation Branch.

To the Superintending Engineer, Fourth Circle.
" Chief Engineer for Irrigation.
" Examiner of Public Works Accounts.

GENERAL
ESTABLISHMENT.

Govt. of (1882) Madras.
PUBLIC WORKS.

Dated June, 9th.

Recd.

Encl.

G.O., 9th June 1882, No. 1441 W.

JUNE.
Nos. 51-52.

North Arcot Division.

Sub-divisional charges of the —. Approves
the arrangements proposed by the Superin-
tending Engineer for supplementing the —

No.

No. 193

SUPERINTENDING ENGINEER'S OFFICE,

4th Circle.

Camp City, 22 May 1882

1441
3

From,

THE SUPERINTENDING ENGINEER,

4th Circle.

To

The Chief Engineer
P. W. D. Madras.

Sir,

ENCLOSURES

As the list of Imperial
Irrigation works for North Arcot
District has been approved of by
the Chief Engineer for Irrigation
it is necessary to modify slightly
the Sub Divisional Charges.

Under G. O. No. 265 W dated 3rd Feb
half the District was so called
abandoned, the Executive Engineer's
Head Quarters was at Vellore
his personal charge the

military station at Vellore the few irrigation works round it and also any Provincial works at Chittoor or in the abandoned Talooks.

The Northern Subdivision consisted of the Palar North section and the Poring system in fact of little more than Wallajahpet Talook; the Head Quarters at Ranipet. The Southern Subdivision with Head Quarters at Arni consisted of the South section of the Palar and the Cheyar works also the irrigation and other works in the Wandiwash Arcot Talooks.

P 2

The Establishment consists of ¹⁴⁴¹₄

- 1 Executive Engineer
- 2 Assistant Engineers
- 5 Upper Subordinates.

I think it absolutely necessary that this should be increased and propose that 1 Upper subordinate from another Division in the Circle (namely the West Coast) should be permanently attached to this North Arcot Division

I would propose to arrange them as follows:-

Executive Engineer Head Quarters
Vellore with 2 Upper Subordinates.
Present

The SE can transfer Upper Subordinate as he pleases
His scheme will save 2 salaries to Govt by 17 to 16 when Subordinate
All

1st Sub Division

Personal Charge. Salooks of
Chittoor, Palmanair, Vellore
and Gudialum.

In these 4 Salooks there are
but few Imperial Irrigation
works.

2nd Sub Division. 1 Assistant Engineer
in Charge.

Head quarters Ranipet with 2
Upper subordinates.

Charge. Chandragherri and
Wallajapet Salooks. this includes
the North Paler section and the
Poony system.

3rd Sub Division. 1 Assistant
Engineer in Charge.

Head quarters Arni with 2
Upper subordinates.

Charge. Arcot, Polur and
Wandiwash Salooks. this includes
the

the South Paler section and
the Cheyar System.

I have the honor to request
your approval of the above
arrangement.

I have the honor to be,
Sir,

Your Most Obedt. Servant

M. M. M. — Lt. Col. R. E.
Supg. Engineer, 4 Circle.

16-7-81 or 1792

1441 W

To E. I.

From
The Supt. Engineer,
Fourth Circle.

For opinion.

30.5.82
Dy. S.

W.

I approve of the S. E. proposed
arrangements, and think he
should have another officer
subordinate in the Division, if
possible -

24/5/82.

Dated 22nd
Sept: 24th } May 1882

No. 193.

Memo

Approved - the
Subdivision will be
designated territorially
2nd Extra Upper Subd.
will be provided by the
SE in the reconstruction of
the proposed (and sanctioned)
Coimbatore & Nilgiri Div.

Sub Divisional Charges
of the North Arcot Div.

Requesting
approval to the arrange-
ments proposed for
supplementing the

3/6/82

No. 1441 W

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 9th June 1882
Read the following:-

From,
The Supt. Engineer IV Circle (No. 193 of 22 May 1882)

The arrangements
proposed by the Suptg.
Engineer are approved -

The numerical designations
of the Subdivisions should
be altered to territorial
designations as follows:-

Head Quarter Subdivision
Ranipett --- do ---
Arni --- do ---

2. The Extra Upper
Subordinate required for
the North Arcot Division

can

Can be provided under
the arrangements sanctioned
in separate Proceedings
constituting the new Nilgiri

Division.

R.S.

1876

5/6/8

De. W.

1876

Secy. to Govt. ✓

Chief Eng. for Migration ✓

Examiner of Accounts ✓

3309

Gobt. of (1882) Madras.

PUBLIC WORKS.

Dated

Pres 11/6
4/20/82

By

Encl.

G.O. 9 June 1882, No. 1441 W

No. 51552

Art. Areat D n
Sub Divisional Charge
of the — Apprises it
arrangement proposed by
the Surveyors for supply
meeting the —