Archives I 10,006—16-8 77.

(1) Number of pages 10

(2) Date of repair 3-87

(3) Initials of the Referencer Lavs

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W. DEPARTMENT

G.O. No. / B.P. No.	828 W	Press. / Mis.
Dated	28.3.1882	-197-.

Not to be folded or roughly handled

31

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

28th March 1882, No. 828 W.

General.
Establishment.

Read the following paper:—

No. 224. From Colonel J. BEATTY, R.E., Superintending Engineer, Sixth Circle, to the Chief Engineer, Public Works Department, dated Trichinopoly, 21st January 1882, No. 697 T.N.

With reference to your memorandum No. 34 of 7th instant, I have the honor to inform you that the establishment of officers and subordinates for the Tinnevelly Division is now complete according to the sanctioned scale, and the Executive Engineer considers that it is sufficient.

2. In Mr. Martin's letter, printed with the Government Order in question, he was giving explanations regarding the submission of certain estimates, and those explanations had reference to a time prior to the re-organization when the establishment was again brought up to a sufficient strength.

No. 225. ORDER THEREON, 28th March 1882, No. 828 W.

RECORDED.

2. The Government observe that no misapprehension need have occurred on the subject of the establishment of the Tinnevelly Division had the Joint Secretary in the Irrigation Branch attended to the instructions laid down in the last two sentences of Section 21 of the Secretariat Manual, by circulating the Note* by the Chief Engineer for Irrigation and draft order thereon through the Secretary of the Department.

* No. 161 I., dated 9th December 1881.

3. The special attention of the Joint Secretary in the Irrigation Branch will now be directed to the rule quoted above.

(True Extract.)

Lieut.-Col., R.E.,
Ag. Under Secy. to Govt., P.W.D.

To the Joint Secretary to Government, P.W.D., Irrigation Branch.
" " " " Railway Branch, for information.

Exd. S. T. Austin.
Spare Copies

GENERAL
ESTABLISHMENT.

Govt. of [1882] Madras

PUBLIC WORKS.

To

The JOINT SECY to GOVT. PWD.
IRRIGATION BRANCH

Sir &c.

MADRAS:

PRINTED BY

DIARY.

Nos. 831-836.

To the Hon'ble W. H. Havelock

No 828 W

For orders

Para 2 of S.O. 16 dated 1881 No 869 I called on the Chief Engineer in the Revenue Branch to report on the inadequate Establishment in the Tinnevelly Division which is to be observed by Colonel Beatty's No 697 T N of the 21st Jan: that the Establishment was sufficient. No misapprehension need have existed in the District had the Chief Engineer in stating attended to the instructions laid down in the last two sentences of Section 21 of the Secretariat Manual, by ~~[illegible]~~ circulating the note & draft order herewith for

This not being by any means the first case in which misdescriptions have arisen in the same case it would be desirable to draw the attention of the Chief Engineer in Irrigation Circular to the rule quoted above

Att

21/8/82

No 697 T.N

Supt Engineer's office.
Trichinopoly. 21st January 1882.

From

Colonel J. Beatty RE.
Supt Engineer, 6 circle,

To.

Colonel R. H. Sankey C.B. RE.
Chief Engineer, P.W.D.

Establishment

Sir,

With reference to your Memorandum No 34 of 7th Instant, I have the honor to inform you that the Establishment of Officers and subordinates for the Tinnevelly Division is now complete according to the sanctioned scale, and the Executive Engineer considers that it is sufficient.

2. In Mr Martin's letter printed with the G.O in question he was giving explanations regarding the submission of certain estimates, and those explanations had reference to a time prior to the reorganization when the Establishment was again brought up to a sufficient strength.

I have &c.

J Beatty - colRE.

Supt Engineer 6 circle

Doc

To: A.87 Nag 27-1-82
E.I

Please return this with any observations you may desire to offer.

26/1/82 W.

To: No. 87

The letter No 866 T.R. of the 11 Inst. from the Supt Engr. 6 Circle are forwarded for perusal. The establishment was very weak in Assistant Engineers in the early months of 1881 as the Wilson was not then effective. It is now somewhat weak in Upper Subordinates but of the present establishment 5 will be permitted Division by Division to become thoroughly effective before proposals to become effective

Eng. 28/3/82

From

The Supt Engineer
6: Circle.

To,

The Chief Engineer
P. W. D.

No 697 T D

Date: 21st January 82

As directed in memo No 84 of 7th inst. reports on the sufficiency of the establishment of Officers and subordinates in Executive

To.

Estabt
828/9

No 828 W.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 28th March 1882

Read the following:—

From the Supt Engr: VI Circle (D.O. No 697 dt 21 January 1882)

Recorded.

2. The Government observe that no misapprehension need have occurred on the subject of the establishment of the Tinnevelly Division had the Joint Secretary in the Irrigation Branch attended to the instructions laid down in the last two sentences of Section 21 of the Secretariat Manual, by circulating the note by the Chief Engineer for Irrigation

& No 161 dt 9th Decr 1881.

and draft order thereon through the Secretary of the Department.

3. The special attention of the Joint Secretary in the Irrigation Branch will now be directed to the rule quoted above.

CL

28/3/82

To,

The Jt. Secy to Govt. S.W.D. Irrig. Branch. ×

" —"— Ry. Bd. for information & ×
necessary action.
19/4/82.

427

Govt. of [1881] Madras.

PUBLIC WORKS.

To

Dated

Rec'd.

Encl.

30/6/82

G. O., 18 June 1882 No. 838 W

Nos.

Govt. of [1881] Madras.

PUBLIC WORKS.

To

Dated

Rec'd.

Encl.

30/6/82

G. O., 18 June 1882 No. 838 W

Nos.

Govt. of [1881] Madras.

PUBLIC WORKS.