

No 684 C d/26-3-83
To the President
Union! Comm.
Cotacundo

In acknowledging the receipt
of your letter no 21 of the
23rd inst., I have the honor
to inform you that as you
have asked for my personal
opinion on the several points
I have not considered
it necessary to trouble the
Soc^y with a response

2. As regards para
3 I may say that the
remarks contained in
the S.O. were based on
my own observations made
on two separate occasions
when the Burger drains
were in their then con-
-fused condition, this
want of flush being as
I understood ^{in great measure} due to
a misapprehension of
the light at order with
reference to the height
at which water should be
maintained in the
Burger and Reservoir



It is however satisfactory
to find that this state
of matters no longer exists

3. With reference to
the temporary pits at the
ends of the street drains
I may mention that
before seeing your present
letter I had written of
to the Executive Engineer
to the effect that the
object of such pits being
mainly to prevent any
undue diffusion of the
designated portions of
sewage over the bed or
throughout a long stretch
of channel, it would be
wonderful to make ^{such} ~~these~~
pits unless this special object
were likely to be attained
and that he must be
guided by circumstances

4. It appears to
me that leaving the
water on the footing
will sufficiently meet your
wishes - When owing to
deficiency of flush the
sewage, as I saw it,
stagnates & becomes viscid

its interception and
removal from temporary
pits would be both
effective & economical. 183.
but where the flow from
rainfall is otherwise
is sufficient to prevent
deposit of the sewage
waters along the course
of the several outfall
channels there can be
no harm in trusting
entirely to the latter
Where there is only occasional
flush a combination
of pit and outfall channel
would be most appropriate

Att

26.3.83

C. G. Skelton

10-3-94

No 550 C d/7-3-83

G.O. 286 W d/1-2-82

No 367 C d/6-2-83

No 634 D d/15-3-83

" 505 C d/28-2-83

" 458 C d/20-2-83

" 458 C d/20-2-83

G.O. 1667 W d/3-7-82

" 1190 W d/10-5-82

" 286 W d/1-2-82

" 287 W d/80

No 2559 d/5-11-81

G.O. 1408 W d/6-6-81

~~Desp'd~~
~~27/3~~

No 684 C d/26-3-83

27/3

P.W. Deptt.
Maoras 31 March/83.

No 719 C

Memorandum

Adverting to G.O. 931 W
dated 22nd March 1883, the early
attention of the Superintending
Engineer, Fourth Circle is
requested to several instruc-
tions given. The requisite
Estimates should also be
submitted for sanction and
allotment of funds with the
least possible delay.

Sd/- R. H. Laukey

Col. R.
Chief Engineer
P.W. Deptt.

To
The Superintending Engineer, Fourth Circle
27/3

10-3-74

Public Department.

PROCEEDINGS of the MADRAS GOVERNMENT.

READ the following

Letter from the Honorary Secretary appointed
at a meeting of the Residents of Cotta held on
10th March '83 - dated 19th March 1883.

Enclosed I have the honor to hand
you three Copies of the Proceedings at a
meeting of the Residents of Cotta held on
Saturday the 10th instant to
discuss the present Condition of our Lake
and I request that they may be laid before
His Excellency the Governor in Council
and the Members of Council for their
Consideration.

Order thereon 2^d April
March 1883 No. 76

Communicated to the Public

Works Department, in reference to G.O.
17th March 1883 No. 580, a copy of which
will be furnished to the Honorary Secre-
tary by the President of the Municipal
Commission

No 719C d/31-3-83

by

Commission, Cotacamund.

(True Extract)

Edmund Cropper

Acting Under Secretary

To The Public Works Department.

President, Municipal Commission,
Cotacamund.

10-3-94
22-5-88

Gobt. of (188) Madras.

No 1039 Wdys. 5th April

To

Recorded

Shet W Dept

Sub

Recd 1/4/83

Proceedings, dated 20 April 1883.
No. 676 Ins.

Subject.

No 1039 Wdys-4-83

Regarding the Condition
of Coby Lake

Deputy
7/4

J. S. E. Fourth Circle
S. S. Fourth Circle

With order

Entd. in Receipt Book.