

(1) Number of pages 10
(2) Date of repair 26. 6. 87
(3) Initials of the Referencer lms ✓

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

DEPARTMENT

P.W.D

G.O. No.	1546 W	Press.
B.P. No:	29 - W	Mis.
	15-46	
Dated	4. 6. 1883	198 .

Not to be folded or roughly handled

4TH JUNE 1883, No. 1546 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following letter from Lieutenant W. L. C. BADDELEY, R.E., General Superintendent, Public Works Stores, &c., to the Deputy Chief Engineer, Public Works Department, dated Madras, 25th May 1883, No. 269 S.:—

With reference to the list of exceptions forwarded for report with G.O., No. 1456 W., dated 17th May 1883, I have the honor to state that the exception taken to the number of levelling staves as due on former indents is correct, but as the established proportion is given in the indent at 200, and as there are no staves in store, I beg that the Secretary of State may be asked to sanction the supply of 200 levelling staves. I make this request as I find it impossible to meet current demands promptly, and many orders for levels are delayed because I have no staves to supply with the instruments.

ORDER—dated 4th June 1883, No. 1546 W., Public Works.
Ordered that the Secretary of State be addressed.

(True Extract.)

Major R.E.,
Under Secy. to G.O., P.W.D.

To the General Superintendent, Public Works Stores.

Exd. C. Howarth
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1883) Madras.

PUBLIC WORKS.

Dated June, 4th.

Recd.

Encl.

G.O., 4th June 1883, No. 1546 W.

JUNE.

Levelling Staves

Ordered that the Secretary of State be addressed with reference to the exception taken in the indent for stores for the Public Works Department to the number of — required.

PUBLIC WORKS STORE DEPARTMENT,

Madras, 25th May 1883.

No. 269 S.

From

THE GENERAL SUPERINTENDENT,

PUBLIC WORKS STORES, &c.,

To

THE Deputy Chief Engineer
P. S. S.

SIR,

Enclosures.

With reference to the list of exceptions forwarded for report with G. O. No. 1546 W. dated 17th May 1883, I have the honor to state that the exceptions taken to the number of levelling staves in the former Indent is correct, but as the established proportion is given in the Indent at 200 and as there are no staves in stores I beg that the Secretary of State may be asked to sanction the supply of 200 levelling staves. I make this request as I find it impossible to meet current demands promptly, and many orders for levels are delayed because I have no staves to supply with the Indentments.

I have the honor to be
Sir,

Yours most Obedient Servant
W. S. S.

General Supt. P. W. Stores

Aug 84 W 10.1.83
 Despatch to P. W. Stores No 12 W 12.2.
 468 83
 P. W. Stores No 1456 W 19.5.83

P.W.C. No. 4414
 Public Works Store Department.
 From
 THE GENERAL SUPERINTENDENT,
 P. W. STORES, &C.,
 MADRAS,

To
 The Chief Engineer
 D. S. S.
 Chepauk

No. 2678.

Dated 25
 Despd. 25 May 1883
 Recd. 28

No. OF ENCLOSURES.

Report on the 2 Indent
 for stores required for the use
 of P. W. Stores during the
 Official year 1883-84 with
 the exception of Stores
 Jewelling Telescope

Only 28/5
 11/37.5
 11/31/5 R 1/6

1546 PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 14th June 83

Read the following

From the General Supt.
 P. W. Stores } H.E. No 2678 of 25th May 83

Ordered that the
 Secretary of State be
 addressed.

H. E. No 1546 of 27th May 83
 To The Rt. Honble. Secy of State
 for India.
 My Lord,

Adverting to para
 2 of your Lordship's
 despatch No 13 dated
 19th April 1883, we have
 the honor to forward

P. W. No 1546 dated 4th
 June 1883

Copy of a letter from the
 General Superintendent
 P. W. Stores and to request
 that under the circumstances
 thereon

Genl Supt P. W. S. H

The Am. S. F. Carmichael

therein stated the supply
of 200 Levelling Staves
to this Presidency may
be sanctioned for
the year 1883-84.

cu/

Cy.
29/5

Atty

31/5/83

Deputed with
380

10/6

15466

Con 31/5 R 1/6

4014

G.O. of (1883) Madras.

PUBLIC WORKS.

20

Dated

Recd.

Encl.

G. O. of June 1883, No. 1546 W

Rs. 29
1546 W

Nos.

Leveling Rates

Ordered that the Survey
shall be conducted with
reference to the exception taken
by the Government in the
the Indent for Stone for the Road
to the No. of — — —

Regarding the exception
taken in the Indent for
Stone for the P.W.D. to the
No. of leveling Rates
not — — —

Ordered as above