

Note

The work cleaning the
 Channel leading into the
 fitties at Enriely Water
 Works, and repairing
 the Engine Room, having
 been completed in
 the last official year,
~~the~~ formal account
 is the actual sub.
 mitted does not ap-
 pear necessary in-
 the last year 1884-
 but the Commr
 may be instructed
 to accept the ap-
 propriate account viz
 Rs 210-

Ames
 24/5

Current No. 4263Letter No. 2287Dated the 18th May/83From the Genl. Supt. P.W. Works

NOTE OF REMARKS.

1. The accompanying abstract of estimate, Rs. 210-0-0, provides for clearing the channel leading into the fillers Guindy Water Works, and repairing the Engine Room.
2. The work has been already executed in anticipation of sanction.

22nd May/83
 RST

Abstract Estimate of the cost of repairing the
 Door and Windows of the Engine room and clearing silt
 from the channel, suction pipe, Foot Valve and the
 Well of Guindy Pump.

Particulars of work	Quantity	Rate per Amount		Total
		R a p	R a p	R a p
Teakwood _____ C Feet	2	35	00	70
Carpenter's labor for repairing the door and windows _____			12	00
Copper wire for foot Valve _____ #	1	10	00	10
Files and boys labor for taking out the suction pipe and the foot valve for cleaning & fitting the same _____			15	00
Bandy load of brushwood _____ Bandy	1		5	00
Casuarina posts _____ #	14	75	00	11
Rattan Baskets _____	20	25	00	5
Tank Diggers & Women, coolies for clearing the silt and sloping the embankment _____			35	00
Superintendence & contingencies _____			19	00
<u>Total Rupees.</u>				210

P.W. Workshops 2
 Madras
 18 May/83

Wm Boddie
 Genl. Supt. P.W. Workshops
 Sient R.E.

B

Madras, 18th May 1883

From

THE GENERAL SUPERINTENDENT,

PUBLIC WORKS WORKSHOPS,

To

THE

THE Deputy Chief Engineer
D.M.

Сержант

SIR,

Enclosures.

I have the honor to submit the accompanying Estimate ^{for Pages 2107"- "} for cleaning the channels leading into the Filters at Quindry Water Works and repairing the Engine-Room

2. As the work was executed in 1902-03, and Transfer Debit Advice issued to the Executive Engineer (Singleput Division) for adjustment in the Accounts for March 1903, I request that the Examiner of P.W. Accounts may be authorized to accept the expenditure without appropriation, if funds cannot now be allotted.

I have the honor to be
Sir,

Your most obed^t Serv^t

MacDonald - Lieut RE

Genl Suptth, P. W. Workshops

Presidency P. W. Workshops.

P.W.C No 4263

No 1561 Way 4 June 83

From

THE GENERAL SUPERINTENDENT,

P. W. WORKSHOPS,

Madras,

To

THE Dy Chief Engineer
P.W.
Madras

No. 228 W

Dated 18

Despd. 19

Reed. 21

May 1883

ENCLOSURES. /

Subject

Harbours Abstract

Estimate amounting to Rs 210.
for cleaning the channel leading
into the Filter Pumping Water
Works & repair of the Engine
Room - for sanction

No 1561 Way 4-6-83

The work in
question having already
been completed, the
Examiner, P.W. Accts is
authorised to accept
the expenditure am-
ounting to Rs 210/

Cy
28/5

MT

28/5

See
memo
46

To Genl Supt, P.W.
Exams, P.W. Accts
Sd. Dy Chief Engr

only 22/5 Rs 1/6
Oct 33rd

With order
Emd. in receipt