

Ms. 2099 no. 1.8-83

No 2360 Wd/22-8-83

B

The materials
in question may
be transferred to
stock, but the
Supg. Engr. should
endeavour to transfer
them to other works
or dispose of them
to the best advantage
with the least pos-
sible delay.

The new buildings at
Anantipud may offer the
opportunity of working up this
technical stock. It will be good
enough to consider this.

Cy
18/8

S. E. Third Circle
S. S. Third Circle
S. S. Third Circle

etc
18/8/83

From

The Superintending Engineer,
III Circle,

To

The Chief Engineer
MD
Madras

Dated 15th August 1883.
Recd.

ENCLOSURES.

No 2360 Wd/22-8-83

No. 1381.

Stock purchased for
Royal Artillery Stables.
Amounting to Rs. 6879.

Requesting that the
which cannot be utilized in
the work, may be kept as
Reserve Stock.

with order

in the objectionable New Statement under
Imperial Military Bellamy Division
and kept as Reserve Stock.

Have the honor to be
Sir
Your most obedt servt
Loyd of London May 16
Wm Dupoy. Esq. in
Zephire

W.D.

SUPERINTENDING ENGINEER'S OFFICE,

No. 1381

MADRAS,

Bellary Chepauk, 15th Aug^r, 1883.

From

Major D. Clarke R.E.
THE SUPERINTENDING ENGINEER,IIIrd DISTRICT,

To

THE Chief Engineer
M.D.
Madras

Sir,

Enclosures.

I have the honor to bring to your notice that the "Stock" purchased for the Royal Artillery Stables in August 1882, amounting to Rs. 6879, cannot be utilized on the work lately sanctioned in G.O. No. 2099 of dated 1st Aug^r 1883. It consists of Teak scantlings which are valued at too high a rate, to allow of their being utilized for the work in question - moreover the scantlings are for the most part, too weak in section. so that if permissible they must be struck off the item exhibited

B5

A4