

3/c 2.0.13
29c 14.1.13
729 14.7.01
No 2876 Wa 12th October 83

Recorded
Forwarded

Cd.

2.0.13 11/10

Received
9/10

From No. 7103

The Sup of Engineer
1st Circle

To

The Chief Engineer

P. W. Department

No 2876 Wa 12-10-83

Dated 10th
Despd. 13th
Recd. 20th } August 83

No 1395 Ea

Enclosure

Upper Subordinate
Establishment Central
Division Godavari - Points
out that the — is not
in excess of its sanc-
tioned strength.

With order
Encl. Recpt. Recpt.

2.7.13

P.W. DEPARTMENT.

No. 289 C, dated 29th. January 1883.

MEMORANDUM.

As Superintending Engineers are understood to be in doubt as to the exact arrangements which are admissible for providing the staff requisite for the Temporary Divisions recently sanctioned, information on the subject is now circulated for guidance.

2. The Establishment, Executive and Office, which has been sanctioned for the new Divisions is that given below:-

CENTRAL GODAVARI DIVISION.

1 Executive Engineer 2nd. grade.
1 Assistant Engineer Do.
1 Sub Engineer 3rd. grade.
* 4 Overseers

OFFICE ESTABLISHMENT.

1 Clerk 3rd. class 2nd. grade.
1 " 4th. " 1st. "
1 " 4th. " 2nd. "
2/- 1 " 4th. 3rd. "
1 Draftsman 1st. Class.
1 do. 3rd.
1 Messenger at Rs. 7.
1 do. " " 6.
1 Accountant 4th. Grade.

* vide No. 110 G.D. dated 16th.
November 1882 from the Chief
Engr. for Irrigation.

vide No. 110 G.D. dated 16th.
November 1882 from Chief
Engr. for Irrigation.

2 SUB DIVISIONAL OFFICE ESTABLISHMENTS.

4 Clerks 4th. Class 3rd. grade.

4 Messengers at Rs. 6 each.

OVERSEERS CLERKS.

4 Clerks 5th. Class, 1st. grade.

PETTY ESTABLISHMENT.

1 Store keeper at Rs. 25-/

3 Lascars " 6-/each

GUDIVADA DIVISION.

1 Executive Engineer 4th. Grade.

1 Assistant Engineer 1st. "

1 Sub Engineer 3rd. "

2 Overseers.

OFFICE ESTABLISHMENT.

1 Clerk 3rd. Class 2nd. grade.

1 " 4th. " 1st.

1 " 4th. " 2nd.

2. 1 " 4th. 3rd.

1 Draftsman 1st. Class.

1 do. 3rd. "

1 Messenger at Rs. 7.

1 do. 6.

1 Accountant 4th. Grade.

SUB DIVISIONAL OFFICE ESTABLISHMENT.

2 Clerks, 4th. Class 3rd. grade.

2 Messengers at Rs. 6 each.

OVERSEERS CLERKS

2 Clerks, 5th. Class 1st. grade.

PETTY ESTABLISHMENT.

1 Storekeeper at Rs. 25-/

3 Lascars " 6-/each.

CAUVERY and VENNAR REGULATOR DIVISION.

1 Executive Engineer 4th. Grade.

1 Sub Engineer 3rd. "

2 Overseers.

OFFICE ESTABLISHMENT.

1 Clerk 3rd. class 2nd. grade.

1 " 4th. " 2nd. "

2 " 4th. " 3rd. "

1 Draftsman 1st. Class.

1 do. 3rd. "

1 Messenger at Rs. 7.

1 do. " 6

1 Accountant, 4th. Grade.

3 Overseers Clerks.

PETTY ESTABLISHMENT.

1 Storekeeper at Rs. 25-/

3 Lascars " 6-/each.

3. This Establishment can be provided for either by temporary appointments direct to the new Divisions, or by the transfer of men on the permanent Establishment, the places of the latter being filled up by temporary appointments.


4. Superintending Engineers are authorised to at once complete

complete the Establishments to the sanctioned strength by the transfer or appointment of men of the classes falling within their powers of sanction under Code Rules.

5. As regards Upper Subordinates, the Chief Engineer will be prepared, on the application of Superintending Engineers to make temporary appointments to such extent as may be necessary to bring the total strength of the Department up to that required for the temporary Divisions plus the existing permanent Divisions.

6. Superintending Engineers are now requested to report any transfers they wish to have made, and the names of any men they may desire to recommend specially for the temporary appointments.

(By Order)



Major R.E.

Dy. Chief Engineer P.W.D.

To

Superintending Engineers

First, Second, & Sixth Circles.

Chief Engr. for Irrigation.

Examiner M.A.

No. 1431 c

P.H.D.

Memorandum

It is observed that the upper subordinate establishment in the Gudivada Division is one in excess of the sanctioned scale, and the Superintending Engineer Second Circle is requested to report whether, all circumstances considered, a permanent subordinate can be spared for transfer elsewhere.

Madras }
2^d Aug 83 }

By Order of

C. Anwar. Major R.E.

Deputy Chief Engineer

P.H.D.

The Superintending
Second Circle.

Stationary Shopping Staff concluded and parted to the Temporary Division.

[illegible]

Notes

The accompanying table shows the permanent and temporary staff employed on the temporary divisions.

2. The following temporary staff is attached to the Division noted.

1 Audit. Eng on Rs 200. Rs. Pro.
jit. wr.

2 Supervisor on Rs 100 each.
Revenue. Casual wr.

1 Temporary Quarer on Rs 100.
Pottingby Ghalt

3 Quarer on Rs 60 each
Pottingby Ghalt

1 Quarer on Rs 60. Rs. Pro.
jit. wr.

1 Quarer on Rs 60. Business
Wr. wr.

3. The sanctioned ^{number of} ~~as per~~ subordinates for the Central Jodhpur Division is 4, but as 5 are at present attached to the division, one of the permanent subordinates can be transferred elsewhere.

4. In the Jodhpur Division also, there is one more than scale, and a permanent subordinates

can be transferred elsewhere.

26/7

Ask S.E. to state whether
all instances considered he
can spare the subordinates in
the Division & Central Division
now employed in excess of the
sanctioned scale.

27/7

S. D. M.

The draft to the
Under Division, must
not now arise, as
from a communication
from C. I. of
that Mr. Barron
has resigned his
appointment.

2/8

For orders
C. I.
2/8

Madras 2nd Augt/83

No 1431C.

Memorandum

It is observed the Upper
Subordinate Establishment
in the ^{Central} Godavari Division } is
(2) ~~Godavari Division~~ }
one in excess of the sanctioned
scale and the Superintending
First Second Circle is requested to
report, whether all circum-
stances considered, a per-
manent subordinate can be
spared for transfer elsewhere.

(B. O.)

1st of B. O. W.

To the First Circle

Omitted -
one subordinate to do Second Circle
having resigned.

C. No 7103

Notes

The Scale of Upper
Subordinates for the Goda
vari Central Division is

- 1 Sub Engr
- 1 Supervisor
- 2 Overseers
- 4 Total

but the the Engr for Inija.
tion in his No 110 G.D of
15th November 1882, of

proposed of his Overseers being
interchanged in lieu of
with the Sub. Engr. as the
Supervisor. This would
make the total of Upper
subordinates 5 instead of
4. The present staff is
1 Sub Engr. and 4 Overseers.

This current can be
recorded for the present

Prinsep

9/10

Recd:

11/10

BW

28/10

No. 1395 G.H.

FROM,

THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE Chief Engineer
P.W. Department

DOWLAISHWERAM, 10th August 1883

SIR,

With reference to your Memo
1431 of 2nd Instant I have the honor to
point out that the Upper Subordinate
Establishment of the Central Delta
is not in excess of its strength as sanc-
tioned in your Memo No 289 C-29-1-83-

Ship arrived at in G.O. 1729 of 14/7/81.
7 sanctioned for 3 Sub Divisions
(Eastern Delta - Central Delta - H. & W. Delta).
Since this Central Delta removed
which may be supposed to reduce the
number of Upper Subordinates by 2.
leaving 5. Since then 3 Sub Divisions
have been added "Workshops" with 1
Upper Subordinate "Kajabundry"
with 2 & "Dumagudum" with 2 = 5 + 5 =
10 - there are now actually only 8 -

there being only 1 Sub Engr
and 4 Overseers; & most
certainly this Establish-
ment cannot be reduced
without great detriment
to the works.

2. The Eastern D.
Godavari is short in its
Engineering Staff by 2 Assistant Engineers
and 2 Upper Subordinates.

I have the honor to be,
Sir,

your most obedient St
C. P. Swell

Offg Supr Engr 1st Circle.

Sanderson Sub Engr 2nd
Kishor Engr 1st
Kishor Engr 1st
Kishor Engr 1st
Kishor Engr 1st
Kishor Engr 1st

Compd J.K.

3/c 2.1.13
89c 14.1.13
729 14.7.01

No 2876 Wa/12th October 1883

Recorded
Index

Cd.

11/10

From No 7103

The Sup of Engineer
1st Circle

To

The Chief Engineer

P. W. Department

No 2876 Wa/12-10-83

Dated 10th

Recd. 13th

Recd. 20

} August 83

No 1395 G.R.

Enclosure

Upper Subordinate
Establishment Central
Division Godavari - Points
out that the — is not
in excess of its sanc-
tioned strength.

W. H. D. D.

Subd. Rept. Rept.