

No 3155-4-6 Nov/03

ordered to be for-
warded to the Govt of
India in view to the
estimate forwarded
with this dept letter No
2327W of 18th August 1883,
being corrected accor-
-dingly
No 3155W of 6 Nov/03
Forwarded

CS
5/11

M. No. 9665.

Public Works Store Department.

From
THE GENERAL SUPERINTENDENT,
P W STORES, &C,
MADRAS,
To
The Deputy Chief Engr
S. P. W.

No 1008 S

Dated 2-11-83
Despd 2-11-83
Recd 3-11-83
November 1883

No OF ENCLOSURES

OB No 3155-6-4-6-11-13

Repts to the alterations
required in the Estimate
of English Stores forwarded
to the Secretary of State

Seal
Supt. P.W.S.
7/11

970

With order
Supt. P.W.S.

PUBLIC WORKS STORE DEPARTMENT,
Madras, 2nd November 1883

No 1008S

From

THE GENERAL SUPERINTENDENT,

PUBLIC WORKS STORES, &c,

To

THE Deputy Chief Engineer
W. P. W.
Chopank

SIR,

Enclosures

As the Estimate for stores required from England for Irrigation service for 1884-85, consisted only of a few Enamelled iron Gauges of sizes not in stock, I have included the items in the Provincial Indent. The amount of the Annual Estimate submitted to the Home Government with P. M. G. N. 2326 W dated 18th August 1883, will therefore have to be increased under head Iron Machinery by Rupees 1273. Of this amount $\frac{1}{3}$ represents the value of the Gauges required by the Irrigation Department the remainder of the Gauges will be reserved for general service.

I have the honor to be,

Sir,

Your most obedient servant
W. P. W.
General Supt. P. W. Stores

