(1) Number of pages 14

(2) Date of repair -5-87

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W DEPARTMENT

G.O. No. 315 W

B.P. No.

Press.

Mis.

Dated 30.1.1883 ~~198~~.

Not to be folded or roughly handled.

வதி

Archives —1 10,006-9 86

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Military Works.

No. 270.

Read—the following papers :—

No. 89 C.

MEMORANDUM.

The Superintending Engineer, Fifth Circle, is requested to be good enough to ascertain from the Executive Engineer, Presidency, as soon as possible, whether, as regards the position and command to be assigned to the 80/64 pounder gun about to be placed as part of the new armament on the salient of the north demi-bastion, Fort St. George, the ravelin and gas works on the left front will have to be removed, in order to provide for a perfectly clear front of fire.

(Signed) R. H. SANKEY, Colonel, R.E.,
Chief Engineer, P.W.D.

10th January 1883.

To the Superintending Engineer, Fifth Circle.

No. 270-A.

From Lieutenant-Colonel W. H. BURTON, R.E., Executive Engineer, Presidency, to the Superintending Engineer, Fifth Circle, dated Bangalore, 16th January 1883, No. 4370.

I have the honor to report, with reference to Chief Engineer's No. 89 C., dated 10th January 1883, and your No. 3502, dated 11th January 1883, that the two 80/68 pounder M.L.R. guns to be emplaced on the salients of the N.E. demi-bastion and royal bastion will not be masked by the gas works, but that the four 24 pounders to be mounted behind embrasures in the left flank of the N.E. demi-bastion and right flank of the royal bastion will be partially so by the following portions of the gas works :—

New gas-holder.
Two old gas-holders.
The lime store and lime purifier.
The office and store.
The retort-house.

Consequently, that to render these guns fully effective, it would be necessary to remove these buildings to another site.

No. 3301.

Forwarded to the Chief Engineer, Public Works Department.

CHEMBRAMBAKUM,
24th January 1883.
(Signed) H. L. PRENDERGAST, Colonel, R.E.,
Superintending Engineer, Fifth Circle.

No. 271.

ORDER—dated 30th January 1883, No. 315 W., Public Works.

Communicated to the Military Department with a request that a decision may be arrived at as to the works to be removed in order to give effective command to the 24 pounder guns in question.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Military Department.
" Superintending Engineer, Fifth Circle.

Exd. A. F. Goodall.
Spare Copies

BUILDINGS AND ROADS.
MILITARY WORKS.

Govt. of (1883) Madras.

PUBLIC WORKS.

Dated January, 30th.

Recd. *Encl.*

G.O., 30th Jan. 1883, No. 315 W.

JANUARY.
Nos. 270-271.

Fort St. George.

Regarding the works in — that will have to be removed to give effective command to four 24 pounder guns about to be mounted.

1

Memo No. [illegible]

315/3

P 1

The S.E. Fifth Circle is requested to be good Enough to ascertain from the Ex: Engineer, Presidency as soon as poſsible whether, as regards the position and command to be aſsigned to the 80/64 Pounder Gun about to be placed as part of the new armament on the salient of the north demi bastion Fort Saint George, the ravelins and glacis on the left front will have to be removed to provide for a perfectly clear front of fire-

(Sd) RAS
Chf Engr

P/RP

E.D. [illegible]

No 89 C d/10th January/83

S.E. 5th Circle

Despd 10-1-83-

173

P2

315/4

Public Works Offices.
BANGALORE,
16th Jany 1883.

No. 437

From

THE EXECUTIVE ENGINEER,
PRESIDENCY,

To

~~THE~~ Superintending Engineer
5 Circle.

SIR,

Enclosures.

I have the honor to report with reference to Chief Engineer's No. 89 C d/. 10 Jany 1883 and your No. 3502 d/. 11 Jany 1883 that the 2 $\frac{80}{68}$ Pr. M.L.R. Guns to be emplaced on the Salients of the N.E. Demi Bastion and Royal Bastion will not be masked by the Gas Works: but that the 4 24 Prs. to be mounted behind embrasures in the left flank of the N.E. demi Bastion and right flank of the Royal Bastion will be partially so by the following portions of the Gas

works

Works -

New Gas Holder.
2 Old Gas Holders
The lime store & lime purifier
The Office and store
The Retort House.

Consequently that to render these Guns fully effective, it would be necessary to remove these buildings to another site.

I have the honor to be
Sir,
Your most obedient servant
W H Burton
Lt RE

N° 3

Camp Chembrambakam

N° 3701 d/ 24th January 1883

Forwarded to the Chief Engineer P. W. Department.

Andw Wendergast Coll R.E.

Supdg Engineer, 5th Circle.

Gt
N° 89. C. 10. 1. 83

N° 5707

P.W. Ce N° 697

From,

The Executive Engineer Presidency:

N° 4370.

Dated 16.
Recd 25 } Jany 1883.

2 80/68 Pr M.L.R. Guns on N.E. Demi Bastion and Royal Bastion.

Reports that the — will not be masked by the Gas Works

W/

No 315

Public Works Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

315/6

Under date the 30th Jany/83

Read the following

Memo to the Supdg Engr Fifth Circle } (H.E. No 89 Cd/ 10th January 1883)

From the S.E. Fifth Circle (" " 3701 d/ 24th — ")

Communicated to the Military Department with a request that a decision may be arrived at as to the work to be removed in order to give effective command to the 24 Pr Guns in question.

D 29/1

Military Dept ✓
S.E. Fifth Circle ✓

Desp. 3/2/83.

RS

097

Govt. of {1882} Madras.
PUBLIC WORKS.

Dated

Recd. Encl.

G. O. 30 Jany 1883 No. 315 W.

Nos. 270 & 271

Fort St. George

Regarding the works in — that will have to be required to give effective command to four 24-pounder guns about to be mounted.

45
4

Entd. in Receipt Regr.