

Mr. C. 10201

Gobt. of (1883) Madras.

MILITARY.

To
THE QUARTER MASTER GENERAL,
&c., &c., &c.

10. S.C.

Dated November, 15th.

Issued

Recd. 17/11/83

Encl.

G.O., 15th November 1883, No. 6191.

No. 3353 Wd. Nov. 23. 1883.

NOVEMBER.
Nos. 340-341.

Cantonments—Water-supply.

Bangalore.—Orders passed on a report from the Officiating Sanitary Commissioner for Madras on the subject of the water-supply of the cantonment of —.

B

No. 3353 Wd. Nov. 23. 1883.

Communicated
to the Suply Eng^d S^r
Circle for report as
regards paragraph
2.

W. C.
17/11

A No 2794. 15.10.13
2795

7c
2446c 7-12-83

Dec
13/11

J. G. S^r Circle
S^r S^r Circle

etc

12/11

With order
With order
Subscribed Dept

GOVERNMENT OF MADRAS.
MILITARY DEPARTMENT.

15th November 1883, No. 6191.

Cantonments—Water-supply.

Read the following:—

No. 340. *Proceedings of the Madras Government in the Public Works Department; dated 5th October 1883, No. 2794-W.*

ABSTRACT.—Communicating the report of the Officiating Sanitary Commissioner for Madras on the water-supply of the cantonment of Bangalore and directing the extension and completion of the scheme originated by Major-General Sankey in 1868, for which duty a thoroughly competent officer will be appointed.

No. 341. ORDER THEREON, 15th November 1883, No. 6191.

Communicated to His Excellency the Commander-in-Chief and the Surgeon-General, Her Majesty's Forces, Madras.

2. The Right Honorable the Governor in Council requests to be informed under whose authority the pathway to the summit of the Ulsur rock, referred to in para. 11* of Brigade-Surgeon Bidie's report, was constructed; and directs that it be at once closed and the admission to the enclosure containing the pumping and filtering apparatus, to the boat-pier, and to the boat-house, of persons unconnected with the works be strictly prohibited.

*"As regards the quality, the water has, under the order of the Surgeon-General, Her Majesty's Forces, been periodically analysed and declared potable on filtration. The pumping and filtering arrangements are all most carefully attended to by the Engineer in charge, Mr. Smith, and the instructions given in para. 4 of G.O., No. 3578,† of 13th July 1882, have been punctually carried out. I was therefore surprised to find that, notwithstanding such injunctions regarding the conservancy of the rock on which the filter bed and pumping machinery are located, a pathway was being constructed up the back of the declivity from near the boat-house. This is intended, I understand, to allow the people of the station to view the boat races from the summit of the rock, and, of course, there will be the usual refreshment arrangements and congregation of native servants. I have to recommend, therefore, that the pathway under construction be at once stopped, and that no one, except on business, be allowed to enter the enclosure containing the pumping and filtering apparatus. I am also of opinion that the boat-pier and boat-house are too near the feeding pipe of the filter bed. Indeed, I was told, on good authority, that both men and dogs sometimes bathe here, within a few feet of the great feeding pipe through which the water is raised from the lake. Clearly we should scrupulously avoid everything likely to impair the quality of the water, and exercise a most fastidious cleanliness in a matter of such vital importance."

(True Extract.)

Albania Colonel,
Secretary to Government.

To the Quarter Master General, with 6 copies of the Public Works Proceedings.
" Surgeon-General, Her Majesty's Forces in Madras, with 4 copies of the Public Works Proceedings.
" Public Works Department. *with 10 copies*
" Adjutant-General, for information, with 2 copies of the Public Works Proceedings.

Exd. E. C. Shunker.

Gobt. of (1883) Madras.
MILITARY.

To
THE QUARTER MASTER GENERAL,
&c., &c., &c.

No 3353 Waf. 23rd Nov^r /83.

*Communicated
to the S.E. 5th Circle for
report as regards paragraph
2*

*S of C B.
No nyl. Can be found in
his records.*

L.C.

2446c. 7-12-83.

Dated November, 15th.

Issued

Recd.

Encl.

G.O., 15th November 1883, No. 6191.

No 3353 Waf. 23rd Nov^r /83.

NOVEMBER.
Nos. 340-341.

Cantonments—Water-supply.

Bangalore.—Orders passed on a report from the Officiating Sanitary Commissioner for Madras on the subject of the water-supply of the cantonment of —.

With order

S.E. 5th Circle

GOVERNMENT OF MADRAS.
MILITARY DEPARTMENT.

15th November 1883, No. 6191.

Cantonments—Water-supply.

Read the following :—

No. 340. *Proceedings of the Madras Government in the Public Works Department ; dated 5th October 1883, No. 2794-W.*

ABSTRACT.—Communicating the report of the Officiating Sanitary Commissioner for Madras on the water-supply of the cantonment of Bangalore and directing the extension and completion of the scheme originated by Major-General Sankey in 1868, for which duty a thoroughly competent officer will be appointed.

No. 341. ORDER THEREON, 15th November 1883, No. 6191.

Communicated to His Excellency the Commander-in-Chief and the Surgeon-General, Her Majesty's Forces, Madras.

2. The Right Honorable the Governor in Council requests to be informed

*"As regards the quality, the water has, under the order of the Surgeon-General, Her Majesty's Forces, been periodically analysed and declared potable on filtration. The pumping and filtering arrangements are all most carefully attended to by the Engineer in charge, Mr. Smith, and the instructions given in para. 4 of G.O., No. 3578,† of 13th July 1882, have been punctually carried out. I was therefore surprised to find that, notwithstanding such injunctions regarding the conservancy of the rock on which the filter bed and pumping machinery are located, a pathway was being constructed up the back of the declivity from near the boat-house. This is intended, I understand, to allow the people of the station to view the boat races from the summit of the rock, and, of course, there will be the usual refreshment arrangements and congregation of native servants. I have to recommend, therefore, that the pathway under construction be at once stopped, and that no one, except on business, be allowed to enter the enclosure containing the pumping and filtering apparatus. I am also of opinion that the boat-pier and boat-house are too near the feeding pipe of the filter bed. Indeed, I was told, on good authority, that both men and dogs sometimes bathe here, within a few feet of the great feeding pipe through which the water is raised from the lake. Clearly we should scrupulously avoid everything likely to impair the quality of the water, and exercise a most fastidious cleanliness in a matter of such vital importance."

under whose authority the pathway to the summit of the Ulsur rock, referred to in para. 11* of Brigade-Surgeon Bidie's report, was constructed ; and directs that it be at once closed and the admission to the enclosure containing the pumping and filtering apparatus, to the boat-pier, and to the boat-house, of persons unconnected with the works be strictly prohibited.

3. His Excellency the Commander-in-Chief's attention is invited to Dr. Bidie's opinion that the boat-pier and boat-house are too near the feeding pipe of the filter bed, and to his statement that "both men and dogs sometimes bathe here." Stringent orders should be immediately issued interdicting this most objectionable practice, and, if necessary, the boat-pier and boat-house should be removed to another site.

(True Extract.)

(Signed) E. L. HANKIN, Colonel,
Secretary to Government.

To the Quarter Master General, with 6 copies of the Public Works Proceedings.
,, Surgeon-General, Her Majesty's Forces in Madras, with 4 copies of the Public Works Proceedings.
,, Public Works Department.
,, Adjutant-General, for information, with 2 copies of the Public Works Proceedings.

Exd. E. C. Shunker.

Gobt. of (1883) Madras.
MILITARY.

To
THE QUARTER MASTER GENERAL,
&c., &c., &c.

Dated November, 15th.

Issued

Recd.

Encl.

G.O., 15th November 1883, No. 6191.

NOVEMBER.
Nos. 340-341.

Cantonments—Water-supply.

Bangalore.—Orders passed on a report from the Officiating Sanitary Commissioner for Madras on the subject of the water-supply of the cantonment of —.

no. 3353 waf. 23rd Nov^r/83

Communicated
to the S.E. 5th Circle for
report as regards paragraph 2.

no. 3353 waf. 23rd Nov^r/83

S.E. 5th Circle

with order

GOVERNMENT OF MADRAS.

MILITARY DEPARTMENT.

15th November 1883, No. 6191.

Cantonments—Water-supply.

Read the following :—

No. 340. *Proceedings of the Madras Government in the Public Works Department; dated 5th October 1883, No. 2794-W.*

ABSTRACT.—Communicating the report of the Officiating Sanitary Commissioner for Madras on the water-supply of the cantonment of Bangalore and directing the extension and completion of the scheme originated by Major-General Sankey in 1868, for which duty a thoroughly competent officer will be appointed.

No. 341. ORDER THEREON, 15th November 1883, No. 6191.

Communicated to His Excellency the Commander-in-Chief and the Surgeon-General, Her Majesty's Forces, Madras.

2. The Right Honorable the Governor in Council requests to be informed

*"As regards the quality, the water has, under the order of the Surgeon-General, Her Majesty's Forces, been periodically analysed and declared potable on filtration. The pumping and filtering arrangements are all most carefully attended to by the Engineer in charge, Mr. Smith, and the instructions given in
† Military Department. para. 4 of G.O., No. 3578,† of

13th July 1882, have been punctually carried out. I was therefore surprised to find that, notwithstanding such injunctions regarding the conservancy of the rock on which the filter bed and pumping machinery are located, a pathway was being constructed up the back of the declivity from near the boat-house. This is intended, I understand, to allow the people of the station to view the boat races from the summit of the rock, and, of course, there will be the usual refreshment arrangements and congregation of native servants. I have to recommend, therefore, that the pathway under construction be at once stopped, and that no one, except on business, be allowed to enter the enclosure containing the pumping and filtering apparatus. I am also of opinion that the boat-pier and boat-house are too near the feeding pipe of the filter bed. Indeed, I was told, on good authority, that both men and dogs sometimes bathe here, within a few feet of the great feeding pipe through which the water is raised from the lake. Clearly we should scrupulously avoid everything likely to impair the quality of the water, and exercise a most fastidious cleanliness in a matter of such vital importance."

under whose authority the pathway to the summit of the Ulsur rock, referred to in para. 11* of Brigade-Surgeon Bidie's report, was constructed; and directs that it be at once closed and the admission to the enclosure containing the pumping and filtering apparatus, to the boat-pier, and to the boat-house, of persons unconnected with the works be strictly prohibited.

3. His Excellency the Commander-in-Chief's attention is invited to Dr. Bidie's opinion that the boat-pier and boat-house are too near the feeding pipe of the filter bed, and to his statement that "both men and dogs sometimes bathe here." Stringent orders should be immediately issued interdicting this most objectionable practice, and, if necessary, the boat-pier and boat-house should be removed to another site.

(True Extract.)

(Signed) E. L. HANKIN, Colonel,
Secretary to Government.

To the Quarter Master General, with 6 copies of the Public Works Proceedings.

„ Surgeon-General, Her Majesty's Forces in Madras, with 4 copies of the Public Works Proceedings.

„ Public Works Department.

„ Adjutant-General, for information, with 2 copies of the Public Works Proceedings.

Exd. E. C. Shunker.