

(1) Number of pages 12
(2) Date of repair 17.6.87 ✓
(3) Initials of the Referencer lwr

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W.

DEPARTMENT

G.O. No.	393	Press.
B.P. No:		Mis.
Dated	3 - 2 - 1883	1982

Not to be folded or roughly handled

No 1

Madura President's office
3rd January 1853.

From

C. S. Leslie Esquire
President, Municipal
Commission
Madura

The Honorable G. G. Maister
Chief Secretary to Government
Madras.

Sir,

No 11, dated 13th

December 1852.

128.

13 Dec
1852.

With reference to my letter noted
in the margin, I have the honor to state
that the Municipal Commissioners of
Madura require the loan of a Norton's
tube well pump with the driving appar-
atus for the purpose of testing the quality
of the water of the Vaigai river obtainable
at various levels within limits of the
Town in view to their selecting the
best and the most suitable locality
to pump water from.

2 I therefore request that the Govern-
ment may be pleased to grant the
loan of a tube well pump with the
necessary driving apparatus for

three months

I also beg that I may be furnished at an early date with the papers relating to the water supply applied for in the letters quoted above.

I have the honor to be,
Your most Obedient Servant

C. S. V. R.

President

3/1

Reference No. 22 of 1883

In reply to the above should be quoted.



Financial DEPARTMENT.

Read the following letter from the
President, Municipal Commission
Madras of 30 January 1883 &c.

No 143

Transferred to the Public
Works Department

Recorded

For St. George
19-1-83

S. S. S. S.

Assistant Secretary

To

The Public Works Dept.

No 137 d of 22 Jan'y 1883

To the Genl Insp P.W.D.

Can the tube well
be used for the same?

If so, please dispatch
a report to this Office.

CEH

By M.

No 2363 W. d of 23 Jan'y 1883

There are no complete sets
of "Porter's" tube wells in
store -

Some cast pumps & pieces of
tubing are in the Machinery
Stores, but they belong to
the Board of Revenue, &
I have written to enquire
whether I may make use
of them, to make up the
sets lately constructed for
the Military Dept -

The Workshop could make
up pumps & driving apparatus
such as they are wanted.

I would recommend that
one similar be sent to
England for

12 sets 1 1/4" } complete

12 do 2" } with the

Wm 20/1/02

No 325 v of 30 Jan'y

No 325 v of 30 Jan'y 1883

Public Works Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

1/23/13

Read the following

Endorsement in the File Dept No 143 d of 19 Jan'y 1883
on letter from the President Municipal Comm Madras d of 3/2/83

There are no portable
tube wells available
at present in the P.W.D.,
but a supply will shortly
be obtained from England,
when a set will be
placed temporarily at
the disposal of the
Madras Municipality
as requested.

To the File Dept ✓
- Genl Insp P.W.D. ✓ Wm

D. G. W.

31/1

D. G. W.

No. 172 D. C. 885
GOVT. 1883. { P. W.
OF MADRAS. } DEPT.

SECRETARY.

Chepauk, 29 January 1883.

OFFICE NOTE
To

The Genl Insp of P. W. Stores

Your office note
No 2363 W of 28 Jan 1883

Submit an indent
on England for Norton's
Tulawells as proposed.

D

By

WV
30/1/83

Indents submitted
WV

31/1/83

3934

325 ss. of 30 Jan 1883

No. 325 of 30/1/83

No 393 W.

Public Works Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT

Under date the 3rd July 1883.
Read the following.

Office note from the Genl Supt P.W.S. of 31st June 1883.

Ordered that the
indent be forwarded
to the Home for
compliance.

H.S. by 393 W of 3rd July/83

To the Right Hon. the S. of S. for.

My Lord.

+ We have the honor
to forward, for early
compliance, an indent
for Boston's Tule Wells
with driving apparatus,
required in this Presy.

+ vide No 579 W
22/2/83

Genl Supt P.W.S.
recd 5/2/83.

As
2/2
D^o
H

18/5/19

947

Govt. of (1883) Madras.
PUBLIC WORKS.

[Handwritten signature]
Recd. *[Handwritten signature]*

O. O. 3rd Feb 1883. No. 383. W

Nos. 10-68

Telegraph Office at
Vythiri.

Sanctioning the pur-
-chase of wood
13 rows of house
for across the

[Handwritten signature]
Auto. Receipts