

No 132 W a/16th Jan 1884

W
14.1.84

Dec 17/11

Co. 2. 11/11 17/11

1070/

Int. in kept kept

No. 3516

SUPERINTENDING ENGINEER'S OFFICE,

5TH CIRCLE, MADRAS,

Chepauk, 10th January 1884.

From

THE SUPERINTENDING ENGINEER,

5TH CIRCLE,

To

THE Chief Engineer
P. W. D.
thru' The Examiner P. H. A. S.

SIR,

Enclosures.

I have the honor to report that
there is a deficiency in the High-
-put Division of the following ar-
-ticles.

2 Scales wooden; 3 ft 9" }
joint; at 3-8-11 } 7-11-11

36 Hammers hand @ 13as. 29-4-11

3 Iron gauges @ 3as. " - 9-11 36-13

15 Pick axes @ 1-4-9 19-7-3

45 Hand hammers @ 13as. 36-9-11

2 Bill hooks @ 1-11-11 2-11-11

22 Wheel Barrows @ 17-11-11 374-11-11

432-11-3

468-13-11

2. The first three items of
the

the value of Rs 36-13-11 appear to have been lost before the 31st March 1879, as they were not included in the Overseer's Return of Tools for the half year ending 31st March 1879. The omissions were noticed in the Range Office, and the correct numbers entered in pencil; but in the Overseer's Return for the next half year, the same articles were left out, and in the Return for the Range, no mention was made of the deficiency.

3. Overseer Moorogasa Moode was in charge of the Tools in March 1879, and ought to have been made accountable for them; but he left the Service of Government in 1880.

4. The other 4 items valued at Rs 432--3, were entered in the Overseer's Return for the half year ending 31st March 1879, the articles having been in the charge of a Sub Overseer. In the Overseer's next Return, the articles were found to be

the missing and the Overseer Moode, who is now a Supervisor in the same Division, explained in September 1880, that his Return was based upon the list handed over to him by his predecessor Mr. Kennedy, and that he could not account for the discrepancy, while in the meantime the Sub Overseer had been transferred to Local Fund Service.

5. The Stores can only be treated as irrecoverable, and under the circumstances of the various changes that have taken place, I recommend that sanction may be given under Code para 2368 to the Stores being written off the books of the Singlet Division.

I have the honor to be
Sir

Yours Most Obedt Servt.

Wm. Sander & Co. P.E.

Superintg. Eng^g
to Circle.

From

THE SUPERINTENDING ENGINEER,

5TH CIRCLE,

To

THE Chief Engineer
P. W. D.

Dated

10th

Recd.

11

January 1884.

No. 132 W a 16th Jan/84

ENCLOSURES.

No. 3516

Missing Tools in the
Chief's Sub Division -
Requesting sanction to
write off the books the -

PUBLIC WORKS DEPARTMENT.

No. 132 W

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

16th Jan/84

Read the following

Letter from the Suptg. Engr.

Fifth circle N.E. No. 3516 a 10th Jan/84

The articles will
be written off the re-
turns, as recommend-
ed by the Suptg.
Engineer. It is remark-
ed however that the
deficiencies should
have been reported
earlier, - when it would
have been possible to
fix responsibility for
the loss on the sub-
ordinates concerned.

Suptg. Engr. Fifth circle
Examiner P.W. accts.

Cy.
11.1.84

W.
11-1-84