to require relief, and in this matter the Supg. Engineer's local knowledge and past experience should be of use. If the indent already submitted should be not based on such knowledge and experience, If ~~prepared in any other way~~ it can scarcely be reliable.

Para: 3 of the Supg. Engineer's letter will be communicated to the Genl. Supt., P.W. Stores, for information.

Z.C.
1943c. 29-10-84.

16.9.84
E.W.

No. 1585 Ca 24-9-84

S.E. II Circle ✓
" V — " ✓

24/9

R.S
E.E. 15.9.84

25/9

No 1585 C. d/ 24th September/84 P. W. Dept.

Letter from the Supg. Engineer II Circle
No. 176 G.L. d/ 28th August 1884.

Recorded.

Adverting to para: 2 of the above letter, the Supg. Engineer will observe, from para: 8 of circular No. 2453 C d/ 8th December 1883, that the authorised stock of tools to be reserved for famine relief purposes will be laid down on complete information being received in compliance with those orders. The quantity and description of tools must depend on the number of coolies likely

No 1474 C. d/ 2. 9. 84
" 827 C. " 4. 4. 84
" 2453 C. " 8. 12. 83
" 1394 C. " 9. 8. 84

C

Recorded

2. It would be impossible to lay down a definite number of coolies for which a reserve stock of tools should be maintained in each district. The number must in a great measure depend upon the particulars of the scarcity & the relief works started.

3. Para 3 of the Supt Engrs letter will be communicated to the Genl Supt P.W. Stores for information.

CJ.
5.9.84

SS II Circle
SS V Circle

D.S. 43/9
9.9.84

Pr. Cons 735-2

(2)

From
The Superintending Engineer
2nd Circle

To
The Chief Engineer
P. W. D.
Madras

Dated 28th August 1884
Despd 29th do
Recd 3. 9. 84

No 176 G.L.
No. 1585 C. d/ 24-9-84

Famine Tools required in the 2nd Circle — Indent for — Informs that an — has been sent to Genl. Supt P.W. Stores

W. Thorpe

No. 1766 C.L.

Superintending Engineer's Office,
2nd Circle, Masulipatam.
28th August 1884.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public Works Department.

Sir,

I have the honor, with reference to para 8 of your Circular Memo No. 2453 C of the 8th December 1883, and subsequent Memo No. 1394 C: of the 9th Instant, to report that I have this days forwarded to the General Superintendent Public Works Stores, an Indent for the Tools required for 10,000 Famine Coolies in the Kistna, and 20,000 in Nellore.

2. I have not been able to find it laid down for what No. of coolies tools are to be kept in reserve stock, and have assumed the above numbers. In addition there is the ordinary stock of tools, which would suffice for about 4,000 more,

3. I wish one point to be noted, viz. that during the Famine, the Coolies would not use the Mamooties procured from England, as the handle was set at the wrong angle. In a country Mamoty, the handle is almost parallel to the blade.

I have the honor to be,

Sir,

Your most obdt Servant.

J. W. Rundall

Superintending Engineer,

2nd Circle.

No 1474 C. " 2. 9. 84
" 827 C. " 4. 4. 84
" 2453 C. " 8. 12. 83
" 1394 C. " 9. 8. 84

C.

Recorded

2. It would be impossible to lay down a definite number of tools for which a reserve stock of tools should be maintained in each district. The number must in a great measure depend upon past experience & the relative needs of each district.

3. Para 3 of the Supt Engrs letter will be communicated to the Genl Supt P.W. Stores for information.

CJ.
5. 9. 84

SS II Circle
SS V Circle

P.W. Dis 735-2

From

The Superintending Engineer
2nd Circle

(2)

To

The Chief Engineer
P. W. D.
Madras

Dated 28th August 1884
Despd 29th do
Recd 3. 9. 84

No 176 G.L
No. 1585 Cay 24-9-84

Famine Tools required in the 2nd Circle — Indent for — Informo that an — has been sent to Genl. Supt P. W. Stores

P. W. Dept
Chepak 9th Sept 84
No. 1399 D

Office-Note

From
The Under-Secretary to
Govt, P. W. D

To The Supg Engr V Circle

Please report what tools are available in your Circle for relief works should such become necessary

[illegible] b/s
DW

[R.O. / 10]
10,000 –25-3-12.

MADRAS RECORD OFFICE.

Block No. 1

Paper taken out of the Records from the charge of the Referencer,

Dept. P.W.D. ~~Press.~~ / ~~Mis.~~ / ~~Rout.~~ No. 3075-W, dated 13-12-1884 191 . Rank No. Range,

Date taken out	For what purpose.			Initials of Referencer.	Date returned	Initials of attender.
	Department	C. No.	Year.			
30.4.12	P.W	COR 1092		Hal	17/2/13	
	MR	1552	12			

Date taken out.	For what purpose.			Initials of Referencer.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			

C. No. 7137

II Circle.

Public Works Department.

Service Message despatched by Telegraph.

on 26th August/84.

From No. 1585 Cay 24-9-84

The Superintending Engineer.

Second Circle.

To

The Chief Engineer,
Public Works Department
Madras.

Your telegram eighth. Following Famine tools on hand. Nellore Stonebreaking Hammers (1,970) Pickaxes (21) Crowbars (579) Mamoties (1,034) Kistna Axes country (14) Pick axes (164) Cash chests (3) Chains (20) Crowbars (3723) Stone breaking Hammers (76) Mamoties (2474).

No.

Copy forwarded by post for information.

Supt. Engr's. Office, II Circle.
Masulipatam
26th August 1884.

I, Supg Engineer, II Circle

with our

Dr

Sending the post
copy of the telegram
received from S.S. II
reporting the number
of canine teeth already
in the II circle.

Cu
4/7/40

Dean
Cy