

10299. 11/12/09.

(2)

Ac 1743 Cay 29-10-81

Co. 21-10-81, 2-27-10-81

13.95
1/4 30/10

over
40

CP/ No. 1743 Cas 29th October 84 P. H. Dept.

Memorandum.

In reply to letter
from the Supt. Engrs:
II Circle No 220 L.H.
dated 11th October 84,
the Chief Engineer
has the honour to
observe that the works
already sanctioned,
or ready for sanction,
in the II Circle being
understood to be
sufficient for four
years ordinary labour,
all that is ~~now~~ required
is for Mr Randall
to consider what
number of coals
are likely to require

employment in his
 Division, should a
 severe famine declare
 itself, necessitating
 the conversion of the
 ordinary works
 he proposes to put on
 relief works proper,
 and what reserve
 stock of tools should
 be kept in hand
 to meet such a
 demand. ^{The Supt Engineer's} local
 knowledge and the
 information procurable
 from the local autho-
 -rities, aided by the
 available statistics
 of the late famine,
 should enable him

to frame a reliable
 estimate of his
 requirements in case
 of extensive relief
 works in his Circle
 being called for
 at any future time.

Cd.
 20.10.84

W.
 23.10.84

To
 The Supt Engineer
 Cd, II Circle

S. A. W.

In reply to this letter of S. L. H.
I think it will be sufficient to draft
(for W's approval) a memo: to the effect
that it being understood that the
works already sanctioned or ready
for sanction in No II Circle being
sufficient for 4 years ordinary labour,
all that is now required is for Mr. H. H. H.
to consider what number of coolies
are likely to require employment in his
districts, should a severe famine declare
itself, necessitating the conversion of the
ordinary works in excess to into relief
works proper, and what reserve stocks
of tools should be kept in hand to meet
such a demand. His local knowledge
& the information procurable from the
local authorities, aided by the available
statistics of the late famine, should
enable him to frame a reliable estimate
of his requirements in case of extensive
relief works in his circle being called for
at any future time.

Cy.

19. 10. 84

No 2453C. of 8-12-83

" 1394C. " 9-8-84

" 1585C. " 24-9-84.

From

The Superintending Engineer
D. No. 1743

To The Chief Engineer
Pub: Work. Dept.

No. 1743 Cey 29-10-84

Dated 11 } October 1884
Despatched 18

No 228 G.L.

Works - Lists of - sufficient
for 4 years ordinary labor
to be classed as A. Works,
Requests further instructions
regarding - called for, with
reference to form of in which
they should be submitted.

Old 13/10

No. 24-10-84 No. 27-10-84

N. 228 G.L.

Superintending Engineer's Office,
2nd Circle, Manipalatum.
11th October 1884.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public Works Department.

Sir,

I beg to acknowledge the receipt
of your Memo N. 1585 C: of the 24th Ultimo.

2. If I understand the matter
aright, I am expected to furnish lists
of works sufficient for 4 years ordinary
labor to be classed A. Works. But I
beg to state, that as regards the 2
Districts which comprise this Circle,
there are 2 large Irrigation Projects
Sanctioned. The Kistna Completion
Scheme now in progress, would more
than meet this requirement as regards
the Kistna District.

3. In Nellore, the work still
remaining in connection with the Lalgam
Project, the Pennar River Left Embankment

and work on Tank improvements already estimated for, would certainly meet this requirement.

4. If you will let me know, whether information to this effect is to be exhibited and forwarded in any particular form, I will endeavour to compile it.

5. If however it is considered that in addition to these works, there is to be a special list of famine works, with estimates ready. I do not know where to look for suitable works and could not prepare estimates without a special staff.

6. The objection to many of the Kistna works for famine labor, would be, that, being drains running through low lying ground, there would be a difficulty about a good water supply, but otherwise there is a great deal of earth-work to be done, admirably suited for famine labor.

7. In Kellone the Executive Engineer has estimates ready for Tank improvements

which would take at least 2 years ordinary labor to work out, and these, combined with work still to be done on the Lalgam Project, should meet the requirements.

8. I therefore request the favor of further instructions.

I have the honor to be,
Sir,

Your most Obedt. Servant.

I. W. Runda
Superintending Engineer
2nd Circle.

no 2453C. of 8-12-83
" 1394C. " 9-8-84
" 1585C. " 24-9-84.

Mc 27/10

From (2/)

The Superintending Engineer
D. No. 100

To The Chief Engineer
Pub: Work. Dep.

As 1743 Coy 29-10-84

Dated 11 } October 1884
Despd 18 }

Nº 228 GL.

Works - Lists of - Sufficient
for 4 years ordinary labor
to be classed as A. Works,
Requests further instruction
regarding - called for, with
reference to form of which
they should be submitted.

old 13/10