(1) Number of pages 12

12-H (2) Date of repair 25.7.88

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W.D. DEPARTMENT

G.O. No. B.P. No.	2067	Press. Mis.
Dated 22. 8. 1884. 19		

Not to be folded or roughly handled

Archives I—10,006—19-4-79.

6

22nd August 1884, No. 2067 W., Public Works.

2067

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

Read—the following letter from Lieutenant-Colonel H. R. MEAD, R.E., Superintending Engineer, VI Circle, to the Chief Engineer for Irrigation, dated Palamcottah, 5th August 1884, No. 64 C.V. :—

I have the honor to forward, for sanction, the marginally noted estimates for manufacture of materials in the Cauvery and Vennar Regulators division during the current official year.

		RS.
No. 1. Brick manufacture	... ...	20,861
,, 2. Concrete manufacture...	...	9,628
,, 3. Lime do.	... ...	14,786
,, 4. Surkee do.	... ...	2,458
,, 5. Stone do.	... ...	42,304
Total	...	90,037

2. As the total amount of the estimates exceeds the limit of the reserve stock fixed in G.O., No. 24 I., of 9th January 1884, the estimates require the sanction of Government, *vide* paragraph 2141 of the Public Works Code ; but the limit of the reserve stock is not required to be raised as the Executive Engineer reports that the balance of stock in hand will be kept within the sanctioned limit of Rs. 50,000.

No. 70 E.W.

Forwarded to the Chief Engineer, Public Works Department, with a recommendation that the estimates for the manufacture of materials in the Cauvery and Vennar Regulators division during the current official year may be sanctioned.

Chepâk,
11th August 1884.

(Signed) L. LANGLEY, Captain, R.E.,
for Chief Engineer for Irrigation.

Order—dated 22nd August 1884, No. 2067 W., Public Works.

The undermentioned estimates, aggregating Rs. 90,037, for the manufacture of stock materials in the Cauvery and Vennar Regulators division during the current official year, are sanctioned.

		RS.
$\frac{121}{1}$	Bricks	20,861
$\frac{121}{2}$	Concrete	9,628
$\frac{121}{3}$	Lime	14,786
$\frac{121}{4}$	Surkee	2,458
$\frac{121}{5}$	Stone	42,304
	Total ...	90,037

2. The reserve stock of the division should not be increased.

3. These sanctions have been registered as Provincial Nos. $\frac{121\ \text{W.}}{1\ \text{to}\ 5}$ of 1884-85, and classified as Stock.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, VI Circle, with five enclosures.
„ Examiner, Public Works Accounts, with five abstract estimates.
„ Chief Engineer for Irrigation.

Exd. E. Fernandez.
Spare Copies

2067

2

GENERAL.
ACCOUNT.

Govt. of {1884} Madras.

PUBLIC WORKS.

Dated August, 22nd.

Recd. *Encl.*

G.O., 22nd Aug. 1884, No. 2067 W.

AUGUST.

Stock Materials

Manufacture of— for the Cauvery and Vennar Regulators division.—Estimates for —, sanctioned.

OFFICE OF THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

Palamcottah 5/8/ 1884.

No. 64 C.V.

2067 W/

From
The Superintending Engineer,
6th Circle.

To
The Chief Engineer
for Irrigation.

Sir,

ENCLOSURE. 10.

I have the honor to forward for sanction the marginally noted estimates for manufacture of materials in the Cauvery & Vennar Regulators Division during the current official year.

No. 1. Brick manufacture Rs.	20,861
" 2 Concrete — Do.	9,628
" 3. Lime — Do.	14,786
" 4 Surkee — Do.	2,458
" 5. Stone — Do.	42,304
Total Rs.	90,037

2. As the total amount of the estimates exceeds the limit of the Reserve Stock fixed in G.O. No. 24 I of 9th January 1884, the estimates require the sanction of Government, vide para 2141 of the P. W. Code, but the limit of the Reserve Stock is not required to be raised as the .

Executive Engineer reports that the balance of stock in hand will be kept within the sanctioned limit of Rs 56,000.

I have the honor to be
Sir
Your most obdt. servt.

Lieut. Col. R.E.

Supdg. Engineer C: Circle

2

2067

G. O. No. 3369 W. 23.11.83
" " 24 I. 9-1-84

No. 70 E.W. p 3

Enclos: 11

Forwarded to the Chief Engineer P. W. D. with a recommendation that the estimates for the manufacture of materials in the Cauvery and Vennar Regulators Division during the current official year may be sanctioned.

L. Langley Capt. R.E.

for Chief Engineer for Irrigation

Chepauk }
11th Aug/84 }

E.C. 18-8-84

No. 6702

P. W. D. 6TH CIRCLE.

CHIEF ENGINEER
9 AUG
1884
FOR IRRIGATION

From

The Superintending Engineer,
6th Circle.

(8)

To

The Chief Engineer
for Irrgn.

No. 64 C.V.

Dated 5th } August 1884.
Received 12 }

Enclosure. 10

No. 2067 W. d/22-8-84

Forwards Estimates for sanction for Manufacture of Materials in the C. & V. Regulator Dns.

B/

Genl
Acct

No. 2067 W.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 22d Aug/84

READ the following

2067

From the Supdg. Engineer VI Circle - H. E. No: 64 C. V. d/5th August 1884.

Endorsement thereon by the Chief Engineer for Irrigation - H. E. No: 70 E. W. dated 11th August 1884.

The ~~following~~ undermentioned estimates, aggregating Rs 90,037, for the manufacture of stock materials in the Cauvery and Vennar Regulators Division during the current official year, are sanctioned: —

		Rs
121/1	Bricks	20,861
121/2	Concrete	9,628
121/3	Lime	14,786
121/4	Surkee	2,458
121/5	Stone	42,304
	Total	90,037

2. The reserve stock of the Division should not be increased.

These

3. These sanctions have been registered as Provincial Nos: $\frac{121}{1 \text{ to } 5}$ W of 1884-85, and classified as Stock

2067

(8)

C.Y.
16-8-84

W.S.
19-8-84

W
22-8

De
27/8/84

To
The Suptg. Engr. VI Circle
with 5 enclos.
" Examiner P. W. Accts
with 5 abs-ests
" Chief Engineer for Irrign.

Cy
W O.L.S. 153/8.
O. 18-8-84,

5

2067

6

6302

Govt. of {1884} Madras.

PUBLIC WORKS.

⑥

Dated 23/8

Recd. Encl. ✓

G.O., 22 Aug 1884, No. 2069 W

Stock Materials -

Manufacture of - for the Cauvery & Vennar Regulators Division -

Ests for - Sanctioned

52/4

E R

23/8

Jr 22/8