

(1) Number of pages 10

5 (2) Date of repair 17-8-88

(3) Initials of the Referencer bvn

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

J.W.D. DEPARTMENT

G.O. No.	2573.	Press.
B.P. No.		Mis.
Dated	20. 10. 1884.	198.

Bh. G.

5

Not to be folded or roughly handled

20TH OCTOBER 1884, No. 2573 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following letter from L. B. BURROWS, Esq., President, Ootacamund Municipality, to the Chief Secretary to Government, dated Ootacamund, 9th October 1884, No. 364:—

I have the honor to forward, for the orders of Government, extract from the proceedings of the commissioners on the subject of the Ootacamund agraaharam drainage.

2. In consequence of the construction of the main sewer, which runs parallel to the agraaharam, by the Public Works Department, the main channel bank level has been so raised as to form a barrier to the flow of drainage from the backyards of the agraaharam, thus causing pools of foul water to stagnate along the line of the new sewer.

3. As I understand that there is a saving from which the necessary additional drains could be constructed, I trust the request of the commissioners will receive the favorable consideration of Government.

ENCLOSURE.

Extract from the Proceedings of a Meeting of the Municipal Commissioners of Ootacamund held on Thursday, the 2nd October 1884.

5. List of owners of land adjoining the main sewer who should be called upon to drain off stagnant water within their premises.

The commissioners are of opinion that the present state of the agraaharam is primarily, if not entirely, caused by the construction of the main sewer, and they think that, as the Government have undertaken the drainage of the town, the drainage of this part of it should also be undertaken by them by the construction of stone drains similar to those built in the bazaar. The commissioners are apprehensive that in the event of an outbreak of cholera in the station the agraaharam is likely to be the first affected.

No. 2302, Financial.

Referred to the Public Works Department for consideration.

(By Order.)

OOTACAMUND,
14th October 1884.

(Signed) H. TREMENHEERE,
Acting Assistant Secretary.

ORDER—dated 20th October 1884, No. 2573 W., Public Works.

Communicated to the Superintending Engineer, IV Circle, for early inquiry and report.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, IV Circle.
" Financial Department.
Exd. E. Fernandez.
Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of (1884) Madras.

PUBLIC WORKS.

Dated October, 20th.

Recd.

Encl.

G.O., 20th Oct. 1884, No. 2573 W.

OCTOBER.

Ootacamund Agraharam
Drainage

Letter from the President, Ootacamund Municipality, on the subject of —, communicated to the Superintending Engineer for report.

Extract from the Proceedings
of a Meeting of the Municipal Com-
missioners of Ootacamund held
on Thursday the 2nd October 1884.

5. Licth. of owners of land
occupying the main sewer who
should be called upon to drain
off stagnant water within their
premises.

The Commissioners are
of opinion that the present state
of the Agraharam is primarily,
if not entirely, caused by the con-
struction of the main sewer and
they think that as the Government
have undertaken the drainage
of the Town, the drainage of this
part of it should also be under-
taken by them by the construction
of stone drains similar to those
built in the bazar. The Com-
missioners are apprehensive
that in the event of an outbreak
of

of cholera in the station the
Agharam is likely to be the
first affected.

x x x
(True Extract)

President On C

21
DOTACAMUND,
MUNICIPAL COMMISSIONERS' OFFICE,
9th October 1884.

No. 364

25/10/84
From L.R. Burrows Esquire
President,
Dotacamund Municipality.

To The Honorable Ernest Webster
Chief Secretary to Government
Financial Department
Cotacamund

SIR,

I have the honor to forward
for the orders of Government Extract
from the Proceedings of the Commis-
sioners on the subject of the Cotacamund
Agharam drainage.

2 In consequence of the con-
struction of the main sewer, which runs
parallel to the Agharam, by the
P.W.D., the main channel bank level
has been so raised as to form a bar-
rier to the flow of drainage from
the backyards of the Agharam,
thus causing pools of foul water
to stagnate along the line of the
new sewer.

3. I understand that
there is a saving from which the
necessary additional drains
could be constructed. I trust the
request

request of the Commissioners will
receive the favourable consideration
of Government.

I have the honor to be
Sir
Your Most Obedt Servt

President Oak

2573.
4

40. 11/2 W a 15-5-84
682 W a 13-3-84
314 W a 29-1-83

1884.

From

THE PRESIDENT,

MUNICIPAL COMMISSION,

OOTACAMUND.

To

THE CHIEF SECRETARY

TO GOVERNMENT, F.D.

FORT ST. GEORGE

Ootacamund

No. 364

Dated

Despatched

Received

9th October 1884

ENCLOSURE One

SUBJECT.

For forwarding for the favorable consideration & orders of Govt. extract from the Pro. of the Commissioners Oot. C. on the subject of the Ootacamund Aggaraham drainage.

With order

With Endorsement

Referred to the
Public Works Dept.
for consideration.

(By order)

A. Premananth.

Asst. Secy.

Ootacamund
Sept 24 5 B.R.
Cl. Wally

No 2573 W. 1/20-11-84

Communicated to
the Suptg. Engrs. & C. Encls
for early enquiry and
reports

15-10-84

S. E. IV Encls
S. E. IV Dept

2573
5

0735

Gobt. of (1884) Andras.

PUBLIC WORKS.

(5)

21/11/10

Date

Ref

End

H.O. to Govt. 1884 No. 2573

Pokasumund

Kothakum

Drainage

Letter from the President

Pokasumund, Kothakum

Drainage, in the region

of - - - - - to the Public

Survey for Pokasumund, Kothakum

45
3

114.15

9th 20/10 20/10