

(1) Number of pages 14

(2) Date of repair 10/11/88

(3) Initials of the Referencer lms

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W.D. DEPARTMENT

G.O. No.	2978	Press.
~~B.P. No.~~		~~Mis.~~
Dated	3. 12. 1882	198

Chinnai

Not to be folded or roughly handled.

3RD DECEMBER 1884, No. 2978 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following paper :—

Daily Report of Red Hills Tank.

The work to-day has been greatly interfered with by rain, and only about 35 feet has been done at each end.

2. The total length is, however, found to be less than was supposed, being only just two thousand feet, and unless the weather is very bad indeed it should be completed up to three feet above the present water level by the 3rd or 4th December.

Much time is lost by the coolies having to return to Perambúr in the evening, as there is no shelter for them in this neighbourhood, and to build huts will take time and labor which can ill be spared. I have therefore written to the Deputy Chief Engineer asking that some sepoy's tents may be sent out, which will be of great service.

The survey of the breach has been begun.

The ring bunding of the breaches in the Cholaveram tank, which is a necessary preliminary to sending any water into this tank, will be begun to-morrow or on Monday.

No further information has been received regarding loss of life or damage to property, and as it appears from G.O., No. 1064 L., of the 25th instant, that a report on this subject has been called for in the Revenue Department (within whose province it more properly lies) no further remarks thereon will be made in future daily reports unless there be something special to communicate.

RED HILLS,
28th November 1884.

(Signed) J. PENNYCUICK, Lieut.-Col., R.E.,
Superintendent of Works.

ORDER—dated 3rd December 1884, No. 2978 W., Public Works.

Recorded.

2. The question regarding a supply of tents for the shelter of work people at the Red Hills tank has been disposed of by Proceedings in the Military Department, No. 5985, dated 1st December 1884.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, V Circle.
To Lieutenant-Colonel J. Pennycuick, R.E.
To the Chief Engineer for Irrigation.

" Revenue Department.
" Financial "
" Military "

Exd. C. Howarth.
Copies Spare

GENERAL
ACCOUNT.

Gobt. of (1884) Madras.
PUBLIC WORKS.

Dated December, 3rd.

Recd.

Encl.

G.O., 3rd Dec. 1884, No. 2978 W.

DECEMBER.

Red Hills Tank

Daily report of work at the — on 28th
November, recorded with remarks.

Daily report of Red Hills Tank

The work today has been pretty interfered with by rain, and only about 25 feet has been done at each end.

The total length is however found to be less than was supposed, being only just two thousand feet, and unless the weather is very bad indeed it should be completed up to three feet above the present water level by the 3rd or 4th December.

Much time is lost by the coolies being to return to Perambol in the evening as there is no shelter for them in the neighbour hood and to build huts will take time and labour which can ill be spared. I have therefore written to the Deputy Chief Engineer asking that some reports may be sent out, which will be of great service.

The ^{survey} of the breach has been begun.

The very landing of the breaches in the Chola tank which is a narrow

Preliminary to reaching any water into
this tank will be begun tomorrow or
on Monday -

No further information has been
received regarding loss of life or
damage to property, and as it ap-
pears from J. O. No 1064 of the 25th
inst. that a report on this subject
has been called for in the Revenue Department
(within whose jurisdiction it more properly
lies) no further remarks thereon will
be made in future daily reports, unless
there be something special to com-
municate -

J. B. [Signature]
Supt. of Works.

Red Hills
28 Dec. 1884

2978

3

1051 Id/24. 11. 84
1064 Id/25. 11. 84
13. 42-2969. Wa/2-12-84

Circ: 1/12 B 2/12

To W.

2978

Revised draft
order submitted
for approval, with
reference to M.D.
Proc. No 5983 of
1.12.84.

C.
1.12.84

Approved

H

PUBLIC WORKS DEPARTMENT.

MADRAS GOVERNMENT.

UNDER date the

READ the following

{ H.S. 282 Nov 1884

Recorded.

It is remitted
for very early con-
sideration in the
Military Department
whether a supply of
reportants can be
made available for
the shelter of coolies at
the Red Hills Tank.

1.12.84

N^o 1051 Id/24. 11. 84
 " 1064 Id/25. 11. 84
 B. No. 2969. Waf 2-12-84

Circ: 1/12 R 2/12

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

Read the following

From Lt. Col. J. Pennycuik Esq. { H^o. 28th Nov^r 1884
 Supt. of works on Special Duty
 Red Hills -

Carried

~~I have written Mr. Chief
 Engineer today to be
 as per the programme
 of the works~~

N. B. This has been already
 done demi-officially.

11/12

- To the S. S. V Circle
- " Ch. S. for P.W.D.
- " Lt. Col. Pennycuik Esq.
- " Mil. Dept.
- " Rev. Secy
- " Fin. Dept.

Recorded.

2. It is remitted
 for very early con-
 sideration in the
 Military Department
 whether a supply of
 reportants can be
 made available for
 the shelter of coolies at
 the Red Hills Tank.

11/12. 84

The Rt. Hon. the Secy.

Special

2978

Circ: 1/12 R 2/12

X

No. 2978-W

Genl Secy

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the *3^d December/84*

READ the following

2978

From Lt. Col. J. Pennycook R.E. } 148. 28th Nov. 1884.
Super Works. on Special
duty. Ret. Miles.

Recorded.

2. The question
regarding a supply of
tents for the shelter
of work people at the
Ret Miles Tank, has
been disposed of by
Proc. in the Military
Dept. No. 5983 dated
1st Dec. 1884.

2978
To the S. S. I. Circle
Lt. Col. J. Pennycook R.E.
Mach. S. for J. 11
" Rev. Dept 21
" Ind. Dept 1
" Mil. Dept 215

69
ll
3-12-84

9945

Govt. of (1884) Madras.

PUBLIC WORKS.

(6)

Dated

Recd.

Encl.

G.O. No. 1684, No. 2

Public Works

Public Works

at the report of

work at the

as

with

101/8

3/12 3