30-9-15

rder thereon No. 44 7 d 19th Feby/84

Communicated to the
S.E. III circle who will,
so soon as possible sub=
=mit plans and estimates
for a new Collector's
utcherry at Cuddapah
n the site indicated.

/True Extract/
sd/ J.S.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. Encl.

G.O., 30th January 1884, No. 145.

No 44 7 d/ 19th Feby/84

JANUARY

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

S.E. III Circle
Rev. Dept.

with order

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

READ—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064:—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

CHEPAUK,
1st November 1883.

(Signed) C. BOWEN, Major, R.E,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

READ—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15:—

ABSTRACT.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

ENCLOSURE.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary :—

Works.	Rough Estimate, as near as can be made by a careful guess.
	RS.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *bonâ fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

MADRAS,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

READ—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064 :—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

CHEPAUK,
1st November 1883.

(Signed) C. BOWEN, Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

READ—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15 :—

ABSTRACT.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

ENCLOSURE.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary :—

Works.	Rough Estimate, as near as can be made by a careful guess.
	RS.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggeduess could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *bonâ fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

MADRAS,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

READ—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064 :—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

CHEPAUK,
1st November 1883.

(Signed) C. BOWEN, Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

READ—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15 :—

ABSTRACT.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

ENCLOSURE.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary :—

Works.	Rough Estimate, as near as can be made by a careful guess.
	Rs.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *bonâ fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

Madras,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

Order—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
„ the Board of Revenue.
„ the Judicial Department.
„ the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. *Encl.*

G.O., 30th January 1884, No. 145.

JANUARY

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

Order—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
„ the Board of Revenue.
„ the Judicial Department.
„ the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. *Encl.*

G.O., 30th January 1884, No. 145.

JANUARY

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

Order—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
„ the Board of Revenue.
„ the Judicial Department.
„ the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. *Encl.*

G.O., 30th January 1884, No. 145.

B.447 W 9/2/84

JANUARY.

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

Read—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064:—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

Chepauk,
1st November 1883.

(Signed) C. BOWEN, Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

Read—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15:—

Abstract.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

Enclosure.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary:—

Works.	Rough Estimate, as near as can be made by a careful guess.
	Rs.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *boná fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

Madras,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

Order—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
" the Board of Revenue.
" the Judicial Department.
" the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

Order thereon No. 447 dy
19th Feby/84

Communicated to
the S.E. III circle who will,
so soon as possible sub=
=mit plans and
estimates for a new
Collector's Cutcherry at
Cuddapah on the site
indicated.

/True Extract/
sgd/ J.S.S.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. *Encl.*

G.O., 30th January 1884, No. 145.

No. 447 dy 19th Feby/84

JANUARY.

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

S.E. III Circle
Rev. Dept.

with order

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

Read—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064:—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

Chepauk,
1st November 1883.

(Signed) C. BOWEN, Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

Read—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15:—

Abstract.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

Enclosure.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary:—

Works.	Rough Estimate, as near as can be made by a careful guess.
	Rs.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6 Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *boná fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

Madras,
3rd January 1884.

(Signed) L. R. BURROWS.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

Order—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

H Rutter

Secretary to Government.

To the Public Works Department.
,, the Board of Revenue.
,, the Judicial Department.
,, the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

2022

o 2094 C. 1.11.83.

No. 447 W a/19th Feby/84

B

Communicated to the Supdg Engr III Circle who will, as soon as practicable submit plans and Estimates for a new Collectors Cutcherry at Cuddapah on the site indicated.

Govt. of {1884} Madras.

REVENUE.

20.2.C

6.3.C

Issued

Recd. 4/2/84 *Encl.*

G.O., 30th January 1884, No. 145.

B No. 447 W a/19th Feby/84

JANUARY.

Removed from P.O. 38806 23.12.1896.

Cls. 15-2-84

Ill. 15-2-84

I.S.E. III Circle

S.E. III Circle

Revenue Dept

Revenue Dept

Despd 20/2/84

4 D/C 21/2

Fr 22/2

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

With Order

Sent to Revenue Dept

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

READ—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064:—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

CHEPAUK,
1st November 1883.

(Signed) C. BOWEN, Major, R.E.,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

READ—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15:—

ABSTRACT.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

ENCLOSURE.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary :—

Works.	Rough Estimate, as near as can be made by a careful guess.
	RS.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *bonâ fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

MADRAS,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

ORDER—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
„ the Board of Revenue.
„ the Judicial Department.
„ the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

30-9-15

rder thereon No. 44 7 d
19 th Feby/84

Communicated to the
S.E. III circle who will,
so soon as possible sub=
=mit plans and estimates
for a new Collector's
Cutcherry at Cuddapah
on the site indicated.

True Extract
sgd J.L.S.

No 44 7 d 19 th Feby/84

Govt. of [1884] Madras.

REVENUE.

Issued

Recd. *Encl.*

G.O., 30th January 1884, No. 145.

JANUARY

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

S.E. III Circle
Rev. Dept.

with order

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

READ—the following letter from Major S. C. CLARKE, R.E., Officiating Superintending Engineer, 3rd Circle, to the Chief Engineer, Public Works Department, dated Bellary, 25th October 1883, No. 2064:—

With reference to your No. 1972C of 16th October 1883, I have the honor to inform you that as the executive engineer reports that an entire new building will be required for the Collector's cutcherry at Cuddapah, I would beg to suggest that whatever plan of cutcherry is finally approved of for Anantapur, may be adopted for that required at Cuddapah.

2. The executive engineer reports that no decision has as yet been arrived at by the civil authorities, whether the new cutcherry, if sanctioned, is to be built at Cuddapah, or at some other locality, where fever may prove less prevalent; but possibly the Government have now decided the question.

3. The revised plan for the Anantapur cutcherry will be submitted very shortly.

No. 2094C.

Forwarded in continuation of this office No. 1971C, dated 16th October 1883, to the Revenue Department, for early orders.

2. The question as to site appears to have been finally determined in G.O., Judicial No. 2094, dated 10th October 1876, and Revenue No. 1581, dated 27th September 1878.

(By Order.)

CHEPAUK,
1st November 1883.

(Signed) C. BOWEN, Major, R.E,
Under-Secy. to Govt., P.W.D.

To the Revenue Department.

READ—the following demi-official letter from L. R. BURROWS, Esq., Collector of Cuddapah, to the Secretary to Government, Revenue Department, dated 3rd January 1884, No. 15:—

ABSTRACT.—Forwarding a memorandum on the subject of the head-quarter station, Cuddapah.

ENCLOSURE.

MEMORANDUM.

The Government being about to sanction the erection of a new cutcherry for the Collector of Cuddapah, the question has been raised whether a site should be selected at Cuddapah or elsewhere.

2. Mr. Gribble entertains a strong opinion that the building ought to be erected at Cuddapah. Mr. Higgens holds the same opinion. Both these officers, however, consider that it is

absolutely necessary that Government should, at the same time, take steps for the sanitary improvement of the town. The following works are indicated as necessary :—

Works.	Rough Estimate, as near as can be made by a careful guess.
	RS.
(1) Breaching anicut in the Boogah river from which the water-supply of the Patha-Cuddapah tank is taken off ...	500
(2) Filling up the present supply channel of the same tank ...	20,000
(3) Providing necessary new works for supplying the same tank with water from the Kurnool-Cuddapah canal	25,000
(4) Providing a really good water-supply half the cost ...	50,000
(5) Loss by abandonment of the Durga Cheruvu tank. Annual Rs. 2,900. Capitalised say	58,000
(6) Compensation for holders of irrigated lands under the Durga Cheruvu tank, Acres 418 at Rs. 100 per acre ...	41,800
Total ...	1,95,300

The provision of funds for street drainage, and for the half of the expenditure on water-supply would be left to the Municipality, and (as about Rs. 1,00,000 would be required) is as much as they could be reasonably expected to undertake.

3. It is thought that the feverishness of Cuddapah is due to the water-logged condition of the ground upon which the town is built. This condition prevails throughout the irrigation season and is caused partly by the Durga Chevuru tank which is close to the town and above it, and partly by the anicut in the Boogah river which holds up the water and obstructs the natural course of drainage into the Pennér river.

4. It is highly probable that if this water-loggedness could be got rid of, there would be far less fever in the town. The works above specified are intended to produce this result. The question is, it seems to me, whether Government will, for the sake of keeping the head-quarters of the district at Cuddapah (an obvious advantage) be prepared to spend, say, two lakhs of rupees or, deducting the proposed contribution for water-supply, one-and-a-half lakhs of rupees on works of sanitary improvement.

5. In deciding this question a good deal depends on the possibility of finding a healthy site elsewhere, suitable from an administrative point of view for the district head-quarters.

6. Rajampet, a large village in the Pullampet taluk, having a railway station and being about 35 miles nearer to Madras than Cuddapah, has been suggested as a suitable place. But, on inquiry, it appears that it is not a healthy place, its water-supply is very defective and the drainage bad.

7. Appayapalli, near the Kamalápuram station, ten miles north-west of Cuddapah, is in a central situation, the water-supply is good, and the soil sandy. Accommodation would have to be provided for all the establishment, as the village of Kamalápuram is very small and would not supply the required accommodation.

8. Other places have been suggested, but none of them seem to offer so many advantages and have so few drawbacks as Appayapalli.

9. Instead of launching into a heavy expenditure which may or may not be attended with the desired result, I am inclined to recommend the erection of the new cutcherry at Appayapalli. Considerations both of humanity and economy induce me to come to this decision. I am supported by the opinion of the Treasury Deputy Collector H. Subba Row, who not being biassed by any self-interested motives (not being an owner of house property in Cuddapah), may be trusted to give a thoroughly genuine opinion. I feel sure that if the wishes of the subordinate officials, for the sake of whom more than of any one this proposal to change the head-quarters is being brought under consideration, if their wishes could be ascertained *boná fide*, a large preponderance of opinion would be in favor of the proposal. It is a notorious fact that natives regard Cuddapah as the most unhealthy place in the district. There is good ground for this belief. And the best means of obviating the sickness and misery to which the servants of Government of all ranks and their families are exposed by residence at Cuddapah, would, in my opinion, be the gradual abandonment of the place. I would commence the abandonment by building the new Collector's cutcherry at Appayapalli.

(Signed) L. R. BURROWS.

MADRAS,
3rd January 1884.

P.S.—Appended are Mr. Gribble's letter, Mr. Higgen's letter, Pullampet Tahsildar's letter, Treasury Deputy Collector's letter, Cuddapah Tahsildar's letter.

ORDER—dated 30th January 1884, No. 145, Revenue.

Miscellaneous.

The Right Honorable the Governor in Council sees no reason to question the propriety of the decision arrived at in 1878, that Cuddapah should remain the head-quarters of the district. It may be considered settled therefore that the proposed new Collector's office will be built there.

2. As to the site of the building, it is observed that the choice lies between that on which the present office stands and the site of the old cantonment. Mr. Burrows is of opinion that the former should be adopted if the head-quarters are not to be changed. The old cantonment site is reported to be under irrigation from the canal, and is two or three miles from the town. If it were selected, the officials would still live in the town of Cuddapah and nothing to counterbalance the inconvenience of this site would be gained. The new building will therefore be constructed in the same locality as the present one.

3. The plans and estimates should be expedited.

4. The papers will be communicated to the Sanitary Commissioner, who will proceed without delay to Cuddapah and report his opinion as to the probable effect on the health of the town of the several works proposed.

(True Extract.)

(Signed) H. E. STOKES,
Secretary to Government.

To the Public Works Department.
„ the Board of Revenue.
„ the Judicial Department.
„ the Sanitary Commissioner, with copies of demi-official correspondence.

Exd. W. H. French.

70 Copies.

B

Order thereon No 447 dated 19th Feby 84

Communicated to the S.E. III circle who will, so soon as possible submit plans & estimates for a new Collector's Cutcherry at Cuddapah on the site indicated &.

/True Extract/

Sgd J.S.S.

S.E. III. Circle
Rev. Dept.

Govt. of {1884} Madras.

REVENUE.

Issued

Recd. Encl.

G.O., 30th January 1884, No. 145.

No 447 Dated 19th Feby/84

JANUARY.

Collector's Office, Cuddapah.

Deciding that the proposed new — should be built at Cuddapah and on the same locality as the present one; and requesting the Sanitary Commissioner to report his opinion as to the probable effect on the health of the town of the several works proposed.

Estimate to be submitted 12.12.84

with order

Revy dept (Mill Copy) Exd. Keller)

EDC 21/2 Dated 20/2/84 Pkt 13

Entd in Dept Regr