(1) Number of pages 36

(2) Date of repair 22.10.87

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W DEPARTMENT

G.O. No.
B.P. No. 2071 W

Press.
Mis.

Dated 5.9.1885 ~~198~~ .

Not to be folded or roughly handled

Archives I--10,006 I -80.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

Read—the following papers :—

From Colonel W. H. BURTON, R.E., Officiating Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department, dated Chepâk, 22nd May 1885, No. 783.

With reference to G.O., No. 1147 W., dated 15th May 1885, I have the honor to report that a revised statement of Provincial funds surrendered was submitted on the 8th May 1885, No. 547.

2. I now herein enclose a statement showing the possible reduction in the existing temporary establishment in the V Circle. A similar statement regarding individuals employed on irrigation works is sent to the Chief Engineer for Irrigation. (Copy enclosed).

3. I have requested the Executive Engineers to give one month's notice under Civil Pension Code, Section 64, to all members of the temporary establishment mentioned in the statement.

4. Early orders of approval or otherwise of this procedure are requested.

5. The temporary establishment employed in the Presidency division is altogether reduced as many military and civil works are stopped therein for want of funds.

Enclosures.

Statement of proposed reduction in the temporary establishment employed in the V Circle.

Names of individuals.	Rank.	Pay.	Remarks.
Presidency Division.		RS.	
C. Murugasum Mudali	Temporary overseer.	60	The services can be dispensed with as many grants are surrendered under Military and Provincial.
M. Venkatakristniah Chetty ...	Clerk	20	One month's notice is given that their services are not required from the 20th June 1885.
P. Vijayaranga Mudali ...	Draftsman ...	40	
C. Muthugoparatha Mudali ...	Do. ...	20	
Chingleput Division.			
Two draftsmen for sub-divisions at Rs. 25 each.	......	50	Sanctioned in G.O., No. 768 W., dated 30th March 1885. The appointments will be postponed until the restrictions regarding temporary establishments are removed.
	1 Clerk ...	15	

Statement of proposed reduction in the temporary establishment, &c.—*cont.*

Names of individuals.	Rank.	Pay.	Remarks.
North Arcot.		RS.	
Coopoosawmy Naidu	Draftsman ...	30	
South Arcot Divisional Office.			
	1 Clerk ...	20	
	1 Draftsman ...	20	
	5 Extra lascars at Rs. 6 each under permanent overseers.	30	

STATEMENT of proposed reduction in the temporary establishment employed on irrigation works in V Circle.

Names of individuals.	Rank.	Pay.	Remarks.
Chingleput Division.		RS.	
Subroya Mudali	Temporary overseer.	60	Of the three overseers employed on the tank maintenance, the services of one overseer can be done away with.
	1 Clerk ...	15	
	1 Lascar ...	6	
Verdarajulu Naidu	Clerk	40	The services of this man can be dispensed with if the reduction of tank maintenance grants, proposed in my statement of demands for repairing damages, is sanctioned.
Special Temporary Establishment.			
Narainsawmy Naidu	Temporary overseer.	60	This special establishment is employed in repairing damages caused during the floods of November and December 1884. If the additional funds applied for in my statement for repairing damages are not appropriated, their services can be dispensed with.
Muhammad Yaqúb Sáhib ...	Do. ...	60	
Balaram Sing	Clerk	15	
Mr. H. Arnold	Do.	15	
	2 Lascars at Rs. 6 each.	12	

From Colonel W. H. BURTON, R.E., Officiating Superintending Engineer, V Circle, to the Chief Engineer for Irrigation, dated Chepâk, 22nd May 1885, No. 784.

With reference to G.O., No. 1147 W., dated 15th May 1885, I have the honor to submit a statement showing the possible reduction in the existing temporary establishment employed on irrigation works in the Chingleput division.

2. The Executive Engineer, South Arcot, shows that no reduction can be effected in that division without risking the loss of revenue dependent upon irrigation works.

3. In the North Arcot division the one temporary overseer is required for works of Pálár anicut system, for which funds are granted by the budget.

No. 59 E.W.

Forwarded to the Chief Engineer, Public Works Department.

2. The transfer of funds proposed by the Superintending Engineer, V Circle, from the grant for tank maintenance scheme works to that for ordinary works in the Chingleput division, has not been recommended for sanction, as such transfers are, under G.O., No. 16 I., dated 7th January 1885, inadmissible.

3. An additional allotment of Rs. 10,000 out of Rs. 30,000, applied for for repairing flood damages to irrigation works in the Chingleput division, has been recommended for sanction.

OOTACAMUND,
4th June 1885.

(Signed) J. O. HASTED, Colonel, R.E.,
Chief Engineer for Irrigation.

To the Chief Engineer, Public Works Department.

From Colonel H. L. PRENDERGAST, R.E., Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department, dated Chepâk, 6th July 1885, No. 1426.

In the statement of proposed reduction in temporary establishments forwarded with letter, No. 783, dated 22nd May 1885, one clerk on Rs. 15 in the Chingleput division office and one clerk on Rs. 20 in the South Arcot division office were entered; but the Executive Engineers report that they cannot get on without these clerks, and I have the honor to request that the two entries may be removed from the statement.

ORDER—dated 5th September 1885, No. 2071 W., Public Works.

With the exception of temporary overseer Subroya Mudali, whose reappointment was sanctioned in Chief Engineer's memorandum, No. 1221 C, dated 18th July 1885, and of two clerks, one on Rs. 15 in the Chingleput division and the other on Rs. 20 in the South Arcot division, the reductions in the temporary establishment, as proposed by the Superintending Engineer, V Circle, in the statements that accompanied his letter, No. 783, recorded above, are approved.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, V Circle.
„ Examiner, Public Works Accounts.
„ Chief Engineer for Irrigation.

Exd. J. Henricus.
Spare Copies

GENERAL.
ESTABLISHMENT.

Govt. of 1885 Madras.

PUBLIC WORKS.

Dated September, 5th.

Recd. *Encl.*

G.O., 5th Sept. 1885, No. 2071 W.

SEPTEMBER.

**Temporary Establishment,
V Circle**

Certain reductions in the —, approved.

SUPERINTENDING ENGINEER'S OFFICE,
5TH CIRCLE, MADRAS,
Chepauk, 9th July 1885.

No. 1482

2071/3

From
THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To
THE Chief Engineer
P.W.D.

SIR,

Enclosures.

With reference to your Office Note No. 1398 D dated 13th June 1885, I have the honor to nominate for the salary of Rs 60 in North Arcot as Temporary Overseer S. Subroya Mudalyar who was recently employed as such in the Chingleput Division.

I have the honor to be
Sir,
Your Most Obedient Servt.

Chas. Prendergast Coll. R.E.
Superintg Engineer
5th Circle

No 1398 D. 13.6.85

From (81 Arch 605

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To

THE Chief Engineer
P.W.D

Dated 9 }
Recd. 10 } July 1885.

ENCLOSURES.

No 1221 C ap 18-7-85

No. 1482

S. Subraya Mood.r —

Nominating — as a temporary Overseer on Rs 60 in North Arcot Division.

P.W. 53/7.

No 1221 C ap 18th July/85

2071/4

Letter from the Sup Engr V Circle
No 1482 dated 9th July 1885.

T. Subharaya Mudaliyar is appointed temporary Overseer on Rs 60 per mensem, and posted to the North Arcot Division —

CW.
10.7.85

12.7.85

S. E V Circle
Exr P.W. Accts

1/2 1221 Cap 1º 7-

M.
1/2 7

B. 18-8-85 R. 20-85.

Read the following papers:-

No. 783

SUPERINTENDING ENGINEER'S OFFICE,
5TH CIRCLE, MADRAS,
Chepauk, 22nd May 1885.

20/5

5th Appx/85 No 2071 W

From

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To

THE Chief Engineer
P. W. Department.

SIR,

With reference to G. O. No. 1147 W. dated 15th May 1885, I have the honor to report that a revised Statement of Provincial Funds Surrendered was submitted on the 8th May 1885 No. 547.

2. I now herein enclose a Statement showing the possible reduction in the existing temporary Establishment in the 5th Circle. A similar Statement regarding Individuals employed on Irrigation works is sent to the Chief Engineer for Irrigation. Copy enclosed.

3. I have requested the Executive Engineers to give one months notice under

Enclosures.
2 Statements

Dis[illegible]
[illegible] 3[illegible]
29th May /85

under Civil Pension Code Section 64 to all members of the temporary Establishment mentioned in the Statement.

4. Early Orders of Approval or otherwise of this procedure are requested.

6. The temporary Establishment employed in the Presidency Divn. is altogether reduced as many Military & Civil works are stopped there for want of funds.

I have the honor to be

Sir

Your Most Obdt. Servant

W H Wheaton Col. R.E.

Offg Supg Engr 5th Circle

(11/ [illegible]

From

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To

THE Chief Engineer
P. W. Deptt.

Dated 23d } May 1885.
Recd. 25

ENCLOSURES. 2.

No. 2071 W. of 5-9-85

No. 783.

Temporary Establishment —

Forwards Statements of — under Provincial Funds together with a revised Statement of — employed on Irrigation Works in the 5th Circle

Resubmitted to C. 1.9.85. R. 5.9.85
Ack. 132/5.
C. 23.5.85 R 1/8/85

2071/7

3

Statement of proposed reduction in the temporary Establishment employed in the 5th Circle.

Names of Individuals.	Rank	Pay	Remarks.
Presidency Division.			
C. Moorugasum Moodelly	Temporary Ass. Sur	60.	The Services can be dispensed with as many grants are Surrendered under Military and Provincial.
M. Venkatakristnyah Chetty	Clerk.	20	One months notice is given that their Services are not required from the 20th June 1885.
P. Vijayaranga Moodelly	Draftsman	40	
C. Muthugoparatha Moodelly	do	20	
Chingleput Division			
Two Draftsmen for Sub Divisions	@ Rs 25 Each	50.	Sanctioned in G.O. No. 762 W dated 30th March 1885, the appointments will be postponed until the restrictions regarding temporary Establishments are removed.
	1 Clerk	15	
North Arcot			
Coopooswamy Naidoo	Draftsman	30	
South Arcot Dt. Office			
	1 Clerk.	20	Lic No. 5954 Vacant
	1 Draftsman	20	
	5 Extra Lascars at Rs 6 Each under Permanent Numbers	30	

Supg Engrs Office 5th Circle
22d May 1885.

W H Thurston
Col. R.E.
Offg Supg Engineer 5th Circle

K.S.

2071/8

2071/9

125

No. 784

SUPERINTENDING ENGINEER'S OFFICE,
5TH CIRCLE, MADRAS,
Chepauk, 22d May 1885.

2071/11

From

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To

THE Chief Engineer
for Irrigation

SIR,

Enclosures.
1 Statement.

With reference to G. O. No. 1147 W. dated 15th May 1885, I have the honor to submit a Statement showing the possible reduction in the existing temporary Establishment employed on Irrigation works in the Chingleput Division.

2. The Executive Engineer South Arcot shows that no reduction can be effected in that Division without risking the loss of Revenue dependent upon Irrigation works.

3. In the North Arcot Division the

the one temporary Overseer is required for works of Palar Anicut System for which Funds are granted by the Budget.

I have the honor to be

Sir,

Your Most Obdt. Servant.

W H Horton Col. R.E.

Offg. Supg. Engr. 5th Circle.

20 VI / 13

CHIEF ENGINEER
23 MAY
1885
FOR IRRIGATION

From

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

R10–V

To

THE Chief Engineer
for Irrigation

Dated 22d May 1885.
Recd.

ENCLOSURES. 1.

No. 784.

Temporary Establishmt.

Submits a Statement showing the possible reduction in the ~~existing~~ temporary Establishmt employed on Irrigation Works in the Chingleput North Arcot & Dists.

2071/14

Statement of proposed reduction in the Temporary Establishment employed on Irrigation Works in 5th Circle.

Names of Individuals	Rank	Pay	Remarks
Chingleput Divn.			
Soobaraya Moodelly	Temporary Overseer	60	Of the 3 Overseers employed on the Tank Maintenance the services of one Overseer can be done away with
	1 Clerk	15	
	1 Lascar	6.	
Verdarajulu Naidoo	Clerk	40	The Services of this man can be dispensed with if the reduction of Tank Maintenance grants proposed in my Statement of demands for repairing damages is sanctioned
Special Temporary Establishment.			
Narainswamy Naidoo	Temporary Overseer	60	This Special Establishment is employed in repairing damages caused during the floods of November and December 1884. If the additional funds applied for in my Statement for repairing damages are not appropriated, their Services can be dispensed with.
Mahomed Yacoob Saib	do	60	
Balaram Sing	Clerk	15	
Mr H. Arnold	do	15	
	2 Lascars @ Rs 6 Each.	12	

Office of the Supdg Engr.
5th Circle
22d May 1885.

W H Hutton Coll R.E.
Offg: Supdg Engineer
5th Circle

K. S.

2021/14

CHIEF ENGINEER
23 MAY
1885
FOR IRRIGATION

R10—IV/1

5/6/85

2071/15

Letter from the Superintending Engineer 5th Circle, No. 784 d/ 22nd May 1885.

No. 59 Irr.

Forwarded to the Chief Engineer, Public Works Department.

Enclos 2

2. The transfer of funds proposed by the Supg. Engineer, 5th Circle, from the grant for Tank Maintenance Scheme Works to that for ordinary works in the Chingleput Division, has not been recommended for sanction as such transfers are, under G. O. No. 16. I. dated 7th Jany 1885, inadmissible.

3. An additional allotment of Rs 10,000 out of Rs 30,000 applied for, for repairing flood damages to Irrigation Works in the Chingleput Division has been recommended for sanction.

Ootacamund }
4th June 1885. }

J. H. Hasted.
Colonel, R.E.,
Chief Engineer for Irrign.

To

The Chief Engineer
P.W.D.

Arch 5089

(9)

Aug 6/85

2

No. 207 / Way 5-9-85

O. 1.9.85 R. 5.9.85

(B)

No. 1426

Superintending Engineer's Office,
5th Circle, Madras,
Chepauk, 6th July 1885

207/16

From
The SUPERINTENDING ENGINEER,
5th Circle,

To
The Chief Engineer
P. W. Department.

Sir,

Enclosures.

616 sent to 23-5-85

In the Statement of proposed reduction in temporary Establishments forwarded with letter No. 783 dated 22nd May 1885, one clerk on Rs 15-0-0 in the Chingleput Division Office and one clerk on Rs 20-0-0 in the South Arcot Division Office were entered; but the Executive Engineers report that they cannot get on without these clerks. and I have the honor to request that the two entries may be removed from the Statement.

I have the honor to be
Sir,
Your Most Obedt. Servt.
C. W. Prendergast Col. R.E.
Supg. Engr. 5th Circle

No 1398 D. 13. 6-85
" 1221 C. 18. 7. 85?

From E.G.I. Inch 59

THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To

THE Chief Engineer
P. W. D.

Dated 6 }
Recd. } July 1885.

ENCLOSURES.

No 2071 W d/ 5-9-85

No. 1426

Temporary Establishment —

Requests that two entries may be removed from the statement of proposed reduction in — sent with letter No 783 dated 22d May 1885.

No 2071 W PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 5th Sept/85

READ the following

From the Superintending Engineer V Circle - H. E. No: 783 d/ 22nd May 1885.
From the Chief Engineer for Irrigation - H. E. No: 59 E. W. d/ 4th June 1885.
From the Superintending Engineer V Circle - H. E. No: 1426 d/ 6th July 1885.

With the exception of Temporary Overseer Subroya Mudaly, whose re-appointment was sanctioned in Chief Engineer's memorandum No: 1221 C d/ 18th July 1885, and of two clerks one on Rs 15 in the Chingleput Division and the other on Rs 20 in the South Arcot Division, the reductions in the Temporary Establishment, as proposed by the Supty. Engineer V Circle in the statements that accompanied his letter No: 783 recorded above, are approved.

C.S.
1.9.85

Des 12/9

3.9.85

To The Supty. Engr. V Circle
" Examiner P. W. Accts
" Chief Engr. for Irrigation.

(9)

A

No. 2071 Way 5-9-85

E M/5.9

B M/579

Ayl 3/9.
C-1-9-85 R.5-9-85
R. 18-8-85 Rtd 20.5.85

5934

Govt. of (1885) Madras.

PUBLIC WORKS.

Dated

Recd. Encl.

G.O. 5 September 1885, No. 2071W.

Temporary Establishment, V. Circle.

Certain reductions in the ——, approved

60/4

[illegible] 50 R