B/ No. 2115 W/A 9th Sept. 85

The Examiner P. W. A.
is authorised to pass pay
to the overseers named up
to the 20th July 1885.

The Examiner P. W.
is authorised to pass
pay to the Overseers
named up to the
20th July 85

CO.
1.9.85

W
4.9.85

S.E. III Circle
W/9.9

Ex. P. W. Acct.
Ex. P. W. A.

D.C. [illegible]
10/9/85

A.S. 9/9.

[illegible]
13/9

9

2.9.85 2.7.9.85

30.7

om (8) Mch 7646

The Superintending Engineer,
3d ~~1st~~ Circle,

The Chief Engineer
P.W.D
Madras

Dated 31 } August 1885.
Recd. 1/9/85.

ENCLOSURES.

No. 2115 W/A 9-9-85

No. 1089

Temporary Overseers
Vadagery Moods and
Amaravathi Moods

Requesting that the Examiner
may be authorised to pass
pay to famine
up to 20th July/85.

D.W.

SUPERINTENDING ENGINEER'S OFFICE,

No. 2510 Bellary ~~MADRAS~~,

~~Chepauk~~, 10th March 1885.

From Lieut. Col. H. M. Vibart R.E.,

~~THE~~ SUPERINTENDING ENGINEER,

III ~~1st~~ CIRCLE,

To

THE Chief Engineer

P. W. Department

Madras.

SIR,

Enclosures.

With reference to your Memorandum No. 445C dated 5th March 1885, I have the honor to report that of the 6 Surveyors appointed in your Memo No. 209C dated 4th February 1885, 5 have arrived and are now employed on survey duties – the sixth man viz K R Rangasawmy+ Aiyangar has not arrived, and probably it was in his place, T Visvanatha Iyer was appointed in your Memo No. 382C dated 24th February 1885: but this man also has not yet turned up.

+ appears to have been taken on by the Consulting Engineer for Railways vide Memo No. 305C of 16th February 1885.

2. Three overseers have been appointed by you vide references as per ×margin – but Mr. Pereira and Auranamatha Iyengar

× (1) Singaravelu Moodr. No. 223C/5/2/85 Joined.
(2) Aranamathu Iyengar No. 325C/17/2/85.

have not yet arrived.

(3) Mr P. Pereira
No 3370
19/2/83
Nos 2 and 3 not
yet joined.

3. I have lately applied for 2 overseers for Employment on Relief Works in the Anantapur District, and if these are sanctioned, one more has to be appointed to make up the number required viz 2 for Bellary+ and 2 for Anantapur Districts

+ Sanctioned in G.O. No 273 W
d/4th February 1883

I have the honor to be
Sir
Your most obedient Servant

Lt Col R.E.,
Superintending Engineer
III Circle

Mkla 2196

From

The Superintending Engineer,
III ~~1st~~ Circle,

To

The Chief Engineer
P. W. Department

11 MAR 85

Dated 10th } March 1885.
Recd. 11 }

ENCLOSURES.

No. 648 D/ 14-3-85

No. 2510.

Famine Relief Works

Reporting that a Surveyor and the overseers appointed for —— have not as yet arrived here.

—

No. 648 D/ 14th March /85

Telegram

To Suptg: Engineer III Circle
Bellary

(Urgent)
Tel. desp^d.
13/3/85.

Messrs Garrett and Ottmann and Overseer Auravamuthu and Pereira were posted for Railway Relief Works under Mr Bull = Three more Overseers and one Surveyor will be sent you shortly for ordinary Relief Works

CS
12.3.85

No. 597 Day 10-3-85
" 445 Cay 5-3-85
" 382 Cay 24-2-85
" 466 Day 21-2-85
" 305 C ay 16-2-85
" 209 Cay 4-2-85
" 230 Day 30-1-85
" 325 Cay 17-2-85
Go. 3/273 W ay 4-2-85
No. 223 Cay 5-2-85
" 231 Day 30-1-85

No 648 Day 14-3-85

M. 16/3

M1 101/4

Public Works Department

Proceedings of the Madras Government

Read the following :-

Proceedings, Financial Department No. 845 dated 9th. May 1885.

Order thereon No. 1147 W dated 15th. May 1885.

Communicated, in continuation of telegram of the 6th. May 1885, to Superintending Engineers for information and guidance.

2. Revised reports, based on the final issue of the Provincial Budget for 1885-86, showing what savings can be effected under Civil Buildings, should reach Ootacamund not later than the 25th. May 1885. In the case of the more distant circles, the reports should be made by wire. If no alterations are involved in the reports already submitted, it will be sufficient to intimate the fact.

3. The statements of demands on account of uncommenced Provincial minor works should be based on the orders now issued. If necessary, revised statements of demands should be sent immediately to Madras.

4. No proposals for increase of salaries or for additional establishment should be submitted unless real urgency can be established, and Superintending Engineers will report at once what reductions can be effected in existing temporary establishments in consequence of the proposed stoppage of works.

(True Extract)

C. Haven Major R.E.

Under Secretary to Government. P. W. D.

To
The Suptg. Engineers.
Consg. Archt. to Govt.
Chief Engineer for Irrign. for information.
Examiner P. W. Accounts.

S. Asr (91)

That portion of the accompanying letter received from the S.E. IIIrd Circle which refers to the Statement of demands has been noted. The letter may be transferred to orly office for disposal along with other papers on the subject of savings from Provincial Grants

W 23/5

20 Caw.

Note. No reductions under temporary establt. ~~[illegible]~~ are stated to be feasible. The S.E.'s letter may therefore apparently be "recorded"

G 26/5/85

SUPERINTENDING ENGINEER'S OFFICE,
~~MADRAS~~,
No. 380 Camp Ramandroog ~~Chepauk~~, 20th May 1885.

From
Lt. Col. H. M. Vibart. R.E.
~~The~~ SUPERINTENDING ENGINEER,
III ~~1st~~ CIRCLE,

To
THE Chief Engineer
P.W.D.
Madras

Enclosures.

With B 16/5

SIR,

With reference to para 3 of G.O. No. 1147W dated 15th May 1885, I have the honor to report that the undermentioned Provincial Works entered in this Office Statement of Demands dated 4th May 1885 may be held in abeyance.

× Noted & the works have been struck out of the demand statement ×
W 23/5

	Allotment applied for
Sub Registrar's Office at Vozgalpand	2435.
Improvements to the record room of Talug Cutcherry at Budwail	1,144.

2. With regard to para 4 of the G.O. I beg to state that the two Surveyors employed in the C. Project Division are necessarily required. The Services of the 5 Temporary Surveyors and 3 Temporary Overseers employed

for preparation of Estimates for Relief works cannot be dispensed with just now. A temporary Supervisor and a temporary Overseer are employed in the Cuddapah Division; and they need be kept on as no works are likely to be stopped in that Division.

I have the honor to be
Sir
Your most obdt. Servant

Lt. Col. R.E.
Supdg. Engineer 3rd Circle

B/
B. No. 1238 W. a/28th May/85

Recorded.

26·5·85

28·5·85

M.
28·5

B maj

29/5

29/5

29/5

No. 131/5

From (9) [illegible]

The Superintending Engineer,
3rd ~~1st~~ Circle,

To

The Chief Engineer
P. W. D.
Madras

Dated 20th }
Recd. 22 } May 1885.

ENCLOSURES.

B. No. 1238 W. a/28th May/85

No. 380

Provincial Civil
Works

Reporting that the within noted 2 ⎣⎦ may be held in abeyance and that the services of the Temporary Establishment in the Circle are considered indispensable at present.

[illegible]

SUPERINTENDING ENGINEER'S OFFICE,
Ramandroog ~~MADRAS,~~ ~~Chepauk,~~ 13th June 1885.

No. 564.

From Lieut. Col. H. M. Vibart R.E.
~~THE~~ SUPERINTENDING ENGINEER,
III ~~1st~~ CIRCLE,

To

THE Chief Engineer
P. W. Department.
Madras.

Enclosures.
1 List

[illegible]
of No. 1167 W.
15-5-85-

SIR,

I have the honor to report, that as the Monsoon seems to have set in, in the Bellary and Anantapur Districts, there would appear to be no use in retaining the temporary Establishment of Surveyors and temporary overseers sanctioned for the preparation of Estimates for Famine Relief Works. I would, therefore recommend that their services be dispensed with from the 1st of next month.

2. I beg to submit a List of Estimates already prepared; these and the Estimates

that will be ready by the end of this month, would, I think, be enough to meet the requirements in case of emergency.

3. The Collector of Anantapur, who has been consulted on the subject, states that there is at present no necessity for undertaking relief works; but he is not able to say what may be required hereafter, as the season has not yet far advanced.

4. The Collector of Bellary is of opinion that the Establishment might be dispensed with when Estimates for the 23 Tanks named in his List, are ready. Most of these are likely to be ready by the end of the current month. The Collector observes at the same time, that the requirements of Section 28 of the Famine Code are far from being met, and that it is for the Government to decide whether compliance with this provision of the Code may not be postponed until the present financial pressure has subsided.

I have the honor to be
Sir
Your most obedient Servant.
[illegible] Lt Col R.E.,
Superintending Engineer
III Circle

1885.

P. W. DEPARTMENT.

Current No. 5042.

From

The Collector of Bellary.

Enclos.—

No. 1908.
Dated 6th June 1885.
Received 8 — " .

Subject.

Suggesting that extra surveyors payable from Local Funds will not be entertained and those employed in the D.P.W. on this work may be otherwise utilised on account of the present financial pressure.

Disposal.

No. 1053 C. Dated 13th June 1885

Forwarded to the S. E. III Circle for report with reference to para 2 of his letter No 380 dated 20th May 1885

(By order,)

Sd/. C. Bowen Major R.E.
Dy: Chief Engr. P.W.D.

13/6

15/6

S. E. III Circle in original & returned

From (8)   Incl 5301

The Superintending Engineer,
3d ~~1st~~ Circle,

To

The Chief Engineer
P.W.D.
Madras

Dated 14 } June 1885.
Recd. 16 }

Enclosures. 1

No. 1124 C a/1-7-85

No. 564

Famine Relief Works
Bellary & Anantapur Districts.

Recommending that the Tempry Establishment of Surveyors & Tempry Overseers for ⌴ be dispensed with from 1st July/85.

C. No. 5301

(8)

Note

Draft Memo submitted. Para 4 of the Supdg Engr's letter requires attention.

M
16.6

Let me see section 28 of the Famine Code. C.S.
16.6

Submitted

M
16.6

Public Works Department.

view

1885.

P. W. DEPARTMENT.

Current No. 5042.

From

The Collector of Bellary.

ENCLOS.—

No. 1908.

Dated 6th June 1885.

Received 8 — " — "

SUBJECT.

Suggesting that extra surveyors payable from Local Funds will not be entertained and those employed in the D.P.W. on this work may be otherwise utilized on account of the present financial pressure.

DISPOSAL.

No. 1053 C. Dated 13th June 1885

Forwarded to the S.E. III Circle for report with reference to para 2 of his letter No 380 dated 20th May 1885

(By order)

Sd/. C. Bower Major R.E.

Dy: Chief Engr. P.W.D.

13/6

Recd 15/6

S.E. III Circle in original & returned —

Q. 17.6.85 R. 26.6.85

(8) Cus 5307

O.A. 786

W.

With reference to para 4 of S.E.'s letter No 564 of 13th June, (III Circle), proposing to dispense with temporary establishment, it is not clear to me what is meant exactly by the Bellary Collector's statement, quoted by Col. Vibart, that the requirements of Section 28 of Famine Relief Code are far from being met, &c.

This Section refers to Civil Agency works & Local Fund and Municipal projects, estimates for which should be kept ready in view to relief requirements. It appears to me the Collector should address Financial Dept. on the subject, and perhaps a para to that effect might be added to the proposed draft order on S.E.'s letter.

C.W.

17.6.85

To C.A.W.

Yes. I think so.

Please add para to draft, as suggested by D.W.

Draft may go to I. for counter initials.

19.6.85

Public Works Department.

ries

1885.

Public Works Department.

No. 1124 Ca/1st July/85

Memorandum

Letter from the Supg: Engr. III Circle No. 564. dated. 14th June 1885

The proposal of the Superintending Engineer III Circle to dispense with the temporary establishment of Surveyors and overseers employed on Famine Relief works in the Bellary and Anantapur Districts from the 1st July is approved.

2. The Superintending Engineer will keep the claims of these men in view

By S.E. III Circle in Orginal

Q. 17.6.85. R. 26.6.85.

Public Works Department.

No. 1124 C a/ 1st July/85

Memorandum

Letter from the Supg: Engr. III Circle No. 564. dated 14th June 1885

The proposal of the Superintending Engineer III Circle to dispense with the temporary establishment of Surveyors and overseers employed on Famine Relief works in the Bellary and Anantapur Districts from the 10th July/85 is approved.

2. The Superintending Engineer will keep the claims of these men in view

view on the occurrence of vacancies in his circle.

3 With adverting to para 4 of the Suptg Engrs letter, it is observed that Sec 28 of the Famine Code relates to Civil Agency works; the Collector should therefore be advised to address the Financial Dept. with respect to his proposal to postpone compliance with the provisions of that section until the present financial pressure has been removed.

C.W.
17.6.85

W.
22-6-85

Jn
23/6/85

C.W.
26.6.85

(8)

No 1124 C 1-7-85

For favour of counter initials

E. W. 1/7
B. W. 1/7

To
The Suptg: Engr. III Circle
" Examiner P. W. Accounts

Despd
2/7/85

W. A.G.S. 78/6.
Co. 17.6.85 R. 26.6.85

No. 632.

SUPERINTENDING ENGINEER'S OFFICE,
Bellary ~~MADRAS,~~
~~Chepauk,~~ 23rd June 1885.

From
Lt Col H. M. Vibart R.E.
~~THE~~ SUPERINTENDING ENGINEER,
3rd ~~1st~~ CIRCLE,

To
THE Chief Engineer
P. W. D.
Madras

SIR,

Enclosures.
1 Orig. Endt.

With reference to your endorsement No 1053 C dated 13th June/85, I have the honor to report that the services of the temporary Survey establishment may be dispensed with from the 1st of next month, as already proposed in my letter No 564 dated 13th June/85.

C No 5301 dated 17/6/85 [illegible] received [illegible] see 1124 C 1-7-85

When I wrote my letter No ×380 dated 20th May/85, it was too early to come to any definite conclusion

P.C. 1238 W
28-5-85

conclusion regarding the above establishment. There was no rain fall and certainly the state of the season was not then so promising as it is at present.

3. The Executive Engineer has since reported that the whole number of estimates are not likely to be completed till the end of July. I would therefore recommend the retention of one of the temporary overseers for that purpose for the further period of one month.

I have the honor to be
Sir
Your most obedt. Servant
[illegible] Lt Col R.E.
Superintending Engineer
3rd Circle

No 1053 C. 13. 6. 85.
B. No 1238 W. 28. 5. 85.
No. 2453 C. 8-12. 83.
" 230 D. 30. 1. 85.
" 325 C. 17. 2. 85.
B. No 273 W. 4. 2. 85.
No 209 C. 4. 2. 85.
" 305 C. 16. 2. 85.
" 466 D. 21. 2. 85.
" 382 C. 24. 2. 85.
" 445 C. 5. 3. 85.
" 648 D. 14. 3. 85.
G. O. No 1147 W. 15-5. 85.
No 1124 C. 1. 7. 85.

(6) Arch 5516

From

The Superintending Engineer,
3^d ~~1st~~ Circle,

To

The Chief Engineer
P. W. D
Madras

Dated 22^d
Recd. 23 } June 1885.

ENCLOSURES. 3

No. 333 Ed/ July 8th 1885

No. 632

Temporary Establishment of Surveyors & Overseers for Famine Relief Works.

Reporting that the services of ⌊ ⌋ may be dispensed with from 1st July, except ~~those of~~ one Overseer who is required for a month more to complete the whole number of Famine Estimates.

6. 3. 7. 85.

No. 333 Ed/ July 8th 1885

PUBLIC WORKS DEPARTMENT.

40

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

READ the following

Letter from the Collector of Bellary — A. E. No. 1908 d/ 6th June/85.

Letter from the Suptg: Engr: III. Circle — A. E. No. 632 d/ 22d June/85.

+ No 1124 C d/ 1st July 1885.

The Suptg: Engr: + III. Circle has been instructed to dispense with the temporary establishment of surveyors and overseers employed on Famine Relief works in the Bellary and Anantapur Districts from 1st July 1885. The services of one overseer required to complete estimates already commenced will be retained till the end of July 1885.

2. The letter from the Collector of Bellary No. 1908, d/ 6th June 1885, will be transferred to the Financial Department for disposal.

7-7-85

No. 333 Ed/ July 8th 1885

Suptg: Engr: III Circle ✓
Ex: P.W. accts. ✓
Finl: Dept: with ✓
collectors letter & enclo.

despd 7/7/85

Financial Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Ad copy ✓

Proceedings of the Public Works Department, dated 8th July 1885 No. 333 E, transferring letter from the Collector of Bellary, dated 6th June 1885 No. 1908, suggesting that extra Surveyors payable from Local Funds will not be entertained &c., & that the preparation of further estimates for civil agency relief works be postponed until the present financial pressure has passed away—

Order thereon dated 24th July 1885 No. 510 L. F. (Mis)

The Collector's proposals are approved.

(True Extract.)

Ag: Under Secretary.

To

The Collector of Bellary
" Accountant General
" Public Works Department

Inch 6714

(11)

No 405 E d/ August 3rd 1885
E

Recorded.
Recorded

Rec 30/7/85.

2.8.85

x taken for circ 2986/87

No 405 E d/ Augt 3rd 1885

No 2453 C d/ 8.12.83
" 230 D d/ 30.1.85 x
" 325 C d/ 17. 2.85 x
" 273 W d/ 4. 2. 85.
" 209 C d/ 4. 2. 85
" 305 C d/ 16. 2. 85
" 466 D d/ 21. 2. 85
" 382 C d/ 24. 2. 85
" 445 C d/ 5. 3. 85
" 648 D d/ 14. 3. 85.
" 1147 W d/ 15. 5 85
" 1124 C d/ 1. 7. 85.
" 1238 W d/ 28. 5. 85
" 1053 C d/ 13. 6. 85
" 333 E d/ 8. 7. 85
" 380 E d/ 30. 7. 85

P.L.A. 98/7

30-7-85

C.A.W.

With order
With ~~order~~

No. 1089

SUPERINTENDING ENGINEER'S OFFICE,
Bellary ~~MADRAS~~,
~~Chepauk~~, 31st August 1885.

From Lt Col H. M. Vibart R.E.
~~THE~~ SUPERINTENDING ENGINEER,
3rd ~~1st~~ CIRCLE,

To

THE Chief Engineer
P. W. D.
Madras

Enclosures.

SIR,

I have the honor to request that the Examiner P. W. Accounts may be authorised to pass pay to temporary Overseers Vadagery M. Modlr. and Anantapathy Mood. up to 20 July/85, the date on which orders dispensing with their services agreeably to G.O. No 333 E dated 8th July/85 reached them out in the Anantapur District where they were employed in the preparation of estimates for Famine Relief Works.

2. The G.O. quoted above directs their services being discontinued from 1st July; hence the Examiner requires the sanction of Government to admit pay from and after that date.

I have the honor to be
Sir
Your most obedt. Servant
H. M. Vibart Lt Col R.E.
Superintending Engineer
3rd

0.3.9.85

10/9

28/9

With order

B No. 2115 W. 9th Sept. 1885

The Examiner P. W. A.
is authorised to pass pay
to the overseers named up
to the 20th July 1885.

CS.
1.9.85

4.9.85

S.E. III Circle
9/9

Exr. P. W. Acct.

10/9/85

9/9

9

2.9.85
30.7.85
7.9.85
3.7.85

---

(8) Arch. 764

From

The Superintending Engineer,
3rd ~~1st~~ Circle,

To

The Chief Engineer
P. W. D.
Madras

Dated 31 August 1885.
Recd. 1/9/85.

Enclosures.

No. 2115 W. 9-9-85

No. 1089

Temporary Overseers
Vadagery Moodr and
Amaravathi Moodr

Requesting that the Examiner
may be authorised to pass
pay to famine ———
up to 20th July/85.

G. O. No. 433 W. 8.2.83
" " 722 W. 23.3.85
B. No. 1756 W. 29.7.85
" 1863 W. 12.8.85

No. 2119 W. 10th Sept/85

B

Communicated to
the Marine Dept, with
suggestion that the
Cocanada Harbour
Groynes Committee be
instructed to arrange
with the Supdg. Engr. I
Circle for the supply
of stone from the new
quarry at Yerrampolem

2. Special attention
invited to the concluding sentence of
para 3 of the Supdg.
Engr's letter.

7.9.85

22.
8465. 28/9/85

CS.
9.9.85

Marine Dept. ✓
S.E. I Circle ✓
17/9.
24/9
11/9
3.9.85
9.9.85

Arch. 768

(7)

FROM,

THE SUPERINTENDING ENGINEER
FIRST CIRCLE.

TO,

THE CHIEF ENGINEER
Public Works Department
~~FOR IRRIGATION.~~

DATED 26th
DESPATCHED 26 } August 1885.
RECEIVED 2/9/85

No. 1171 G.D

ENCLOSURES. one

Cocanada Groynes.
— Reporting on the subject of stone required for —

No. 2119 W. 10-9-85

With order

No. 361.

Dowlaishweram
Executive Engineer's Office
18th August 1885

From
The Executive Engineer
Eastern Division
Godavari District

To
The Superintending Engineer
First Circle

Sir,

With reference to your lr. No. 1040 G.D. dated 11-8-85 and its enclosures herewith returned, I have the honor to report as follows.

1. Twelve Cubic feet of Yerrampolem stone weigh about one ton (a piece of dressed stone 1'x1'x$\frac{1}{2}$' weighed 97 lbs).
2. From the G.O. it would appear that about 1750 tons of stone are required.
3. This quantity Can be supplied from Yerrampalem, within three months of date of order at the rate of Rs 6/8 per ton. No stone to weigh less than $\frac{1}{2}$ ton; stones to average 1 ton in weight.
4. This rate to include Carriage to the site of work at Cocanada on P.W.D Punts, but not unloading from the punts

5. If any punt is delayed more than one day of 24 hours after its arrival at the work in Cocanada, there will be an additional charge of the wages of the punts Crew for the number of days so delayed.

6. The distance of the loading place from the site of work is 32 miles the stones would have to be Conveyed on Government punts (for which we have little work now owing to stoppage of all masonry works in the Delta) as the boats belonging to the Cocanada Harbour are not fitted to carry large stones.

I have &c

(Sd) C C Rawson Captn R E
Executive Engineer

(True Copy)

Lieut Col R E

Superintending Engineer
1st Circle

JK

7080/85.

Enclosure one

No. 1171 G.D.

FROM,

THE SUPERINTENDING ENGINEER
FIRST CIRCLE.

TO,

THE CHIEF ENGINEER P. W. Department
~~FOR IRRIGATION~~

DOWLAISHWARAM, 26th August 1885.

Marine G.O.

SIR,

With reference to G.O. No. 273 dated 29th June /85, in the Marine Department which was Communicated to me with G.O. No. 1756 W dated 29th July /85 in this Department, I have the honor to bring to your notice that a most excellent quarry for large heavy stones has lately been opened out by this Department at Yerrampolem on the Samulcotta Canal whence stones averaging one ton, and weighing as much as two or three tons Can be taken out without much difficulty.

2. The accompanying letter from the Executive Engineer of the Eastern Delta Dn. explains the Capabilities of this quarry and in it he states that he is prepared to Carry all the stone required for the

Cocanada groynes at Rs 6-8- per ton" which would be a saving of Rs 0/8 per ton on the Concrete blocks proposed by Mr Thorou~~gh~~good and as the specific gravity of the Yerrampalem stone is 1/3 greater than the Concrete blocks there can be no doubt as to the advantage of using large stones instead of Concrete blocks.

3. The estimate of Rs 6/8 per ton might however I think be reduced; and, as the Delta works are at present at a stand still owing to the late retrenchments, if the Cocanada Harbour Groynes Committee would give us an order for the whole of the stone required for the groynes, I dare say we might be able to supply it for Rs 5/- per ton on the average. We are now reducing our establishment and an early reply should be sent.

I have the honor to be
Sir
Your most obedt. Servt.
Lieut Col R.E.
Superintending Engineer 1 Circle