

(1) Number of pages 12
(2) Date of repair 17.8.87
(3) Initials of the Referencer Long

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P. W. DEPARTMENT

G.O. No.	280 W	Press.
B.P. No.		Mis.
Dated	2-2-1885	-198-

Not to be folded or roughly handled.

250

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following letter from J. W. RUNDALL, Esq., Superintending Engineer, II Circle, to the Chief Engineer, Public Works Department, dated Kota, 7th January 1885, No. 794 N.L.:

I have the honor, with reference to my No. 499 N.L., dated the 6th September 1884, to forward, herewith, an estimate of Rs. 487 for constructing a *porte cochère* at the district court, Nellore, which I request may be sanctioned as supplemental to the estimate of Rs. 4,650 sanctioned for improvements to the district court-house at Nellore in G.O., No. 1744 W., dated 16th July 1884.

2. Please allot, if possible, this small sum, so that the whole of the work to the district court may be completed in the current year.

From the same officer, dated Duggirala, 18th January 1885, No. 319 C.

I have the honor to bring to your notice that, with this office letter, No. 794 N.L., of the 6th instant, an estimate, amounting to Rs. 487, for *porte cochère* to the judge's court-house at Nellore was submitted to you for the sanction of Government and allotment of funds.

2. A sum of Rs. 300 being available for transfer to the above work from the existing allotment of Rs. 1,732 for improvements to the district jail at Nellore, I have the honor to request that the sanction of Government may be obtained to this transfer.

ORDER—dated 2nd February 1885, No. 250 W., Public Works.

The estimate, amounting to Rs. 487, for adding a *porte cochère* to the district court-house at Nellore, is sanctioned as supplemental to the estimate referred to in G.O., No. 1744 W., dated 16th July 1884, and the amount is appropriated from the Provincial reserve with Government.

2. The sum of Rs. 300 surrendered from the appropriation for the district jail at Nellore, is credited to the reserve.

3. The sanction accorded in paragraph 1 of these proceedings has been registered as Provincial No. 239 W. of 1884-85, and classified as Civil Buildings, Original Works.

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, II Circle, with three enclosures.
" Examiner, Public Works Accounts, with copy of abstract estimate.
" Judicial Department.

Ed. E. Fernandez.
Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of Madras.

PUBLIC WORKS.

Dated February, 2nd.

Recd.

Encl.

G.O., 2nd Feb. 1885, No. 250 W.

FEBRUARY.

District Court-house at Nellore

Estimate for adding a porte cochere to the
sanctioned.

No. 494 NL

Superintending Engineer's office,

2nd Circle, Camp Kota,

7th January 1885.

From,

The Superintending Engineer,
2nd Circle.

To,

The Chief Engineer,
Public Works Department.

Sir,

I have the honor, with reference
to my No. 499 N. L. dated the 6th Sep-
tember 1884, to forward herewith, an Estimate
of Rs. 487 for constructing a Port-Cochere
at the District Court, Nellore, which I re-
quest may be sanctioned as suppl-
emental to the Estimate of Rs. 4650 sanc-
tioned for Improvements to the District
Court house at Nellore, in G.O. No. 1744 W
16.7.84

2. Please allot if possible this small
sum, so that the whole of the work to the
District Court may be completed in the current year.

I have the honor to be,

Sir,

Your most obedient servant

J. W. R. R. R.

Superintending Engineer 2nd Circle

Camp Kota

3/250

Current No. 542

Letter No. 714 N.L.

Dated the 7th January/85

From the S.E. II Circle

NOTE OF REMARKS.

This estimate provides for the addition of a porte cochere to the District Court house at Nellore. It amounts to Rs. 487, and is sufficient to be added to the estimate of Rs. 4,550, sanctioned in G.O. No. 1744 of the 15th July/84. A plan has not been submitted. — S.E. II writes: — "Please allot if possible this small sum, so that the whole of the work to the District Court may be completed in the current year." However, E.W.'s Rs. 13 attached to Memo. No. 1571 C. of the 23rd Septm/84, must be borne in mind.

E.W.

From
The Superintending Engineer
2nd Circle

To
The Chief Engineer
P. W. D.
Madras



Dated 7th January 1885

Disptd 16th 85

Recd

Remd

No 794 N.L.

Nellore District Court —

Porte Cochere at — Estimate of Rs 487 for constructing a — Form for sanction an — and requests to allot the amount of the Estimate in order to complete the work in the current year.

To W.

For advice as to whether the work may be carried out & funds allotted. Please see your file. Refer to No 1571 of 23rd Septm/84. The amount is small, Rs. 487, & will complete the improvements to the Courthouse. — E.W.

18-1-85

Sanction & allot funds.

W.

28-1-85

Superintending Engineer
2nd Circle

3. The estimate has been
counter-signed by the
District Judge.

7th Jan 1885
B.P.

To Mr.

For interest with
reference to the
to No 157128, 23.9.84

N. 319-C

Superintending Engineer's Office,
2nd Circle, Camp Bazaar
18th January 1885.

From

^{10/250}
The Superintending Engineer,
2nd Circle.

Sr

The Chief Engineer,
Public Works Department.

Sr

I have the honor to bring to your
notice, that with this office letter N. 794 of
of the 5th instant, an estimate amounting
to Rs 487 for Pore Cochine to the Judges
Court House at Kellone was submitted to
you for the sanction of Government and
allotment of funds.

A sum of Rs 500 being available for
for transfer to the above work from the
existing allotment of Rs 1732 for Improvements
to the District Jail at Kellone, I have the
honor to request that the sanction of Govern-
ment may be obtained to this transfer.

I have the honor to be
Sir,
Your most Obedt Servant
J. W. P. Russell
Superintending Engineer
2nd Circle.

From

The Supt. Engineer
Mad Circle

L

The Chief Engineer
P.W. Department

Dated 18th January 1885

No. 319 C

Judges Court House at
Kallur Port. Cochin to the

Requests to obtain the
Sanction for the transfer of
Rs 1300 to - from the existing
allotment of Rs 1732 for improve-
ments to that yard.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

Read the following

From the Superintending Engineer T. Birch - H. E. No. 774 of 17th January/85.
Do Do H. E. No. 319 C of 18th January 1885.

The estimate amounting to
Rs. 487, for adding a porte-cochere to
the District Court house at Kallur,
is sanctioned as supplemental to the
estimate referred to in H. E. No. 1744 W
dated 16th July 1884, and the amount
is appropriated from the Provincial
reserve with Govt.

2. The sum of Rs. 300, surrendered
from the appropriation for the District
Jail at Kallur, is credited to the reserve.

3. The sanction accorded in
para 1 of these proceedings has been
registered as Provincial No. 239 W of
1884-85, and classified as Civil
Buildings, Original Works.

To The Supt. Engr. T. Birch with 3 copies
" Examiner P. W. Accts. with 1 copy
" Judicial Dept.

30.1.85

2.2.85

Figure 1 consists of seven sub-graphs, labeled (a) through (g), each plotting the percentage of correct responses (Y-axis, 0 to 100) against time in seconds (X-axis, 0 to 100). The graphs show the performance of subjects under different conditions, with asterisks indicating significant differences from the control group.

- (a) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (b) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (c) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (d) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (e) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (f) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.
- (g) $100\% \text{ } 100\% \text{ } 100\%$: Shows a rapid increase in correct responses, reaching near 100% by 10 seconds.

5/1/74