B. No 2872
2873
2874 w of 2 Dec/85

2d 9/12
16/12

R. No 669.
25 - 11. 85

1632 C of 14/10/85
1599 C of 8/10/85
1167 C of 7/9/85
1451 of 11/9/85

No 2682 D

Chepauk
24th Novr/85

To C/
For remarks

3/11/85

DW

30 NOV 85

No 691. of 27th Novr./85

To W.

Sanction may be granted if Govt. approves of the circumstances under which the extra expenditure was incurred.

The charge, if sanctioned, should be met from the grant for temporary Establishment.

C.

B W

V/ No 2877 W of 2nd Decr./85

Sanctioned as requested in paragraph 2. The charge will be debited to tempo=
=rary establishment.

1.12.85

Copy to II Circle 1/12/85
Exr: M.W.A.
Despd. 3.12.85

10330
~~Inlt 10102~~

From The Superintending Engineer
2nd Circle

27 NOV 85

To The Chief Engineer
P. W. D.
Madras

B No 2877 W of 2 Dec/85

Dated 18th Novr 1885
Despd 19th do
Recd 23 -

No 1639 K.S

Sundra Ayer - V. S. Delta
Supdt, Gudivada Division - Request to authorise the Examiner to pass the pay of - from 16th August to September 85, under the circumstances reported.

B No 2872 / 2873 / 2874 w 2 Encls

2d 9/12

16/12

To

Major C. Bowen R.E
Deputy Chief Engineer
Department of Public Works
Madras

Honored Sir,

In obedience to your honor's order No 856 dated 27th April 1883 asking me to state whether I would accept a temporary appointment of Overseer third grade on Rs 60 per mensem exclusive of authorised allowances. I respectfully beg to inform that I am highly thankful for your honor's kind offer but as I hold at present a permanent appointment of Subover 2nd grade in the Mysore Division Public Works Department. I humbly solicit the favour of your honor kin conferring on me permanently the appointment of overseer 3rd grad now offered to me. Should your

honor

SWC No. 3979

[illegible] so placed as to comply with my
humbly requests I shall resign my
appointment here and present
myself before your honor for employ-
ment.

I beg to remain
Honored Sir
Your most obedient
and humble servant
M. A. Appalacharry
Sub overseer
Executive Engineer's
Office
Mysore

10 May 883 }
Mysore }

Recd 11/5/83

Mr Gifford will not suit I think. We must find another man. — CS
15/5

No. 3979.

DyW

M. A. Appalacharry, one of the men who were offered tempy. overseer's posts in memo No. 836 C d/ 26.4.83. replies to say that ~~he~~ he has obtained a permanent appt. as Sub Overseer in the Mysore P.W. Dept, & therefore declines the temporary post offered to him. He begs however for permanent employment in the Madras PWD. This of course is out of the question, & it becomes necessary to select another candidate for the temporary posts in the Kistna Dist. Mr

Mr Gifford, whose application is in the file, was here yesterday inquiring whether any=thing had turned up for him – He states that he was formerly a 1st grade overseer in the Mysore P.W.D. & afterwards a temporary overseer under Mr O'Shaughnessy in the famine – He expresses willingness to take any temporary post, & he has been told to send in copies of his testimonials &c. Meanwhile the file is submitted for consideration whether Mr Gifford would be a suitable man for temporary employment in the P.W.D.

He professes to be a good practical workman & to have great experience –

If he be rejected, other applications will be looked up from the register, & submitted.

15/5/83

men are being taken
on the permanent
establt

~~3979~~ Rwd

Memo. No 979C of 15th May/83

Dy W –

This man is recommended for one of the temporary places by Mr Rundall himself.

Cy

C. J. Mohun Sing is requested to state whether he will accept employment as temporary overseer 2d grade in the Kistna Dist, on a salary of Rs 80 per mensem, exclusive of authorised allowances. It must be understood that the appt is purely temporary & will not give any claim to permanent employment on the expiration of the work to which he may be posted. Good service rendered by him will no doubt be considered when

men are being taken
on the permanent
establt.

2. If Mohun Sing
accepts this offer he
should at once report
himself for duty to the Supdg
Engr. 2d Circle, who
will report to this office
the date on which
the candidate joins,
in view to his appt.
being formally notified.

CJ

No 980 C dt 18th May /83

Copy to the S.E. 2d
Circle, in continuation
of No 945 C dt 12 May
1883, with an intimation
that M. A. Appala Charry,
one of the men referred
to in Memo No 857 C
of the 26th ultimo has de-
clined the offer made to him.

C d/GWd CJ 1675.

To C. T. Mohun Sing

To S.E. 2d Circle.

No 979 C of 18-5-83
" 980 C — do —

13

CH 19/5

[illegible]/5

C/

Pwd

No 1235 C of 29th June/83

Memo.

With reference to this office endorsement No ~~890~~ 980 C of 18th May 1883, the undersigned has the honor to inquire whether C. T. Mohun Sing has accepted the temporary 2nd grade overseership offered to him, & if so, the Deputy Engr. Second Circle will be good enough to report the date on which the man joined, & the amount to be appropriated on account of his pay & allowances, from the current year's budget grant for tempy: estab.

Cy

C.E. Second Circle.

per ur
29/6

CY
28/6

Dated 30th December 1883.

No 1165 C d/ 21-6-83
" 1061 C - 5 - 6 - 83
" 1075/1076 C d/ 6-6-83
" 1002 C d/ 23-5-83
" 979/980 C d/ 18-5-83
" 945 C d/ 12-5-83
" 944 C d/ - do -
" 903 C d/ 7-5-83
" 856/857 C d/ 26-4-83
" 705 D d/ 20-3-83
" 541 C d/ 6-3-83
" 449/450 C d/ 20-2-83
" 379 D d/ 17-2-83
" 289 C d/ 29-1-83
" 91 D d/ 17-1-83
" 807 D d/ 1-7-82

C
No 1235 C d/ 29-6-83

CH 4/7

JS 4/7

Entd in Receipt Re

No 1014 K.S.

Superintending Engineer's Office
2nd Circle, Camp Sangam
10th July 1883.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer
Public Works Department.

Sir,

In reply to your No 1235 C of the 29th Ultimo, I have the honor to report that, C. J. Mohunsingh accepted the post of Overseer, 2nd Grade, and joined the Gudivada Division in the forenoon of the 11th June.

2. Rs 773 will be wanted for this Overseer's pay, and Rs 200 for his allowances for the current official year.

I have the honor to be,
Sir,
Your most Obdt Servant
J. W. Rundall
Superintending Engineer,
2nd Circle.

Compd JW

Dated 30th December 1883.

91 D 17.1.83
139 C 27.1.83
449-50 C 20.2.83
541 C 6.3.83
705 D 20.3.83
856-857 C 26.4.83
903 C 7.5.83
944 C 12.5.83
945 C 12.5.83
979-80 C 18.5.83
1002 C 23.5.83
1075-6 C 6.6.83
1105 C 21.6.83
1234 C 27.6.83
1235 C 29.6.83
1268.9 C 5.7.83

P.W.C. No. 6082

From

The Superintending Engineer
2nd Circle

To

The Chief Engineer
Pub: Works Dept.
Madras

No 2034W d/25-7-83

Dated 10th }
Despd 15th } July 1883
Recd 19

No 1014 KS

Mohan Singh - C.I. - Informs that - accepted 2nd Grade Overseer's Post and joined the Gudivada Dn on the forenoon of the 11th June /83 & that Rs 973 are wanted for his pay and allowances

G.I.C.

No 2034W PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 25th July/83

READ the following:

From the Superintending Engineer Second circle's A.E. No. 1014 K.S. d/10th July/83

The appointment of C. I. Mohan Singh as Overseer 2nd Grade in the Kistna District with effect from the 11th June 1883, is sanctioned and the sum of Rs ~~973~~ +893 is appropriated from the budget grant for temporary Establishment to meet his pay and allowances for the current official year.

+ Pay for March 1884 omitted.

2. This sanction has been registered as Provincial No. 34 W. of 1883-84, and classified as

as Establishment Temporary. It will lapse at the end of the present official year, before which renewed sanction should be applied for, if a continuation of the main services be found necessary.

Cn

CY
23/7

F.C.
58 C of 12.1.84

No. 2034 W a/25-7-83

B

To

The Supdg: Engr. Second Circle Dw 27/7

" Ex and S. P.W. Dept.

JB 30/7

Entd in Dept Regr

No. 1022.

Dated 30th December 1883.
Despd 31.12.83.

From

The Executive Engineer,
Gudivada Division, Kistna

To

The Superintending Engineer,
Second Circle.

Sir,

As I have found Overseer Mohansing quite inefficient, and as his inefficiency is simply due to carelessness and idleness, and not to inexperience, I have, in anticipation of your sanction, given him notice that his services will be dispensed with on the 1st of February 1884. When he first joined this Division about 1st of July 1883, he was sent to the Pobray Drain to remove the "thundoos and dibbas" which the contractors had failed to remove. He took two months to do this work which could have been done in a fortnight, especially as he was authorised to pay, if necessary, daily coolies at the rate of As 4 per day.

He was ordered to submit reports every three days of progress made, he disobeyed this

that his having lost his first post might be order.

He again disobeyed the order to stop on the work until it was completed.

He was directed to fix certain gauges in the bed of the Drain, precise written instructions having been given him as to how they were to be fixed, he failed to carry out these instructions fixing the Zeros without any reference to Correct bed levels and did not put on the strips of whitewash as ordered to register flood levels, so that the gauges were quite useless, and will have to be taken up and refixed properly.

He was ordered to remove and replace all the ½ mile B. Ms along the Drain between 4½ and 16 miles and also to fix intermediate ones and to transfer the values of the old B. Ms on to the new ones. He received this order on the 7th July 1883. The new B. M. Stones and materials for fixing them were ready. But although he was 2½ months exclusively employed on this Drain, he totally failed to carry out orders. The old B. Ms are mostly removed but the values have been lost and the whole will have to be levelled

owing to water.

He was then sent to take levels along the Lingala Drain, but his levels were worthless being out as much as two feet in 6 miles.

He was next sent to Superintend the Collection of materials for the Chendrayacodu under Tunnel, and the Gundicodu Head Sluice, receiving instructions to accompany the punts up and down the Pullern and to see that they were promptly loaded and unloaded; here again he disobeyed orders: he did not accompany the punts as ordered, and his Supervision of the work was practically useless.

I think I have said enough to shew reason for his services being dispensed with, even if he cannot be replaced by another Overseer, I would prefer to do without him.

I have &c

(Signed) J. Hannan
Executive Engineer
Gudivada Division.

(True Copy)

J. W. Rundall
Superintending Engineer II Circle

having lost his first post might be

PW Gn 1/175/84

2nd Circle, Camp Langam
8th January 1884.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer.
Public works Department
Madras.

Enclosure: One

Sir,

I have the honor to forward herewith copy of letter from the Executive Engineer, Gudivada Division reporting the inefficiency of Temporary Overseer C. Mohan Singh employed in that Division.

2. Mr Hannan has fully explained the Overseer's short comings, and he had already verbally reported to me on several previous occasions, that the Overseer was idle, disobedient and useless.

3. I therefore have the honor to recommend that the Executive Engineer's notice to the Overseer be confirmed, and that his services be finally dispensed with from the 1st February 1884.

4. The Services of an other Temporary

5. I beg to recommend that Koka Kristnarao passed Overseer, now employed as Delta Superintendent, 3rd Grade in the Kistna Eastern Division be employed as temporary Overseer, retaining a lien on his present Substantive post.

I have the honor to be,
Sir,
Your most Obdt. Servant

J. W. Rundall
Superintending Engineer
2nd Circle.

NCh 175

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public works Dept.
Madras.

Dated 8th January 1884.
Recd 11 " "

Enc: one.

No. 261 C

C. Mohansingh Temporary Overseer in the Gudivada Division — Recommends to dispense with the services of — from 1st Feb/84 on account of his inefficiency and to appoint K. Kristnarao a passed Overseer & Delta Supt. 3rd Grade in the Kistna Eastern Division.

To C.W.

C. No: 175

The man is a Temporary Overseer engaged for particular work. There seems no objection therefore in confirming the notice of dismissal without calling for Explanations &c.

R.S.
11.1.84

Confirm simply.

CS
11.1.84

Confirm the dismissal.
(a) Can the man named by S.E. in para 3 of letter be entertained in his place?

LLS
11.1.84

To W

(a) There is no objection.

R.S.
11.1.84

Public Works Department

No. 58 C.

Memorandum

Letter from the Superintending Engineer II Circle No. 261 C of 8th January 1884

The notice of dismissal given to Temporary Overseer C Mohan Singh by the Executive Engineer is Confirmed by the Chief Engineer

2. Koka Krishna Rau may as recommended by the Supt'g Engineer be appointed to the vacant post, retaining a lien on his permanent appointment under the provisions of section 71 of the Civil Pension Code.

Sd/- J Shaw Stewart Col R.E.
Chief Engineer P.W.D.

12/1

To
The S.E. II Circle
" Examr. P.W. Accts

that his having lost his first post might be

B. No. 2034 W d/ 25. 7. 83

Memo No. 1235 C d/ 29. 6. 83

" " $\frac{979^c}{980^c}$ d/ 18. 5. 83

" " 91 D d/ 17. 1. 83

No. 58 C d/ 12th January/84

E.M. 12/1

[illegible] 18/1

Nr 16/1

Entd in Recpt Regr

No. 1267 KS

Superintending Engineer's Office,
2nd Circle, Camp Ramayapatam
8th August 1884.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public Works Department.

Sir,

In your Memo No. 58 C of the 12th January 1884, you approved of the Services of C. Mohan Singh Temporary Overseer being dispensed with, and the appointment of K. Kristnarao as Temporary Overseer in the Gudivada Division, with a lien on his permanent appointment of Delta Superintendent.

2. K. Kristnarao accordingly joined the Gudivada Division, and I advertised for a passed Overseer to act in his place as Delta Superintendent in the Kistna Eastern Division, but after keeping the place vacant, I could not get a satisfactory man.

3. After the post had been vacant for 4 months, I determined to give Mohan Singh another trial, as he is a young man, I thought that his having lost his first post might be

a lesson to him.

4. I accordingly appointed him to act as Delta Superintendent 3rd Grade from the 26th May.

5. The Examiner states that, as Mohan Singh was dismissed by you, his reentertainment must be sanctioned by Government.

6. I appointed Mohan Singh in an inferior position to that he formerly held, as I wished to give him another chance, under another Officer, and I trust that my action may be approved, and that he may be permitted to hold the temporary post in which he is acting. Should he not work satisfactorily now, I should of Course dispense with his Services.

I have the honor to be,
Sir,
Your most Obdt Servant.

F. W. Rundall
Superintending Engineer,
2nd Circle.

Compd JW

No 979C
980C } 18—5—83
" 1235C 29. 6. 83
B No 2034W 25—7. 83
No 58C 12. 1—84

No. 1466 Cay 28th Augt/84

The action of the Supg: Engr is approved

CJ
19. 8. 84

2. 8. 84

M.
29.8

S. E. II Circle
Ex. E. P. W. A.

9/8

P. J. S. 110/8.

25/8

O. 19. 8. 84 R. 23. 8. 84

NWk 6883

From
The Superintending Engineer
II Circle

(8)

To
The Chief Engineer
P. W. D.
Madras

Dated 8th August 1884
Despd 11th do
Recd 18 do

No 1267 KS

No. 1466 Cay 28-8-84

Mohan Singh - C - late Tempy. Overseer - Informs that he has appointed - as Delta Superintendent 3d Grade and requests that under the circumstances within stated, his action may be approved.

With Order

8TH JUNE 1885, No. 1327 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers:—

From Lieutenant-Colonel H. R. MEAD, R.E., Superintending Engineer, VI Circle, to the Chief Engineer for Irrigation, dated Kodaikanal, 5th May 1885, No. 195 T.J.

With reference to G.O., No. 389 I., dated 22nd April 1885, directing me to arrange for the transfer of the Vedarniem canal to the charge of the Executive Engineer, Negapatam division, I have the honor to point out that extra establishment will be required to enable him to carry on properly the work of maintenance; and I therefore request that you will obtain the early sanction of Government for the entertainment of—

		RS.
1	Temporary overseer, 2nd class	80
1	Do. clerk	15
1	Do. lascar	6

for employment on the canal maintenance. Besides this establishment, other petty establishment will be required; but this, I suppose, can be charged for from the maintenance and sanctioned by local authority.

2. As soon as the above establishment is sanctioned and entertained, I propose that the canal shall be taken over. It is useless my attempting to do so before, as the Negapatam division, as you are aware, suffered seriously during the rains in October, November, and December. It is now in charge of Mr. Assistant Engineer Foord (the Executive Engineer, Mr. Wilks, being on privilege leave), who has, in the heavy repairs now in progress, more work than he can properly supervise.

3. In G.O., No. 883 I., dated 1st October 1884, an estimate for putting the canal in thorough order was ordered. I regret to say that, owing to the serious breaches, &c., that have occurred in the Negapatam division, little or nothing has been done towards its preparation.

4. At present the canal is being repaired and cleared by the Salt department on an estimate sanctioned by the Board of Revenue. This work I do not propose to take over; it is better in every way that it should be completed by the Salt department, who have begun and, I believe, executed a great portion of the work.

5. I will address you further as regards the estimate called for, of probable receipts from traffic, and expenditure for maintenance, and also with regard to applicability of the navigation rules to the canal. Before doing so, it is necessary for me to make references to the Salt Commissioner and Collector. I fear there will be some delay in this; but I would propose, as soon as the establishment asked for is sanctioned, that the canal should be taken over (the work of the repairs now in progress remaining under charge of the Salt department until completion), that I should be allowed a small grant for maintenance, and that all boats should be allowed, as now, free on the canal until the question of licenses is settled. This last will be difficult, and the canal runs partly in three rivers that are open to the sea, and are, and, I suppose, will remain, free for boats to ply on without licenses.

No. 58 E.W.

Forwarded to the Chief Engineer, Public Works Department, with a recommendation that the temporary establishment applied for may be sanctioned, as it is absolutely necessary to look after the Vedarniem canal, which has, in G.O., No. 389 I., dated 2nd April 1885, been ordered to be transferred to the Public Works Department.

2. It will be seen from paragraph 1 of the letter from the Commissioner of Salt and Abkari Revenue, communicated with proceedings of Madras Government, No. 2282, Revenue, dated 4th May 1885, that arrangements have been made for the stoppage of the repairs to the canal which were commenced by the Salt department. Government, in the Revenue Department, may be requested to arrange for the repairs being taken up again and completed by the Salt department.

3. The Superintending Engineer has been informed that immediately after the transfer of the canal to the Public Works Department a license fee of 1 rupee per ton should, as directed in G.O., No 389 I., of 22nd April 1885, be collected from every boat plying on the canal, and that the navigation rules in force on the Buckingham canal, which are printed with G.O., No. 261 I., dated 21st March 1883, should be introduced.

OOTACAMUND,
27th May 1885.

(Signed) W. B. DEWINTON,
for Chief Engineer for Irrigation.

ORDER—dated 8th June 1885, No. 1327 W., Public Works.

The entertainment of the temporary establishment * required in the Negapatam division, for duty in connection with the Vedarniem canal, is sanctioned.

* 1 Overseer	on Rs	80	per mensem.
1 Clerk	on ,,	15	,,
1 Lascar	on ,,	6	,,

2. The overseer will be nominated by the Chief Engineer, Public Works Department.

3. This sanction has been registered as Provincial No. 21 W. of 1885-86, and classified as Establishment, Temporary.

4. The subject of paragraph 2 of the note by the Chief Engineer for Irrigation will be referred to the Revenue Department for consideration.

(True Extract.)

C. Unwin

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, VI Circle.
,, Examiner, Public Works Accounts.
,, Chief Engineer for Irrigation.
,, ,, ,, Public Works Department. ✓
,, Revenue Department.

Exd. E. Fernandez.
Spare Copies

(1) Incl. 5327

GENERAL.
ESTABLISHMENT.

Govt. of {1885} Madras
PUBLIC WORKS.

Dated June, 8th.

Recd. 16/6/85 Encl.

G.O., 8th June 1885, No. 1327 W.

No. 1167C of 9-7-85

JUNE.

Temporary Establishment

Entertainment of the — required for duty in connection with the Vedarniem canal, Negapatam division, sanctioned.

2

D. 11.7.85 R. 6.7.85

No. 1661

Vengineer
7-5-85

To

The Chief Engineer
Madras

Through the Superintending Engineer
Kistna

Most honored Sir,

I most humbly request your honor will be good enough to bring the following few lines into your honor's kind considerations.

I am a Native of Masulipatam a Matriculate and passed Overseer's test in 1881; was appointed as a Delta Superintendent in 1882 in Gudivada Taluqu. In 1883 December I was appointed to act; for Overseer A Rangarow Naidu who was transferred, as a Delta Superintendent and nearly completed Virgunim Lock and commenced this year Tadinada Lock and I further beg to inform that the students who passed after me were appointed as temporary Overseers whose cases will be taken into consideration when any permanent vacancy occurs. I have got more experience and service than those who passed after me. I therefore request your honor will be good enough to favour me either with a permanent Overseer's post which has fallen vacant in Coculanum Sub Dn. since the transfer of A Rangarow Naidu Overseer to Nellore District. or with a temporary Overseer's post when vacancy occurs either in Kistna or in Godavary District.

I beg to remain Sir
Your most obedient Servt

V. Gangayya.
Delta Superintendent
Vinjaram Portion Kistna

Dt No 432
10-5-85

No. 171/C

Forwarded to the S.E. II circle thro:- the Exec. Engr. Godavari Dist. for favourable consideration

P. Roscoe Allen
Asst Engineer

Camp Vadali
8.5.85
9

No 467

Enclos. 1 nb

10/5 85

SUPG: ENGINEER'S OFFICE
No. 308 RS
11 MAY. 85
P.W.D.
SECOND CIRCLE

As I have had no experience of this man's work I am unable to express an opinion. Mr Whiteley however, is of opinion that the application should receive favourable consideration.

W. de Morgan
Ag Offg Executive Engineer G. Dt

Despd 10 5/85

No. 337 RS

Superintending Engineer's Office,
2nd Circle, Masulipatam
12th May 1885.

From,
The Superintending Engineer,
2nd Circle.

To,
The Chief Engineer,
Public Works Department.

Sir,

Enclosure 1.

I have the honor to forward for consideration, should an opportunity offer, an application for the post of Overseer from V. Gangayya now employed as Delta Superintendent, and who holds an Overseer's Certificate.

2. This man has, during the last 3 years, had considerable practical experience, and has on the whole done well.

I have the honor to be,
Sir,
Your most obedient, Servt

J. W. Rundall
Superintending Engineer,
2nd Circle.

From
The Superintending Engineer
2nd Circle

To. The Chief Engineer
P. W. D.
Madras

R. No. 1167 C of 9-7-83

Dated 12th May 1885
Despd 14th do
Recd 18

Enclo 1

No 337 KS

Gangiah - V - Della Suptt. -
Forwards for consideration, should an opportunity offer, an application for Overseer's post from -

---

C. No. 5327

To D.W.

A tempy. Overseer on Rs. 80 is required for the Vedaraniem Canal, Negapatam Divn:-

File of applications for employment is submitted.

M.
29.6

E

Appoint V. Gangiah, recommended by S.E. II. He has passed necessary tests, has experience, & will do well I shd. say.

CJ
30.6

1.7.85 R. 6.7.85

No. 1167 C of 9th July /85

Memo

V. Gangayya, Delta Superintendent II Circle, is appointed temporary Overseer on Rs. 80 per mensem, and posted to the VI Circle for duty in the Negapatam Dn. (Vedarnien Canal).

2. He will, under Section 75 of the Civil Pension Code, retain a lien on his per=manent appointment.

Cd.
30.6.85

3.7.85

S. E II Circle
" VI Circle
Ex. P W A

Despd 9/7/85

a. 1.7.85 r. 6.7.85

G.O. B/1327 W. d/ 8-6-85

(4)

No. 1167 C d/ 9-7-85

E

W 9/7

C.S. 1/7

No. 1022 J. Supg. Engrs. Office 6th Circle

Kodaikanal 26: Septr/85

Desh: 28.

From,

The Supg. Engineer

6th Circle.

To,

The Chief Engineer

P. W. Dept.

Sir,

Referring to your memo No. 1167 C dated 9: July appointing V. Gangayya. Temporary overseer and posting him to the VI Circle for duty in the Negapatam Division for employment on the Vedarniam Canal, I have the honor to bring to your notice that, although more than 2 months have elapsed since his appointment, he has not yet joined and therefore I have been unable to take over charge of the Vedarniam Canal from

him self

the Salt Department.

2. Should this man decline the appointment and not be going to join, I could if necessary and allowed to do so, appoint, with your approval, a man as temporary overseer who has been temporarily employed as a Surveyor in taking the levels &c of it: he is an unpassed man but could, until a more efficient man was appointed, carry on the duty.

I have the honor to be
Sir
your most obd. servt

Col. R.E.
Supdg Engineer C: Circle

Lin Self

1167C 9-7-85-

Dach 8519

From

The Supdg Engineer
6 Circle

To

The Chief Engineer
P.W.D

Dated 26 }
Despd 28 } Septr 85
Recd 30 }

No 1599 C of 8/10/85

No 1022 I.J

Vedarniam Canal

Informs that overseer appointed for — has not joined and requests if he can employ temporarily the surveyor engaged to take levels Etc of the Canal

C.Y.S. 27/10.
O 3/10 R 8/10/85

C. No. 8519

Note

V. Gangayya is a Delta Supt: in the Kistna Dtr: & was appointed tempy: Overseer on the Vedarniam Canal on the 9th July 1885.

As it is now more than two months since he was appointed & the E.E. reports that he has not yet joined it is proposed that the Memo of appointment be cancelled & another passed man (one of the tempy Overseers thrown out by late reduction) be sent in his stead.

For orders.

30.9

G. 1167C 9.7-85-

The Supt. Engrs recommendation, had best be approved at once, & state at the same time that enquiry will be made how it is Gungaya has not joined & that failing him the next Candidate available is

who will be sent at any date the Supt. Engr. considers convenient

Oct. 1. 1885

O.Y.S. 27/10.
O 3/10 P 8/10/85

Public Works Department

Memorandum

Letter from the Suptg. Engineer VI Circle No. 1022 I. dated 26th Septr/85

The proposal of the Superintending Engineer to appoint a Surveyor as temporary overseer in the room of V. Gangayya is approved until arrangements can be made ~~for one month By that time steps will be taken either~~ to send V Gangayya to the VI Circle or the next passed Candidate available.

Oct. 2. 1885

A telegram has been sent to the D.E. asking if V. Gangayya intends to join the Vizagapatam Division.

To

The Suptg: Engr. VI Circle

Ex and P.W. Secty

2. Enquiry has been made by wire as to the cause

Lin Self

Cause of delay in relieving V. Gangayya in the II circle

Revised draft submitted

Cn
8/10

0 3/10 R8/10/85

D. W.

C /

No. 1599 C d/ 8/10/85

P. W. Department

Memo:

Letter from the Suptg: Engr: VI circle No. 1022 T. J d/ 26th Septr/85

The proposal of the Suptg: Engineer to appoint a Surveyor as temporary Overseer in the room of V. Gangayya is approved, until arrangements can be made to send (to the VI circle) either V. Gangayya or the next passed Candidate available.

2. Enquiry has been made by wire, as to the cause of delay in relieving V. Gangayya in the II circle.

Draft
after despatch return
file [illegible]
8/10

To
The S. E. VI circle ✓
" Ex: P. W. Accts: ✓ Des 8/10/85

Exd E.A.S.

Cn

8.10.85

Lin. Self

Thi

[illegible] will.

Cause of delay in
relieving V. Gang
in the II Circle

No 15996 d/ 8/10/85

W/9.10

0 3/10 R 8/10/85

D

No 2251 D d/ 10th October 1885

Telegram to Superintending Engineer II Circle

—

My Memo 1167c ×
does Gangayya Nayudu
intend joining the
Negapatam Division

+ With Cho. 8519
Octy. 3/10/85

Ack
Oct 3. 1885 D.W.

These [illegible]
him self knows very well.

No. 2251 Dd/3-10-85

No. 148 Gl. No. 1393/15-8-85

To

The Executive Engineer
Gudivada Dn.
Through Gudivada Sub. Dn. Officer

Honoured Sir

I most respectfully beg your honour to bring the few following lines of my case into your kind consideration and order the justice I pray for.

When I visited your honour in the morning of the 6th Inst., I was informed that in consequence of the unfavourable report made against me by my Sub. Dl. officer, I would be tried here a month longer and then a report would be sent to the Supdg. Engineer.

2. In this Sub. Dn. there are many difficulties to encounter as regards procuring materials, labour &c and with all these, I have been working here as a Temporary Overseer as hard as I could for more than 1½ year. These difficulties the Sub. Dnl. officer himself knows very well.

Yes there are some and the overseer is not up to the mark.

2

moreover I have been not enjoying good health, ever since I was appointed here. Last year Mr. Harman kindly granted me 2 months privilege leave on medical certificate. On recovering my health, I came back & joined my appt., but I am sorry I now find that my health is again failing. Your honour is of opinion that I am not a man willing to work hard. Your honour can kindly refer my case to J. D. Grant Esqr., Eastern Dn., how I worked when I was Works Supdt. in that Dn., in which appt. I still retain a lien. Before my coming in 1881 as a Works Supdt., I was a 1st grade Subovers[eer] for more than 3 years in Ga. Survey Dist. and discharged my duties satisfactorily. I beg to enclose herein copies of testimonials I received from the officers

He seems to be willing to work, but he does not appear to be energetic and sensible; [illegible], as he always turned out unsatisfactory work.

The work he has to do here is quite different from the work he had to do before

I shall be glad if he is transferred to a place where the work is lighter and the management of works easier.

12-8-85 [illegible]

3

under whom I happened to serve both as a 1st grade Subovers[eer] and as Works Supdt. I should attribute it to my bad days that the Sub-Dl. officer should make a bad report against me.

In conclusion I most humbly beg your honour to bring all my Afflictions as explained in 1st part of my application into your honour's kind consideration and kindly recommend me to the Supdt. Engineer for a transfer to Sirhind Eastern or Western Dn., by which I may find some means of improving my health too.

If I should be so unfortunate as ~~not~~ to get a transfer, I most humbly beg that I may be allowed to revert to my former appt. as Works Supdt. on the [illegible] canal, in Eastern Dn. where I was enjoying good health. For which act of kindness, I'm duty bound ever pray.

I am
most Hon'd Sir
Your most obedt. & humble Servt.

Overseer

10 August /85
Recd. 11

Pal 5
7709/85

Mr. Shiv Krishna - Sub overseer
2nd grade has served under
my orders when in charge of
Rajahmundry Division for three
months. during which time I
can testify to the zealous
discharge of the duties entrusted
to him. He has been educated
in the Engineering College, Madras
and seems to be well-grounded
in the theoretical point of
Engineering. He has only been
in Public works Dept. for
a short time - he seems
a promising young man -
and if employed on new
works, instead of repairing

old Tank bunds and metalling roads, so that he could gain experience, I have no doubt he will turn out a good officer.

6/16
7709/15

(Sd) J. Vanstavern
Executive Engineer
Rajahmundry Dn

Rajahmundry }
17 April 79 }

(True copy)

K. Sheshachellum Naidu has been working under me as a 1st grade Subordinate in the Rajahmundry Subdn. He is intelligent and hard working and has given me every satisfaction.

(Sd) H. S. Taylor
Asst. Engineer.

Dowlaishwaram }
18-1-80 }

(True Copy)

Extracts of Remarks passed concerning Local Fund Servants employed in Cocanada circle, as to their efficiency and fitness for promotion, when transferring to the Collectorate of Godavary

N. Kristnama Naidu.

Sub-overseer 1st grade - A promising improving young man. He is doing his work satisfactorily and he is therefore recommended for promotion. Passed for Taluq Overseers' Test.

(sd) H. S. Taylor
Asst Engr

(sd) G. T. Walch
Supdt of Works
Godavary.

26 December /79

(True copy)

Lu/12
7709/85

From
The Executive Engineer
In charge Eastern Dn

To
The Supdg Engineer
2nd Circle

Sir
In reference to your No 718 K.D of 5-6-83, I have the honour to recommend Sub. Supdt. K. Krishnathan Naidu, a passed Overseer, from 3rd to 2nd grade.

2. I consider him fit for promotion as I have not had occasion to find fault with him for laxity in his work but on the contrary have found him

generally energetic & intelligent.

3. He has four years Service in the [illegible] partly as Local Fund overseer and partly as sub. Supdt. In his former post he was [illegible] among the [illegible].

4. He bore a good character on entering on his present duties.

I have the honour to be
Sir
Your obedient Servant
(Sd) C. Mitford Smith
Executive Engineer

8 June/83
Bezwada

5. This gentleman [illegible] has been sub. Supdt. under ~~my~~ me for two years. I have always found him to carry out his duties satisfactorily.

(Sd) C. Mitford Smith
Asst Engineer

10 January/84

jen

NOTES.

REFERENCE TO MADRAS P. W. D. CODE.

PARA. 355.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c. all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

P. W. D. FORM
No. M 21.

2nd CIRCLE.

DIVISION.— Gutnaw

YEAR.—1885-86.

Progress Report of Works *in charge of*

Overseer

H. [illegible]

from 1st to 10 August 1885.

Name of Work and Date of Inspection. 1	Remarks by Subordinate or Sub-Divisional Officer. 2	Remarks by Executive Engineer. 3
1885 1-8	Accompanying the Sub Dl officer in his check measurements of Chendrayya Drain.	
2-8	Inspected the Summer Chl. Also pointed out to the maistry the slopes to be mended properly to the new cut just below the culvert at Yeggipad.	The overseer does not explain, why this work was not nearly worked out and dug out, notwithstanding he was often on the work. There was a maistry on this piece work; and the overseer should have hurried it, before ~~[illegible]~~ I inspected & drew his attention to it. This is at the diversion of the drain, just below the culvert near Yeggipad and [illegible], he could not have been too occupied in working out nearly; and have made it for same distance, as soon as possible.
3-8.	With the Compensation Inspector of [illegible] Dn for marking out line for new Summer Chl in Javarlapur & Elamarru fields.	
4-8	D. — D.	
5-8	Pointed out to the maistry the breaches to be closed in left Bank of Gunnava Chl near [illegible]. Evening inspected the incomplete work now going on near Lingaram Mulapelly. Nearly 2/3 of the work in incomplete portion is completed. Also measured up work.	

Name of Work and Date of Inspection. 1	Remarks by Subordinate or Sub-Divisional Officer. 2	Remarks by Executive Engineer. 3
1885 + 6-8	Doing office work.	+ The work specially ordered in my No. 449/18-6-85 to make good the works on Chendrayya Drain, just below the Dist. Office Compound, had not been done properly. The overseer does not seem to have taken the slightest trouble to attend to it, until the work was again inspected by me on the 8th inst. and his attention drawn to it in a note from the spot. ~~[illegible]~~ I consider he could have attended to this and to his office work at the same time. About 20 labour coolies could have completed it in 2 days at the greatest. It is for such reasons that I consider him ~~[illegible]~~ ~~[illegible]~~ — not energetic sensibly. 13-8-85. [illegible]
+ 7-8	Attending work on Chendrayya Drain near Lingaram Mulapelly.	
+ 8-8	Preparing Cash Extract & vouchers &	
9-8	Attended work on Chendrayya Drain. Evening office work.	
10-8	Started to Bezwada for mango planks & other articles required. 12-8-85 Overseer	

15/8 85. It is very unsatisfactory to note, that although I spoke personally to the Overseer, and pointed out to him that it will be impossible for him to get on in this department unless he displays more energy; he has not shown any improvement. There is no excuse for neglecting the Chendrayya Drain, as the work is close to Gudivada.

Exec Engineer

Py No 9
7709/15

NOTES.

REFERENCE TO MADRAS P. W. D. CODE.

PARA. 355.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c. all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

P. W. D. FORM
No. M 21.

2nd CIRCLE.

DIVISION.— Gurnasa

YEAR.—1885-86.

Progress Report of Works *in charge of*

Overseer

K. Thiruvenkatam

from 21st *to* 31st July 1885.

Name of Work and Date of Inspection. 1	Remarks by Subordinate or Sub-Divisional Officer. 2	Remarks by Executive Engineer. 3
1885		
21-7	Came to Jodimadu from Yeggupad. Evening doing office work	
22-7	Went to Tamirisa and measured up the incomplete pits below Tamirisa Gundi. Also measured up the work done for strengthening the Bank of Jodimadu chl. below Tamirisa Gundi	S
23-7	Measured up the earth work done at the incomplete portion in Chendraya Drain, below Lingavaram Malapilly. Also measured up the work done to Marakapadam Culvert	
24-7	Met the Sub D. officer in the morning. As instructed about the incomplete work in Chendraya Drain near Lingavaram Malapilly, went to Lingavaram & Sandhinal for the wudders, but the wudders were said to be in [illegible] their cultivation business left the majority there to try for them	

Name of Work and Date of Inspection. 1	Remarks by Subordinate or Sub-Divisional Officer. 2	Remarks by Executive Engineer. 3
1885		What breach is this? The matter has not been reported to me — . Personally reported [illegible]. 6-8-85
25-7	Getting the breach occurred to Chendraya Drain at Ryper Branch near Peda Yerikepad closed. Also got the few Tundoos to Chendraya Drain above Peda Yerikepad removed.	The overseer will explain why they had not been removed by the contractors, and why he could not attend to them, until his attention was drawn to them. As there was water in the drain they could not have been completely removed. 3-8-85
26-7	Came to Venkapagai & got the arch measuring screw taken out from the same pit to the Tank Bund. To make payments most of the coolies worked on same pit were not present.	7-8-85 — Ex Engr.
How was this? If the overseer had given notice that there was to be a batwada the coolies would certainly have been present. 27-7.	Inspected Undrum chl. Set to work some of the coolies lately worked at the culvert. Also made payments to the wudders.	All Tundoos should have been removed before water ran into the drain —
28-7	Made arrangements with the wudders of Yeggupad & Kataru to commence work at Lingavaram Malapilly & came to Jodimadu	
29-7	Doing office work. Evening inspected the work at Lingavaram Malapilly. Tamirisa wudders working.	
30-7.	Set the wudders come from Kataru to work at Lingavaram. Evening inspected Stable house to Executive Engr's Bungalow.	Work very slow
31-7	Morning taking charge of all the papers from the temporary writer Ambiah. Evening came to Chinapamuppody. Overseer 2.8.85.	~~What [illegible] this? [illegible]~~: 6-8-85

No. 8 / 7709/85

NOTES.

REFERENCE TO MADRAS P. W. D. CODE.

PARA. 355.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c. all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

P. W. D. FORM
No. M 21.

2nd CIRCLE.

DIVISION.— Gudivada

YEAR.—1885-86.

Progress Report of Works *in charge of*

Overseer

H. Thistlethwaite

from 11th *to* 20th July 1885.

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
11-7	Came to [illegible] from Ventapragara, After making necessary arrangements for more numbers of coolies to be employed on sand manufacture work	
12-7	Met the Sub Office. Received orders to measure all the channels. Accordingly in the evening took measurements of Chapta cut & Pullela=patia.	
13-7	Rain. Could not go out. Doing office work.	
14-7	Went to Nandivara but met with rain in the way. Measured up earth work in Harra cut, though raining.	
15-7	The rain did not cease. however went to Northulapeti Cut to measure up the work but as the rain increased very much, could not measure any work and so came back, being severely rain beaten.	

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
16-7	Suffering from severe head ache & cold, owing to having been severely exposed to rain on the two previous days & consequently could not go out. Evening doing office work.	
17-7	Measured up earth=work on Northulapeti=cut. Evening went to Ventapragara	
18-7	Inspected sand manufacture work at Ventapragara. 100 candies of sand ready. The work has been stopped as it was found that the cost would be too much.	
19-7	Went to the culvert under Ryves Canal & measured up the remaining earth work done on the new cut. Also made payments to [illegible].	24/7/85 An unsatisfactory weeks work. The overseer seems to be unfit physically for outdoor work. W. de Morgan 27-7-85 29-7-85
20-7	Inspected [illegible] work. only 90 coolies working, as some of them have gone to attend to their cultivation business. Nearly $\frac{2}{3}$ work is completed. 21st July/85. [illegible] Overseer	[illegible] 22-7-85

Rd Inw / 7709/15

Cd / 417

P. W. D. Madras.
Form No. M 85 A.

NOTES.

REFERENCE TO MADRAS P. W. D. CODE.

CHAPTER III.—PARA. 368 A.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c., all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer, may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

CIRCLE.— 2nd
DIVISION.— Jedmeta.
YEAR.—1885-86.

Progress Report of Works in charge of
Overseer
K. Krishnathan
from 21th to 30th June 188

Remarks written

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
21-6	Accompanied the Sub-Dl. officer on his check measurements of the work on Chendrayya drain from [illegible] to [illegible]. Evening measuring up the pits lately completed from [illegible] upwards.	
22-6	Morning measured up the remaining pits completed in [illegible] to Boundary; also pointed out to the [illegible] working at incomplete pits to finish those at first where no water has accumulated. Evening doing office work.	
23-6	Morning marked out for some distance the centre line of Mudunur chl. Evening giving out work for the [illegible] at the culvert.	
24-6	Finished marking out centre line to Mudunur chl as far as Chendrayya drain. Also measured up the portions of pits taken under Mudunur chl. & submitted a statement to Sub-Dl. officer.	

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
25-6	Fixed level pegs in Mudunur chl., shewing depths of cuttings, for some distance. Also attended the works at the culvert, that is stacking up materials, [illegible] cement.	
26-6	Measured up earth work done in front of the culvert; also measured up materials stacked up to date on the right side of canal. Evening went to [illegible]	
27-6	Inspected [illegible] chl. as per [illegible] petition referred from Sub-Dl. officer. Evening went to [illegible] to make arrangements for sand.	4/7. The overseer appears to have done a more satisfactory 10 days work. W. [illegible]
28-6	Came to [illegible] and measured up all the materials stacked at the culvert. Also submitted a statement to the Sub Dl. officer.	5-7-85
29-6	Attending the work on Chendrayya drain	
30-6	Do. on Mudunur chl.; also measured up some earth work on Chendrayya drain 2nd July/85 [illegible] Overseer	The number of coolies on the works should invariably be given [illegible] 3-7-85 Sub-Dl. Or

Jue 6
7709/85

GS
22/6

NOTES.

Reference to Madras P. W. D. Code.

Chapter III.—Para. 368 A.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c., all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer, may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

P. W. D. Madras.
Form No. M 85 A.

Circle.— 2nd
Division.— Godavari
Year.—1885-86.

Progress Report of Works in charge of
Overseer
K. Krishna Row
from 11th to 20th June 1885

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
11-6	Came to Chinaparampoody from Nuggur – Rain.	Was no work inspected or measured on the way? Why was it not done?
12-6	Took measurements of the pits complete on Chendraya Drain from Chinaparampoody to Janarlapoody.	
13-6	Morning Rain. Evening went along the Banks of new Jasinora Chl. from Alamarru towards Sapoody, pointing out to Nurseries & marking the places where the banks are to be raised & strengthened.	
14-6	Came to Chinaparampoody & made payments to the workers. Evening rain.	Where from? and could no work be inspected at this time? Work might have been measured on the way.
15-6	Came to Jasinora. Evening measured up earthwork for some distance below Vegole Road but could not finish on account of rain.	Without finishing work the Overseer should not have gone to Chinnaparampoody, and then remained there two days or so.
16-6	Came to Chinaparampoody. Rain. Evening for making payments to the coolies on Chendraya Drain.	

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
17-6	Measuring up the pits completed on Chendraya Drain. Also arranging the incomplete portions among the workers who had already finished their work.	
18-6	Morning Rain. Evening making payments to the workers.	
19-6	Morning Rain. Evening attending the work on Chendraya Drain. Owing to rain everyday the workers could not at all do any work & hence there is yet some incomplete portion between Yeduru-mattali & Janarlapoody.	Considering the comparative difficulty in arranging for the works in this sub div., the overseer may be shown some consideration. The Overseer is now ordered to attend strictly to the completing these pits; [illegible] and other works under his [illegible]. [illegible] 22-6-85 Asst. Engr.
20-6.	Met the Sub-Div. officer at Sayapuram. Accompanied him along the [illegible] Chl. Drain taking instructions for marking out line.	
	21st June 85. [illegible] Overseer.	

It is close to Chinnaparampoody, that all the works on Chendraya Drain had been going on.
25-6-85

22/6/85

The Overseer appears very much afraid of a little rain. His work is not yet satisfactory and he is a good deal too fond of going to Chinnaparampudi

Recd 27-7-85

H. de Morgan
Ex. Engr. 3/10/85

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885 Chendrayya Dr. 1-6	Inspected the work on Chendrayya Drain below Argyle Road. The pits are pits are being dug to the required depths.	Should have measured the pits ~~not~~ completed; there being little time left and when the [illegible] are working there!
Repr. to Exe. Engr's Bungalow. 2nd	Inspected the repairs to Exe. Engr's Bungalow. Also doing office work.	
Chendrayya Drain. 3rd	Measured up the earth work below China Vaniguntam, hitherto left incomplete. Evening preparing for the day Report.	a very few pits perhaps 3 or 4.
Do. 4th	Continued taking levels from Atapangunt [illegible] to the culvert under Ryves Canal.	Sta for about one mile?
Do. 5th	Checked back the levels from Jamalapuram as far as Atapanu[illegible] & from 3 Corrected.	
6th	⊖ Rain. Doing office work.	It appears from this that the overseer has attended during the period only to the works on Chendrayya Drain; and that too not below [illegible] during the morning. [illegible]
7th	⊕ Making payments to the work people at the culvert and also to the welders waiting there	

[illegible] 18-6-85

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer
1	2	3
1885 Chendrayya Dr. 8-6	Measuring up the work completed from ~~Ch~~ [illegible] as far as China[illegible].	his presence on other works at this time before the re-opening of the canals, he thus through lack of energy. [illegible]
Do. 9th	Early morning measured up some earth work & while trying to go to Nagapur met with a Senior [illegible] accompanied with rain.	The overseer was ordered in this office's 390/8-6-85 to meet the Executive Engineer on the morning of the 9th at [illegible]. His explanation for the delay is called for, and will be submitted when received. [illegible] 12-6-85 Sub Engr.
10th	Met the Executive Engineer at Nagapur & accompanied him on his inspection of the culvert under Ryves Canal & other works.	The total quantity of facing work and dressed stone work done on the culvert called for in this office No. 319/27-5-85 is not forthcoming, in spite of several reminders.
	11 June 1885 } [illegible] Overseer.	

⊕ It is very unsatisfactory that he could not measure up the work on the Chendrayya drain closer. The contractor complained to me on the 11th that that work was not measured; and if the measurements were not completed, he could have gone to Nagapur on the 9th morning, ~~[illegible]~~ to meet the Executive Engineer as directed. If he continues in this way, it is no use to have him.

[illegible]

12-6-85

[illegible] 16-6-85

15/6 85

The undersigned fully approves of the Remarks of the Subdivl. officer. If the overseer does not improve his name must be brought before the Supt. Engineer ~~for~~ unfavorably. Store allowance will not be paid him.

[illegible]

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
Chendraya Drain 21-5	Attending the work on Chendraya Drain. Also met the Sub-Dl. Officer at Chinapampody.	The Overseer does not seem to examine at the time of his inspection that the work is properly carried out; he must see whether the pegs are along whether the coolies are digging to the proper depth & width and according to the lines given. His attention has been drawn to this. There are no useful remarks to be here, and this difficulty should soon be overcome, at any rate.
22-5	Do — Do.	
23-5	Went to the culvert under Ryves Canal to make payments. Plastering work of the side walls over arches was going on.	
24-5	Making arrangements for carting materials to Pataratapur Corn & Sapacurra Corn.	
25-5.	Attending the work on Chendraya Drain	
26-5.	Measured up the work on Chendraya Drain near Gudimara &c	
27-5	Met the Sub-Dl. officer at Gudimadu — also received instructions to take levels on Chendraya Drain. Doing office work.	
28-5.	Took levels along the bed of Chendraya Drain from Gudimara road to Jainlapoody.	

Name of Work and Date of Inspection.	Remarks by Subordinate or Sub-Divisional Officer.	Remarks by Executive Engineer.
1	2	3
1885		
Chendraya Dn. 29-5	Took levels along the bed of Chendraya Drain from Janualpoody for 2 miles upwards.	
30-5	Marking out line for the work people above Janualpoody — also giving out depths of cutting.	
31-5.	Came to Gudimara. Inspected the repairments to the Ex. Engr's Bungalow. also met the Ex. Engineer.	may be omitted, unless specially ordered to meet.

1st ~~June~~ June/85 [illegible] Overseer

3-6-85 [illegible] Sub Engr.

4/6/85

for the Overseer

It is not sufficient simply to state that he has examined the work. He must attend to the Sub Divisional officer's remark at commencement of his journal

W. J. McMorgan

Ld 6.6.85

Intd 7-6-85

NOTES.

REFERENCE TO MADRAS P. W. D. CODE.

PARA. 355.

1. This form is intended for Progress reports from Subordinates or Sub-Divisional Officers to Executive Engineers; it is to be submitted three times (on the 10th, 20th, and last day) during each calendar month, and is to refer only to works *personally* inspected by the reporting Officer or Subordinate.

2. Column 2 should contain all that the Subordinate has to say about the work, state of progress, quantity of work done (measurements being stated if taken), quality of work, &c. all in as concise a manner as possible.

3. This report will be forwarded to the Superintending Engineer with such remarks as the Executive Engineer may desire to make and returned by the former after perusal for record in the Divisional Office.

4. It is intended to take the place of the lengthy remarks usually entered in the last column of the "Inspection Report" which accompanies the travelling allowance bill, and which should in future contain only the entries necessary for the audit of the latter. Great care should be taken that the "name of the work" is in all cases absolutely the same designation as that under which it has been sanctioned.

SUPG: ENGINEER'S OFFICE
NO.
14 JUL. 85
P. W. D.
SECOND CIRCLE

P. W. D. FORM
No. M 21.

Second CIRCLE.

DIVISION.— Gudivada

YEAR.—1885-86.

Progress Report of Works *in charge of*
Sub Engineer
S. Venkataramanayya Pantulu
from 1st *to* 10th July 1885.

Forwarded to the officer in ch of Gudivada 3rd Sub Dn for information & guidance – His particular attention is called to the Supt. Engr.'s concluding remark.
W de Morgan
Executive Engineer
Gudivada Dn
4-8-85

5-8-85

No. 1334 GUDIVADA DIVISION OFFICE KISTNA,

Dated 15th August 1885
Despd Do

From

The Executive Engineer,
Gudivada Division Kistna.

To

The Superintending Engineer
2nd circle

Sir,

Enclosures. 9

1 Sub Engineer's Progress report for 1-10 July/85
1 Overseer's — do for 21 to 31 May/85
1 — do — 1-10 June/85
1 — do 11-20 — do
1 — do 21-30 — do
1 — do 11-20 July/85
1 — do 21-31 — do
1 — do 1-10 Augt/85
1 Overseer's No 148 / 10-8-85
9

I regret to have to bring to your notice the unsatisfactory manner in which Overseer K. Kristnarao is performing his duties in this Division.

2 When I inspected the Under tunnel in Ryves Canal, which was completed shortly after I took charge of the Dn, I first noticed the bad quality of work turned by this man.

3 It is true that the Overseer was not responsible for the whole of it, but enough had been executed under his supervision to show that he either does not understand what constitutes good work, or will not take the trouble to see that good work is executed.

4 Since then, I have had frequently to complain of his work, and I have the honor to

to forward his Ten-day Reports for your information and also the Sub Engineer's Progress Report from 1st to 10th July as per margin.

5 On the Sixth of this month, I spoke to him personally pointing out that, unless he showed a marked improvement, I should have to hand his case up to you.

6 On the 10th he wrote me a letter thro' the Sub Divn officer which I forward in original.

7 Kristnarao appears to be under the impression that the Sub Engineer is prejudiced against him. In this, I am certain that he is completely mistaken. The Sub Engineer is only actuated by a desire to see the work in his charge carried out properly, and his orders obeyed; and I consider that he has taken particular pains in pointing out, and explaining to the overseer what was necessary to be done.

8 The overseer lays great stress on the way in which he performed his duties as a Delta Supdt in the Eastern Dn, and elsewhere. There is a great difference between a Delta Supdt's position in a Division where work is completed and one in which a project is being worked out. In the former he has but little to attend to besides water regulation, in the latter he has in addition to fulfil the duties of an overseer or Supervisor.

9 However satisfactorily Kristnarao may have conducted himself in the former position, he has shown himself quite incapable in the latter.

10 I admit the difficulties which attend the execution of work in this Dn, but on this very account I consider there is the more reason why he should endeavour to rise to the occasion. He professes himself willing to work, but with no results. Of his health, I ~~consider~~ cannot speak, but I should call him physically a weakly man.

11 On the above grounds, I do not consider the retention of his services in this Dn desirable, and have the honor to recommend that he be transferred elsewhere, and a Subordinate who is mentally & physically more capable sent in his place.

I have the honor to be,
Sir,
Your most obt Servt
W J de Morgan
Executive Engr
Bezwada

(4)

I cannot pass this as our budget grant for tempy subordinates is already largely exceeded, & no additions can possibly be made to present numbers until the financial restrictions are removed. In fact advantage must be taken of all such cases as this to curtail existing establishmts. No new appointments can possibly be made.

CCS.
3.9.85

I have altered para 2 of the other draft order.

No. 182·C

Superintending Engineer's Office,
2nd Circle, Camp Ramayapatam
29th August 1885.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public Works Department,
Madras.

Enclosures. 10.
1 Letter No. 1334 of 15th August 1885 with its 9 enclosures in original.

Sir,

I have the honor to forward herewith a letter with its accompaniments from the Executive Engineer, Gudiváda Division reporting the unsatisfactory manner in which Temporary Overseer Kóka Kristna Row has been performed his duties in that Division.

2. It appears that this Temporary Overseer has been constantly complained of for bad work and other incompetence since the 21st May last and Mr Rundall has also remarked on the Overseer's Progress Report from 1st to 10th July last that "if "Kristnarow is inefficient, the matter should "be reported and definite instances of his "inefficiency stated and he will be ordered

"to revert to Delta Superintendent's post", on which a lien sanctioned in your Memorandum No. 58 C: of 12th January 1884 is retained.

2. Under the circumstances reported, I have ordered the Executive Engineer, pending your approval, to relieve K. Kristna Row of his duties and order him forthwith to go back to his former post of Delta Superintendent.

3. The services of an other Overseer are now required.

4. I therefore have the honor to request you will be good enough to appoint a passed Overseer (if possible an experienced man) to the Gudivada Division in the place of Koka Kristna Row and at the same time to order him to report himself for orders to the Executive Engineer at Gudiváda.

I have the honor to be,
Sir,
Your most Obedt. Servant

J. L. L. Morant.
Lieut-Colonel R.E.
Superintendent of works
in charge II Circle.

No 979 C / " 980 C 18. 5. 83
" 1235 C. 29. 6. 83
B. No 2034 W. 25. 7. 83
No 58 C. 12. 1. 84
" 1166 C. 28. 8. 84.

Recd 7709

(4)

From

The Supg: Engineer,
2nd Circle.

To

The Chief Engineer
P. W. Department,
Madras.

Dated, 29th August 1885.
Rec 2/9/85.

No 182 C
No 1491 C of 11-9-85

Enclosures 15

Koka Kristna Row - Temporary Overseer in the Gudivada Divn.

Reporting the unsatisfactory manner in which - has been performed his duties, recommending his reversion to Delta Supts' post and requesting to appoint another Overseer in his place.

C. 4. 9. 85 D. 9. 9. 85

P. W. Department.

No 1491 C of 11th September/85

Memo

Letter from the Supg: Engineer II Circle No 182 C dated 29th August 1885.

Temporary Overseer Koka Kristna Row will revert to his permanent appointment as Delta Superintendent from date of relief.

2. Arrangements ~~will~~ must be made to ~~post another Overseer to the Gudivada Division at an early date~~ meet the vacancy thus made in Gudivada Divn by redistribution of the Establishment at S. E.'s disposal within the Circle, as financial requirements will not admit of any further increase to the temporary scale of upper subordinates.

CS.
3. 9. 85

7. 9. 85

S. E II Circle ✓
Ex'r P. W. Accts

Issd
11/9

(4)

No. 1491 Ca/ 11th Sept/85

M/19

B W/19

O.H. 24/9.

a. 4. 9. 85 R. 9. 9. 83

15/9

P. W. D

No. 1639 K.S.

Superintending Engineer's Office,
2nd Circle. Bezwáda
18th November 1885.

From

The Superintending Engineer,
2nd Circle.

To

The Chief Engineer,
Public Works Department.
Madras.

Sir,

A post of Delta Superintendent having become vacant in the Gudiváda Division, by its incumbent having been promoted by you, and ordered to join the Negapatam Division, I appointed a passed Supervisor V. S. Sundara Ayar to the post. He joined on the 16th of August 1885. Meanwhile the Executive Engineer submitted proposals for detaining the man who had been Delta Superintendent in his capacity of Overseer, and these were submitted to you, and your approval obtained in your Memo No. 1632C: of 14th October 1885. Thus from the 16th August till the end of September 1885, there were practically

2 men in the same post of Delta Superintendent.

2. Under the exceptional Circumstances reported, I solicit the Examiner being authorised to pass the salary of V. S. Sundara Ayar from the 16th August to end of September 1885 as below:-

For 16 days in August	20·10·4
For September	40·0·0
Total Rupees	60·10·4

I have the honor to be,

Sir,

Your most obt. Servant,

J. de L. Mount

Lieut. Colonel R.E.

Superintendent of Works

in charge of II Circle

R. No. 669.

25 - 11. 85.

1632 C of 14/10/85

1599 C of 8/10/85

1467 C of 7/7/85

1491 of 11/9/85

No. 2682 D

Chepauk
24th Novr /85

To C/
For remarks

23/11/85

D.W.

30 NOV 85

No. 691. of 27th Novr /85

To W.

Sanction may be granted if Govt. approves of the circumstances under which the extra expenditure was incurred.

2. The charge, if sanctioned, should be met from the grant for temporary Establishment.

C.

No. 2877 W of 2nd Decr /85

Sanctioned as requested in paragraph 2. The charge will be debited to temporary establishment.

1.12.85

Copy to II Circle 1/12/85

Despd. 3.12.85

Inch 10102

10330

From
The Superintending Engineer
2nd Circle

25 NOV 85

To
The Chief Engineer
P. W. D.
Madras

No. 2877 W of 2 Dec /85

Dated 18th Novr 1885
Despd 19th do
Recd 23 do

No. 1639 K.D.

Sundra Ayer - V. S. Delta Suptt, Gudiwada Division - Request to authorise the Examiner to pass the pay of - from 16th August to September 85, under the circumstances reported.

Inch 10398

No. 29...

...ame and give ... a ...
... be an occasion for so doing,
... to be excused for the trouble.

Bezwada
6/11/82

I beg to remain
Most Honored Sir
Your most Obdt. & humble
Servant
Chávan Shácoor Mohan Singh
a passed Overseer in 1882

Registered No. 178.

No. 91 D of 17th Jany /83

C. T. Mohun Singh is informed that his application of 6th Nov /82 for employment in the P.W.D. has been duly received & entered in the Register of this office

(By order)
Sd/ C. C. Rawson
Ag. D. C. E.

To C. T. Mohun Singh
Bezwada

Noted

acknowledge

17/1

10330
102

To
The Chief Engineer
Madras

Most Honored Sir.

The humble petition of C. Mohansingh an inhabitant of Bezw

Most Respectfully sheweth,

I humbly beg to say of all the 7 that passed the Overseer's test out of the Madras Civil Engineering College in May 1882, 5 being militory students ~~have been~~ appointed as Apprentice Overseer & the rest two, of whome I am one are left unprovided.

Now there being a Vacancy of an Overseer in the Western Dn Kistna which has not yet been filled,

1885

I went in person to the Supg Eng Kistna and asked him to be kind enough to provide me with some post or other. The Gentleman ordered me to send in my Application to your honor, so I embrace this opportunity of representing to your honor that I have no where been provided even though 5 months have elapsed since the date of my passing, and that I very much thank you if your honor would condesend to grant me the Overseer's post in W. Dn Kistna.

Further I beg to say that in case of your honor's appointing apprentice Overseer in the Kistna district I would very much thank your honor for so nominating, or if there is no such prospect of my being favoured with one like that I beg your honor would be so kind as to

register

9/12

W.S.
12.85

70

Engineer
Circle