

(1) Number of pages 16
(2) Date of repair 16.11.87
(3) Initials of the Referencer 2

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

P.W. DEPARTMENT

G.O. No.	165 W	Press.
B.P. No.		Mis.
Dated	20-1-1886	198

Not to be folded or roughly handled

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General
Establishment.

READ—the following papers:—

From Lieutenant-Colonel J. PENNYCUICK, R.E., Superintending Engineer, Tank Maintenance Scheme, to the Chief Engineer, Public Works Department, dated Chépák, 11th January 1886, No. 76 T.—Through Chief Engineer for Irrigation.

I have the honor to report that the work in connection with the restoration of the Red Hills tank is so nearly completed that there is no longer any necessity for the maintenance of a separate division there, and I have therefore proposed to the Superintending Engineer, V Circle, to take the necessary steps for the transfer of the works to the Chingleput division.

2. It will be essential that all accounts and other matters should be fully and carefully gone into and cleared up before the transfer is completed, and this is the more necessary as it is understood to be Mr. Norris' intention to go on furlough as soon as relieved; while this is being done, the small amount of work remaining will be completed.

3. I propose on the final transfer of the works to submit, for your information and that of Government, a full report of the work done; but for the present I need only say that I entirely concur in the suggestion to make the works connected with the Madras water-supply (including Tamarápak and Cholaveram) into a separate sub-division. There will be a good deal to be done to the supply channels as well as the repair of the Cholaveram tank, which has not yet been put in hand.

4. If this proposal be adopted, I would suggest that Conductor Kelly be placed in charge of the new sub-division, for which I consider him to be fully qualified.

5. Instructions are solicited with regard to the disposal of Sergeant Blake, who belongs to the permanent establishment of the department, and of the apprentice overseers named in the margin.

Mr. W. H. Goodard.
" J. Buck.
" T. Murphy.

6. The only other upper subordinate employed is Temporary Overseer Sabapathy Moodelly, concerning whom I would repeat the recommendation made in my No. 2594 T., of 24th October 1885.

No. 4 E.W.

Note by the Chief Engineer for Irrigation.

I have lately had an opportunity of examining the Red Hills tank, the restoration of which is nearly completed, and I quite agree with Colonel Pennycuik that the special division can be abolished from the end of the month, with the understanding that all the accounts will be cleared up by that time.

2. The restoration of the Cholaveram tank, estimate for which is being examined, cannot be proceeded with at present, as there is water stored in the tank by means of

20th January 1886, No. 165 W., Public Works.

temporary funds, and no funds are available this year; but there will be heavy work there, and also in clearing and putting into good order the supply channel as well as in carrying out the improvements to the Red Hills distribution, schemes for which are under preparation. I think therefore that the formation of a Red Hills sub-division is very desirable, and that Sub-constructor Kelly, who has worked well on the restoration of the Red Hills, should be in charge.

3. On Mr. Norris leaving the Red Hills, it will be necessary to give back to the municipality the bungalow which they have kindly allowed him to occupy. There is other accommodation, and the headquarters of the sub-division can be either at the Red Hills or Chelavaram, as the Superintending Engineer may consider best.

4. As regards the appropriation of work, there will be little for them to do until the Chelavaram tank work is commenced, but I know of no other important work near at hand.

CURRY.

19th January 1886.

(Signed)

J. O. HASTED, Colonel, R.E.,
Chief Engineer for Irrigation.

To the Chief Engineer, Public Works Department.

Order—dated 20th January 1886, No. 165 W., Public Works.

The arrangement proposed by the Superintending Engineer, Tank Maintenance Scheme, and recommended by the Chief Engineer for Irrigation, to constitute the charge of the works connected with the Red Hills, Chelavaram, and Tamarapah tanks, into a separate sub-division of the Chingleput division, and to place Sub-constructor Kelly in charge, is approved.

2. These arrangements will have effect from the 1st proximo, by which date it is hoped the accounts of the present Red Hills Tank division will be satisfactorily closed.

3. The Chief Engineer will arrange for the immediate transfer of Sergeant T. Blake and Appropriate Overseers Rack, Goddard and Murphy.

(True Extract.)

Captain, R.E.,
Under Secy to Govt., P.W.D.

To the Superintending Engineer, Tank Maintenance Scheme,
" Examiner, Public Works Accounts,
" Chief Engineer for Irrigation.

Exd. E. Fernandes.
Spore Copies

165/2

GENERAL
ESTABLISHMENT.

Govt. of 1886 Madras.
PUBLIC WORKS.

Dated January, 20th.

Recd.

Encl.

G.O., 20th Jan. 1886, No. 165 W.

JANUARY.

Sub-division

Orders constituting the charge of the works connected with the Red Hills, Chola-
veram, and Tamarapak tanks, into a separate
sub-division of the Chingleput division.

165

Orders are requested
regarding the posting of
the following subordinates
at present employed in
the Red Hills Tank
Division.

Supt. J. G. Blake - Supervisor & temporary

Private W. Goddard -
" J. Shuck - } Apprentices
Gunner J. Murphy - } Overseers

It is proposed to
send Supt. Blake to the
II Circle where the establish-
ment is below the in-
sanctioned strength.

The Apprentices Overseer
might be posted to the
South Arcot Division.

for instruction under
Subconductor J. Manning
or Lt. Kuman.

Col. Mearns is much in
want of an overseer for
the Swada, and asked that
one might be sent down
as possible. I think
therefore that Messrs
Blake should be sent
to II Circle.

The appended message
may be sent down
as suggested.

10/1/86
W.
20/1/86

No. 767
OFFICE OF THE Supt. ENGINEER,
TANK MAINTENANCE SCHEME
Chopik, 11th January 1886.

From
THE SUPERINTENDING ENGINEER,
TANK MAINTENANCE SCHEME,

To
THE Chief Engineer
P.W. Department.
Three Chief Engineer for Irrigation

Enclosures.

Sir,
I have the honor to report
that the work in connection with the
restoration of the Red Hills
Tank is so nearly completed, that
there is no longer any necessity, for
the maintenance of a separate
Division there and I have therefore
proposed to the Superintendent Engineer,
I Circle to take the necessary steps
for the transfer of the works to the
Chung Lepet Division.

It will be essential that
all accounts and the matters should
be fully and carefully gone into
and cleared up before the transfer
is completed, and which is
necessary as it is understood to be
Mr. Norris' intention to go on
furlough as soon as relieved; while
this is being done the small amount
of work remaining will be completed.

I propose on the final
transfer of the works to submit for
your information and that of
Govt. a full report of the work
done, but for the present I need
only say that I entirely concur
in the suggestion to make the
works connected with the Madras
water supply (including Tanjore)

and Cholasaram) into a separate
Sole Division. There will ^{be} a
good deal to be done to the
supply channels as well as the repair
of the Cholasaram tanks which
has not yet been put in hand.


If this proposal be
adopted I would suggest that
Conductor Kelly be placed in charge
of the new Sole Division, for
which I consider him to be fully
qualified.

Instructions are solicited
with regard to the disposal of
Sergeant Blake who belongs to the
permanent establishment of the
Department, and of the apprentice
Overseers named in the margin.

The only other upper

W. H. H. Goddard
J. R. R.
J. Murphy

subordinate employed is temporary.
Othman Sahapathye Moudelly
concerning whom I would repeat
the recommendation made in my
No. 2548 of 24th Feb 1885



than the house to be
I have the honor to be

Sir
Yours most obedt servant

Leutenant R. S.
Super Engineer
D. N. S. S.

No. 480

Note by the Chief Engineer for the

I have lately had an opportunity
of examining the Red Hills South
the restoration of which is nearly
Completed, and I quite agree with
Col. Pennycook that the Special
Division can be abolished from
the end of the month, with the
understanding that all the accounts
will be cleared up by that time.

2. The restoration of the Cholanam
Tank, estimate for which is being
examined, cannot be proceeded
with at present, as there is water
stored in the Tank by means
of temporary bunds, and no
funds are available this year
but there will be heavy work
and also in clearing and putting
into good order the supply channels
as well as in carrying out the
improvements to the Red Hills desam
butaries, estimate for which is
under preparation. I think
therefore that the formation of

a Red Hills Sub Division is very desirable and that Sub Conductor Kelly who has worked well on the restoration of the Red Hills should be in charge.

3. On Mr Morris leaving the Red Hills, it will be necessary to give back to the Municipality the bungalow which they have kindly allowed him to occupy. There is other accommodation and the Head Quarters of the Sub Division can be either at the Red Hills or Cholaivaram as the Superintending Engineer may consider best.

As regards the apprentice overseers there will be little for them to see until the Cholaivaram Tank work is commenced, but I know of no other important work near at hand.

Cholaivaram
10th Jan 1886

Asst. Col. R.
Chief Engineer for
Irrigation

To
The Chief Engineer
D. P. W.

General
Restatement
PUBLIC WORKS DEPARTMENT.

107/4

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

Read the following

Letter from the Superintending

Engineer Tank Maintenance Scheme

H. E. N. 76 20/11-th January 1886

Note by the Chief Engineer for Irrigation

H. E. N. 4 15/15-th January 1886

The arrangement proposed by the Superintending Engineer Tank Maintenance Scheme, and recommended by the Chief Engineer for Irrigation to constitute the charge of the works connected with the Red Hills, Cholaivaram, and Tamaraspak Tanks, into a separate subdivision of the Chingleput Division, and to place Sub Conductor Kelly in charge, is approved.

There

2. These arrangements will have effect from the 1st proximo, by which date it is hoped the accounts of the present Red Hills Tank Division will be satisfactorily closed.

3. The Chief Engineer
will arrange for the
immediate transfer of
Supt. J. Blake and
Apprentice overseers
Arch. Goddard and
Munro.

13/1/1915

19.1.86

To
The Deputy Engineer J. M. Schenck
" " " V. A. C. V.
Exam. P. W. Accounts V.
Chief Engineers for Irrigation V.

10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044

403

Govt. of Madras

PUBLIC WORKS.

Draw

22-1-86

GO. No. 1890 No. 115

To the Engineer

concerning the
...
...
...
...
...
...
...

90
6

Small
at