

358 8.7.86.

J.W.C. No. 5474

Govt. of 1886 Madras.

JUDICIAL

No. 1823 W. d/17 July 1886

B

Communicated
to the S.C. IV Circle
by the S.C. IV Circle

US

10.7.86

Issued

Recd. 14th July 1886. Encl.

G.O., 22nd June 1886, No. 1640.

B. No. 1823 W. d/17 July 1886

JUNE.

17.7.86

17/7

Sub-jail at Calicut.

Recording certain papers and directing that the question of providing a new — do lie over till orders have been passed on the proposed provision of fresh buildings for the Collector.

S.C. IV Circle

17/7/86

Aug. 4/7. 1886

Encl. with R. 24/7

22ND JUNE 1886, No. 1640, JUDICIAL.

GOVERNMENT OF MADRAS.

JUDICIAL DEPARTMENT.

READ—again the following papers :—

G.O., dated 15th March 1886, Mis. No. 667, Judicial.

ABSTRACT.—Communicating to the District Magistrate, Malabar, for remarks, the following paragraph (10) from the Sanitary Commissioner's inspection notes on the Malabar district :—

“ Para. 10. *Sub-jail*.—This lock-up is quite unfit for use as a prison, as it is so hemmed in, with high walls and bazaar buildings, that free ventilation is impossible. In case of a fire outside, too, the inmates would stand a very good chance of being roasted alive. There is no proper night conservancy.”

G.O., dated 1st May 1886, Mis. No. 1133, Judicial.

Read—the following letter from H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 16th April 1886, No. 1850 :—

I have the honor to acknowledge the receipt of G.O., Mis. No. 667, dated 15th March 1886, communicating to me for remarks the observations made by the Sanitary Commissioner, Madras, on the occasion of his inspection of the sub-jail at Calicut.

2. The Inspector-General of Jails inspected the sub-jail on the 21st November 1885, and the Sanitary Commissioner inspected it on the 30th idem. Both were of opinion that a new building should be built.

3. By way of night conservancy a galvanized iron bucket has been provided for each cell. An estimate to give effect to the remarks made by the Inspector-General of Jails and the Sanitary Commissioner is herewith submitted, and I beg that Government may be pleased to sanction the amount of the estimate, Rs. 51-1-0.

Order—dated 1st May 1886, Mis. No. 1133, Judicial.

The estimate, amounting to Rs. 51-1-0, for repairs of the sub-jail, Calicut, and for its conservancy arrangements, is sanctioned; but the District Magistrate should report whether he agrees with the opinion of the Sanitary Commissioner that the present building is unfit for use as a prison, and, if so, what would be the probable cost of a new jail on a new site.

(True Extract.)

(Signed) E. F. WEBSTER,
Chief Secretary.

To the District Magistrate, Malabar.

READ—also the following paper :—

From H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 1st June 1886, No. 2161.

With reference to G.O., dated 1st May 1886, Mis. No. 1133, Judicial, I have the honor to draw your attention to paragraph 5 of Mr. Logan's letter published with the Proceedings of the Board of Revenue, dated 18th March 1886, No. 644, now under

the consideration of Government. It will be seen that Mr. Logan pronounces the present town sub-jail to be entirely unsuited for the purpose, and remarks that it has been condemned by all inspecting officers.

2. I myself quite agree with the remarks of the Sanitary Commissioner, except as to the danger of any prisoner being roasted alive in case of fire outside the jail.

There is a line of thatched sheds on the east and outer side of the jail wall, and it is no doubt possible that if these were to take fire when an east wind was blowing, sparks would be blown over the wall, and might ignite the jail buildings. These latter are, however, all pukka-built and tiled, and I think the chance of their catching fire would be remote. Moreover, a warder, with the keys of the jail, is always in attendance at the Sub-Magistrate's office, which forms one side of the jail quadrangle, so that the release of the prisoners need not occupy more than one minute.

3. Mr. Logan's proposal, as recorded in the above-quoted letter, was that some of the buildings appertaining to the abandoned Huzur cutcherry should be converted into a sub-jail; but he appears to have thought (and I am inclined to concur) that the necessity for providing the Collector and his establishment with suitable accommodation is more pressing than the want of a better sub-jail.

4. The old Huzur cutcherry buildings (occupied by the records and the press) could not be vacated until other accommodation be provided. I imagine that the conversion of one of the existing blocks into a suitable sub-jail need not cost more than about five or six thousand rupees.

ORDER—dated 22nd June 1886, No. 1640, Judicial.

The papers will be recorded and the question of providing a new sub-jail at Calicut will lie over till orders have been passed on the proposed provision of fresh buildings for the Collector, when a portion of the present cutcherry buildings may be converted into a sub-jail.

(True Extract.)

E. F. WEBSTER,
Chief Secretary.

To the District Magistrate, Malabar.
„ Inspector-General of Jails.
„ Revenue Department.
„ Sanitary Commissioner for Madras.

Exd. T. O'Connor.

Govt. of {1886} Madras.

JUDICIAL.

No. 1823W.d/17 July 1886.

Communicated to the
Suptg. Engineer TP find

/Signed/ S. S. S.
W.

Issued

Recd.

Encl.

G.O., 22nd June 1886, No. 1640.

B. No. 1823W.d/17 July 1886.

JUNE.

Sub-jail at Calicut.

Recording certain papers and directing that the question of providing a new — do lie over till orders have been passed on the proposed provision of fresh buildings for the Collector.

With order

22ND JUNE 1886, No. 1640, JUDICIAL.

GOVERNMENT OF MADRAS.

JUDICIAL DEPARTMENT.

READ—again the following papers:—

G.O., dated 15th March 1886, Mis. No. 667, Judicial.

ABSTRACT.—Communicating to the District Magistrate, Malabar, for remarks, the following paragraph (10) from the Sanitary Commissioner's inspection notes on the Malabar district:—

“ Para. 10. *Sub-jail*.—This lock-up is quite unfit for use as a prison, as it is so hemmed in, with high walls and bazaar buildings, that free ventilation is impossible. In case of a fire outside, too, the inmates would stand a very good chance of being roasted alive. There is no proper night conservancy.”

G.O., dated 1st May 1886, Mis. No. 1133, Judicial.

Read—the following letter from H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 16th April 1886, No. 1850:—

I have the honor to acknowledge the receipt of G.O., Mis. No. 667, dated 15th March 1886, communicating to me for remarks the observations made by the Sanitary Commissioner, Madras, on the occasion of his inspection of the sub-jail at Calicut.

2. The Inspector-General of Jails inspected the sub-jail on the 21st November 1885, and the Sanitary Commissioner inspected it on the 30th idem. Both were of opinion that a new building should be built.

3. By way of night conservancy a galvanized iron bucket has been provided for each cell. An estimate to give effect to the remarks made by the Inspector-General of Jails and the Sanitary Commissioner is herewith submitted, and I beg that Government may be pleased to sanction the amount of the estimate, Rs. 51-1-0.

Order—dated 1st May 1886, Mis. No. 1133, Judicial.

The estimate, amounting to Rs. 51-1-0, for repairs of the sub-jail, Calicut, and for its conservancy arrangements, is sanctioned; but the District Magistrate should report whether he agrees with the opinion of the Sanitary Commissioner that the present building is unfit for use as a prison, and, if so, what would be the probable cost of a new jail on a new site.

(True Extract.)

(Signed) E. F. WEBSTER,
Chief Secretary.

To the District Magistrate, Malabar.

READ—also the following paper:—

From H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 1st June 1886, No. 2161.

With reference to G.O., dated 1st May 1886, Mis. No. 1133, Judicial, I have the honor to draw your attention to paragraph 5 of Mr. Logan's letter published with the Proceedings of the Board of Revenue, dated 18th March 1886, No. 644, now under

S.E.D. 6

the consideration of Government. It will be seen that Mr. Logan pronounces the present town sub-jail to be entirely unsuited for the purpose, and remarks that it has been condemned by all inspecting officers.

2. I myself quite agree with the remarks of the Sanitary Commissioner, except as to the danger of any prisoner being roasted alive in case of fire outside the jail.

There is a line of thatched sheds on the east and outer side of the jail wall, and it is no doubt possible that if these were to take fire when an east wind was blowing, sparks would be blown over the wall, and might ignite the jail buildings. These latter are, however, all pukka-built and tiled, and I think the chance of their catching fire would be remote. Moreover, a warder, with the keys of the jail, is always in attendance at the Sub-Magistrate's office, which forms one side of the jail quadrangle, so that the release of the prisoners need not occupy more than one minute.

3. Mr. Logan's proposal, as recorded in the above-quoted letter, was that some of the buildings appertaining to the abandoned Huzur cutcherry should be converted into a sub-jail; but he appears to have thought (and I am inclined to concur) that the necessity for providing the Collector and his establishment with suitable accommodation is more pressing than the want of a better sub-jail.

4. The old Huzur cutcherry buildings (occupied by the records and the press) could not be vacated until other accommodation be provided. I imagine that the conversion of one of the existing blocks into a suitable sub-jail need not cost more than about five or six thousand rupees.

ORDER—dated 22nd June 1886, No. 1640, Judicial.

The papers will be recorded and the question of providing a new sub-jail at Calicut will lie over till orders have been passed on the proposed provision of fresh buildings for the Collector, when a portion of the present cutcherry buildings may be converted into a sub-jail.

(True Extract.)

E. F. WEBSTER,
Chief Secretary.

To the District Magistrate, Malabar.
„ Inspector-General of Jails.
„ Revenue Department.
„ Sanitary Commissioner for Madras.

No. 1823 W. d/17 July 1886

Communicated to the
Superintending Engineer
ID Circle.

1886 J.S.S.
W

Govt. of (1886) Madras.

JUDICIAL.

Issued

Recd.

Encl.

G.O., 22nd June 1886, No. 1640.

B. No. 1823 W. d/17 July 1886

JUNE.

Sub-jail at Calicut.

Recording certain papers and directing that the question of providing a new — do lie over till orders have been passed on the proposed provision of fresh buildings for the Collector.

With orders

Please apply for G.O.
Indirect of 22-6-86
W. 1640 - to be comm.
Communicated to the
P.W. Dept. W

July 8. 1886

Note.

To,

The Chief Secretary.

The undersigned has the
honour to request that G.O.
d/22.6.86 No. 1640 Indirect,
relative to the subject at
Calicut, may be comm.
to the P.W.D.

(Sig.) J.S.S.

W.P. 1886

LC. 706

22ND JUNE 1886, No. 1640, JUDICIAL.

GOVERNMENT OF MADRAS.

JUDICIAL DEPARTMENT.

READ—again the following papers:—

G.O., dated 15th March 1886, Mis. No. 667, Judicial.

ABSTRACT.—Communicating to the District Magistrate, Malabar, for remarks, the following paragraph (10) from the Sanitary Commissioner's inspection notes on the Malabar district:—

“Para. 10. *Sub-jail*.—This lock-up is quite unfit for use as a prison, as it is so hemmed in, with high walls and bazaar buildings, that free ventilation is impossible. In case of a fire outside, too, the inmates would stand a very good chance of being roasted alive. There is no proper night conservancy.”

G.O., dated 1st May 1886, Mis. No. 1133, Judicial.

Read—the following letter from H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 16th April 1886, No. 1850:—

I have the honor to acknowledge the receipt of G.O., Mis. No. 667, dated 15th March 1886, communicating to me for remarks the observations made by the Sanitary Commissioner, Madras, on the occasion of his inspection of the sub-jail at Calicut.

2. The Inspector-General of Jails inspected the sub-jail on the 21st November 1885, and the Sanitary Commissioner inspected it on the 30th idem. Both were of opinion that a new building should be built.

3. By way of night conservancy a galvanized iron bucket has been provided for each cell. An estimate to give effect to the remarks made by the Inspector-General of Jails and the Sanitary Commissioner is herewith submitted, and I beg that Government may be pleased to sanction the amount of the estimate, Rs. 51-1-0.

Order—dated 1st May 1886, Mis. No. 1133, Judicial.

The estimate, amounting to Rs. 51-1-0, for repairs of the sub-jail, Calicut, and for its conservancy arrangements, is sanctioned; but the District Magistrate should report whether he agrees with the opinion of the Sanitary Commissioner that the present building is unfit for use as a prison, and, if so, what would be the probable cost of a new jail on a new site.

(True Extract.)

(Signed) E. F. WEBSTER,
Chief Secretary.

To the District Magistrate, Malabar.

READ—also the following paper:—

From H. M. WINTERBOTHAM, Esq., Acting District Magistrate of Malabar, to the Chief Secretary to Government, dated Calicut, 1st June 1886, No. 2161.

With reference to G.O., dated 1st May 1886, Mis. No. 1133, Judicial, I have the honor to draw your attention to paragraph 5 of Mr. Logan's letter published with the Proceedings of the Board of Revenue, dated 18th March 1886, No. 644, now under

No 365 D of July 8. 1886.

the consideration of Government. It will be seen that Mr. Logan pronounces the present town sub-jail to be entirely unsuited for the purpose, and remarks that it has been condemned by all inspecting officers.

2. I myself quite agree with the remarks of the Sanitary Commissioner, except as to the danger of any prisoner being roasted alive in case of fire outside the jail.

There is a line of thatched sheds on the east and outer side of the jail wall, and it is no doubt possible that if these were to take fire when an east wind was blowing, sparks would be blown over the wall, and might ignite the jail buildings. These latter are, however, all pukka-built and tiled, and I think the chance of their catching fire would be remote. Moreover, a warder, with the keys of the jail, is always in attendance at the Sub-Magistrate's office, which forms one side of the jail quadrangle, so that the release of the prisoners need not occupy more than one minute.

3. Mr. Logan's proposal, as recorded in the above-quoted letter, was that some of the buildings appertaining to the abandoned Huzur cutcherry should be converted into a sub-jail; but he appears to have thought (and I am inclined to concur) that the necessity for providing the Collector and his establishment with suitable accommodation is more pressing than the want of a better sub-jail.

4. The old Huzur cutcherry buildings (occupied by the records and the press) could not be vacated until other accommodation be provided. I imagine that the conversion of one of the existing blocks into a suitable sub-jail need not cost more than about five or six thousand rupees.

ORDER—dated 22nd June 1886, No. 1640, Judicial.

The papers will be recorded and the question of providing a new sub-jail at Calicut will lie over till orders have been passed on the proposed provision of fresh buildings for the Collector, when a portion of the present cutcherry buildings may be converted into a sub-jail.

(True Extract.)

E. F. WEBSTER,
Chief Secretary.

(True copy)

[Signature]

To the District Magistrate, Malabar.

„ Inspector-General of Jails.

„ Revenue Department.

„ Sanitary Commissioner for Madras.

Public Works Dept.

6 para copies will follow

under Secretary