

Now

In his statement
of 16.10.86, the S.E. IV
Circle asked for Rs
2500 for improving the
Coth lake margin -
In his present letter
he states that Rs 1723
have already been
spent on the work,
he asks for an
allotment to this
extent.

Subject to ap-
proval, it is proposed
to allot the sum of
Rs 2500 originally
asked for -

Cu
23.11.86

1723 Rs
allot is in form that future
expenditure should not be incurred
without order. See my note
on proposed allotment in
separate file. J.H.
23/11/86

B/

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

From the Sup^d Engineer, IV Circle. M.E. No. 448 of 20th Nov^r 1886.

In the circumstances
explained, a sum of Rs. 2500
proposed by the Sup^d Engineer
to be spent, during the current
official year, on improving
the margin of the Cothacammund
Lake, is appropriated from
the Provincial reserve with
the Government.

2 Arrangements should be
made to spend the whole
allotment before the close
of the current official year,
but further expenditure on
the work should not be
incurred without orders.

To
The Sup^d Engr. IV Circle.
" Exams. P.W. Accounts.

Cu
23/11

No 4448
E.W.

Supt: Engineer's office IV circle
Coimbatore, 20th November/86.

From,

The Superintending Engineer
IV circle

To,

The Chief Engineer
P.W.D.

Sir,

With reference to Item 5 para
3 of G. O. No. 2920 W of 5th Instant, I
have the honor to inform you that under
the instructions you gave orally, when
you inspected the margin of the
Ooty Lake at the time when the
Viceroy's visit was expected, the Exe-
cutive Engineer put the work in hand
and spent Rs 1723. For this an allot-
ment is wanted. The work has been
stopped.

I have the honor to be
Sir
Your most obt servt.

L. Beatty. Colonel M.E.
Suptg: Engineer IV circle

3/38 W
25. 11. 86

Cancelled

8/

No 3133 w of 25th Nov. 1886

P.W.C. No 910



In the circumstances
Noted, a sum of Rs
1723 is allotted from
the Provincial reserve
with the Govt to cover
outlay incurred on
improving the margin
of the Botlacum Lake
(G.O. No 2360 w of 17 Sept 1886).
Further expenditure should
not be incurred without
orders.

From,
The Suptg. Engineer
IV Circle

To,
The Chief Engineer
P.W.D.

Dated 20th November 1886
Recd. }
No 3133 w of 25th Nov 1886
No 1448
E.W.

Margin of the Coty
Lake.

Informis that an al-
lotment of Rs 1723 is
required for work done
for improving the —.

Done
24/11/86

2360 w of 17.9.86
2920 " 5.11.86
1594 w of 23.6.86

12/11/86

To
The S.D. IV Circle
Sd/-
29/11/86

28.11.86

Water works