GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

27th March 1882, No. 804 W.

General.
Establishment.

Read the following paper :—

No. 207. From the Superintending Engineer, Fifth Circle, dated 23rd March 1882, No. 1454.

No. 208. ORDER THEREON, 27th March 1882, No. 804 W.

Two Clerks of the 5th class may be entertained as a temporary measure in the Chingleput Division Office. The Superintending Engineer will satisfy himself that the men appointed are fair copyists.

2. An appropriation of Rs. 360* will be made from the grant for Temporary Establishment in 1882-83.

*15 × 2 × 12.

3. This sanction has been registered as Provincial No. 59 W of 1881-82 and classified as Establishment.

(True Extract.)

Lieut.-Col., R.E.,
Ag. Under Secy. to Govt., P.W.D.

To the Superintending Engineer, Fifth Circle.
„ Examiner of Public Works Accounts.

Exd. T. D. Ryan.
Spare Copies

GENERAL.
ESTABLISHMENT.

Govt. of {1882} Madras.

PUBLIC WORKS.

To

THE SUPERINTENDING ENGINEER,
FIFTH CIRCLE,
&c., &c., &c.

Dated March, 27th.

Issued

Recd. *Encl.*

G.O., 27th March 1882, No. 804 *W.*

MARCH.

Nos. 207-208.

Temporary Establishment for the Chingleput Division Office.—Sanctions the entertainment of a —.

20TH JANUARY 1886, No. 165 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers :—

From Lieutenant-Colonel J. PENNYCUICK, R.E., Superintending Engineer, Tank Maintenance Scheme, to the Chief Engineer, Public Works Department, dated Chepâk, 11th January 1886, No. 76 T.—Through Chief Engineer for Irrigation.

I have the honor to report that the work in connection with the restoration of the Red Hills tank is so nearly completed that there is no longer any necessity for the maintenance of a separate division there, and I have therefore proposed to the Superintending Engineer, V Circle, to take the necessary steps for the transfer of the works to the Chingleput division.

2. It will be essential that all accounts and other matters should be fully and carefully gone into and cleared up before the transfer is completed, and this is the more necessary as it is understood to be Mr. Norris' intention to go on furlough as soon as relieved; while this is being done, the small amount of work remaining will be completed.

3. I propose on the final transfer of the works to submit, for your information and that of Government, a full report of the work done; but for the present I need only say that I entirely concur in the suggestion to make the works connected with the Madras water-supply (including Tamarapâk and Cholaveram) into a separate sub-division. There will be a good deal to be done to the supply channels as well as the repair of the Cholaveram tank, which has not yet been put in hand.

4. If this proposal be adopted, I would suggest that Conductor Kelly be placed in charge of the new sub-division, for which I consider him to be fully qualified.

5. Instructions are solicited with regard to the disposal of Sergeant Blake, who belongs to the permanent establishment of the department, and of the apprentice overseers named in the margin.

Mr. W. H. Goddard.
„ J. Ruck.
„ T. Murphy.

6. The only other upper subordinate employed is Temporary Overseer Sabapathy Moodelly, concerning whom I would repeat the recommendation made in my No. 2594 T., of 24th October 1885.

No. 4 E.W.

Note by the Chief Engineer for Irrigation.

I have lately had an opportunity of examining the Red Hills tank, the restoration of which is nearly completed, and I quite agree with Colonel Pennycuick that the special division can be abolished from the end of the month, with the understanding that all the accounts will be cleared up by that time.

2. The restoration of the Cholaveram tank, estimate for which is being examined, cannot be proceeded with at present, as there is water stored in the tank by means of

temporary bunds, and no funds are available this year; but there will be heavy work there, and also in clearing and putting into good order the supply channel as well as in carrying out the improvements to the Red Hills distributaries, estimate for which is under preparation. I think therefore that the formation of a Red Hills sub-division is very desirable and that Sub-conductor Kelly, who has worked well on the restoration of the Red Hills, should be in charge.

3. On Mr. Norris' leaving the Red Hills, it will be necessary to give back to the municipality the bungalow which they have kindly allowed him to occupy. There is other accommodation, and the head-quarters of the sub-division can be either at the Red Hills or Cholaveram, as the Superintending Engineer may consider best.

4. As regards the apprentice overseers, there will be little for them to see until the Cholaveram tank work is commenced; but I know of no other important work near at hand.

Chepâk,
15th January 1886.

(Signed) J. O. HASTED, Colonel, R.E.,
Chief Engineer for Irrigation.

To the Chief Engineer, Public Works Department.

Order—dated 20th January 1886, No. 165 W., Public Works.

The arrangement proposed by the Superintending Engineer, Tank Maintenance Scheme, and recommended by the Chief Engineer for Irrigation, to constitute the charge of the works connected with the Red Hills, Cholaveram, and Tamarapâk tanks, into a separate sub-division of the Chingleput division, and to place Sub-conductor J. Kelly in charge, is approved.

2. These arrangements will have effect from the 1st proximo, by which date it is hoped the accounts of the present Red Hillss Tank division will be satisfactorily closed.

3. The Chief Engineer will arrange for the immediate transfer of Sergeant T. Blake and Apprentice Overseers Ruck, Goddard and Murphy.

(True Extract.)

(Signed) J. SHAW-STEWART, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, Tank Maintenance Scheme.
„ „ „ V Circle.
„ Examiner, Public Works Accounts.
„ Chief Engineer for Irrigation.

Exd. E. Fernandez.
Spare Copies

GENERAL.
ESTABLISHMENT.

Govt. of {1886} Madras.

PUBLIC WORKS.

Dated January, 20th.

Recd. *Encl.*

G.O., 20th Jan. 1886, No. 165 W.

JANUARY.

Sub-division

Orders constituting the charge of the works connected with the Red Hills, Cholaveram, and Tamarapâk tanks, into a separate sub-division of the Chingleput division.

No. 5056

SUPERINTENDING ENGINEER'S OFFICE,
5TH CIRCLE, MADRAS,
~~Chepauk~~, 12th March 1886.

From
THE SUPERINTENDING ENGINEER,
5TH CIRCLE,

To
THE Chief Engineer
P.W.D.

SIR,

Enclosures.

I have the honor to request that sanction may be given for the entertainment of the under-mentioned Office Establishment for the new Red Hill's Sub Division, sanctioned in G.O. No. 165 W dated 20th January 1886.

1 Clerk 4th Class 3d Grade. ✓
1 Messenger on Rupees 6. ✓
3 Lascars on Rupees - 6 each. ✗

I have the honor to be
Sir
Your most Obed. Servant
[illegible] Pendergast
Col. R.E.
Superintg. Engr.
5th Circle

Incl. 2017

From

THE SUPERINTENDING ENGINEER,

5TH CIRCLE,

To

THE Chief Engineer
P. W. Departt.

15 MAR

Dated 12th
Recd. 15
} March 1886.

ENCLOSURES.

No. 5056.

Office Establishment -

Requests sanction for the entertainment of - for the new Red Hills Sub Division.

B/

No. 715 W.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the March 17. 1886.

READ the following

From the Supdg. Engineer V Circle. H. E. No: 5056 d/12th March 1886.

* 1 clerk on Rs 20 per mensem
1 messenger on Rs. 6
3 lascars on Rs 6 each.

Sanction is accorded to the entertainment of the marginally* noted establishment required for the Red Hills Sub-Division.

2. This sanction has been registered as Provincial No: 69 W of 1885-86, and classified as Establishment, Temporary.

17/3/86

17.3.86

To The Supdg. Engr. V Circle
" Examiner of P. W. Accts
" Chief Engr. for Irrigation

Despd. 18-3-86.

16/3.

Go 165W - 20-1-86.

No. 715 Wd/ March 17. 1886

17/3

Pd 31/3

SBC 19/3.

Public Works Department

No. 92 C dated 12 th January 1887.

MEMORANDUM.

Telegram from Chief Commissioner, British Burmah, dated 8th January 1887.

" It is understood from principal Civil Engineering College Madras that in consequence of an expected reduction of Madras Works some temporary establishment will become available if so please wire names of men their salaries and qualifications who will be thus available and are willing to go to upper Burma provincial works or to Toungoo Mandalay railway."

Copy forwarded, in continuation of memo No 91 C, dated 12th January 1887, to Superintending Engineers who are requested to report at once the names and qualifications of officers and subordinates on the temporary establishment who may be willing to be transferred to Burmah for the works specified, when their services are no longer required in this Presidency.

(Signed) J. O Hasted. Colonel R.E.
Chief Engineer P. W. D.

To
The Suptg. Engineers.
Suptg. Engineer T.M. Scheme.

called upon to do so.

Signed J. C. Hasted. Colonel R.E.

Chief Engineer P. W. D.

To
The Suptg. Engineers.
Suptg. Engineer T. M. Scheme.
Consg. Archt. to Govt.
Examiner P. W. Accts, for guidance, with respect to temporary employes in his office.
Chief Engineer for Irrigation for information.

The grant for Establishment for 1887-88 renders it impracticable to increase the present permanent establishment.

Sd/ J.O.H.
W
23/2/87

Despd. 25-2-87.

715 W.	d/	17:3:86.
165 W.	"	20.1.86.
801 W	"	27.3.82.
91. C.		12.1.87
92 C.		12.1.87.

cal

1887.

P. W. DEPARTMENT.

Current No. 1918

E.

From The Supdg: Engr: V Circle

To

Th

Enclos.— 2

No. 6026

Dated 8th March 1887

Received 9th — " —

nation.

Subject.

Madras Water Supply – Propo
to attach an Upper Subord
to one of the two sub divisio
of the Chingleput Division for
duty connected therewith.

Disposal.

No. 9086 Dated 11th March/87

To C/

For favor of report whether the clerk and lascar for the detached office will fall within the provision in the Budget.

(Sd). W.L.C.B.
10.3.87

DCS /DW
11/3

17428
28-2-87

[illegible]OLOBUR
MAR 3
EXAMINER [illegible]

4
3
2
L. 1
P.W. 1389
~~1918~~ 87
~~219~~
2466
2887/87

No 5717.

Chingleput Division Office
8th February 1887.

From

The Executive Engineer
Chingleput Division

To

The Superintending Engineer
Fifth Circle.

Sir

With reference to your Docket No 5509 of 7 Instant, I have the honor to report that the two Clerks and the Red Hills Sub Divisional Establishment have this day been served with the required notices, but their Services are indispensible. The circumstances in which Sanction for the entertainment of two Clerks in the Divisional Office was accorded in G.O. No $\frac{804 W}{27.3.82}$ are not materially altered or this Office work diminished. It is observed that there will be no Special allotment for the tank maintenance works for the ensuing year, nor was there any thing like it when Sanction for these hands was first given & since continued on renewal of formal application. The probable allotments under all heads will not it is considered be very much less than what they used to be prior to the introduction of tank maintenance Scheme. Correspondence continues to be heavy and without these copyists the despatch of business would, it is feared

17428

feared, be very much retarded and complaints as regards the non-submission of accounts in due date would crop up again. The Work in the Red Hills Sub Division will continue after the 28th Instant, and more work remains to be done next year.

In these circumstances, I have the honor to request that you will be so good as to obtain sanction for the permanent retention of the Establishment in the accompanying proposition statement.

I have the honor &c.
(Sd) L. Langley Capt. R.E.
Executive Engineer
Chingleput Division.

No. 5686.

Submitted to the Chief Engineer P.W. Department for orders.

Encl. 1.

The Red Hills Sub Division being an authorized Sub Division (See G.O. No. 1658 dated 20th January 1886) the Establishment for it (hitherto sanctioned under "temporary") should I consider be now sanctioned under "permanent" from 1st March 1887.

W H Burton
Coll. R.E.
Superintending Engineer
5th Circle.

17th February 1887.

17428

1012 [illegible]

R No 7428
28 — 2 — 87

No 673 C of 25th Feby 1887

[illegible] ENGINEER'S OFFICE
3 - MAR 87
D.P.W.
CHINGLEPUT DIVISION

To

The Supt^g Engineer
V Circle

Please consider whether work at the Red Hills can be carried out by one of the other two Sub-divisions in the Chingleput division.

The grant for Establishment for 1887-88 renders it impracticable to increase the present permanent establishment.

W
22. 2. 87

Jole
23/2/87.

W.

Seen & returned

R No 7559
3 — 87

L. Langley Capt. RE
Ex. Engr

3/3.
despd 4th

ENCLOSURES
P.W. ACCOUNTS

~~C.M. No 1389~~ 2·3 / 5

~~1918~~ / 87

~~2466~~ / 87

From

The Supg. Engineer
5th Circle

To

The Chief Engineer
P. W. Department

Dated 17th } Feby 188~~6~~7
Recd 21 }

Enclo 1

No 5686.

Certain Establishment.

Requests the Sanction of — for Chingle-put Division.

SUPERINTENDING ENGINEER'S OFFICE,
V CIRCLE, MADRAS,
Chepák, 8th March 1887.

No. 6026

From Col. W. H. Burton R.E.
~~THE~~ SUPERINTENDING ENGINEER,
V CIRCLE,

To

THE Chief Engineer
P. W. Department.

Enclosures. 2

SIR,

In returning your endorsement No 673 C dated 25th February 1887, I have the honor to report that under the circumstances stated I propose to attach an Upper Subordinate to one (the Trivellore) of the two Sub Divisions of the Chingleput Division for duty connected with the Madras Water supply.

A clerk & lascar would be required to the above mentioned Detached Office.

I have the honor to be
Sir,
Your most obdt. Servt.
W H Burton Col. RE
Supg Engr 5th Circle

Encl 2

R. No 707
12-3-87

No. 908 C of 11th March/87

To 6

For favour of report whether the clerk & lascar for the detached office will fall within the provision in the Budget—

WAW
10.3.87

From P.W.C. No ~~1918~~ Encl 2

~~2197~~/87

2466/87

2887

THE SUPERINTENDING ENGINEER,
V CIRCLE,

EXAMINER
NO. —
12 MAR 1887
ENCLOSURES
P. W. ACCOUNTS

To
THE Chief Engineer
P.W. Departt.

Dated 8th } March 1887.
Recd. 9th }

ENCLOSURES. 2

No. 6026

Madras Water Supply

Proposes to attach an Upper Subordinate to one of the two Sub-Divisions of the Chingleput Division for duty connected with—

KEEP-WITH Genl. No.

dated 188 .

[C. No. 8.]

GOVT. OF MADRAS. } 1887. { P. W. DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 17th March 1887.

OFFICE NOTE No. 825.

To
W.

Encs: 3

Your O. N. No. 908 C. dated 11th March 1887.

If it is intended to send an Upper Subordinate of the permanent Establishment for charge of the works at the Red Hills, the clerk and lascar attached to the Upper Subordinate should also be transferred with him, and it is not apparent what further Establishment is required by the Supg. Engineer 5th Circle.

R. No. 8009
21/3/87

C. 16/3

No. 1060 C of 19th March/87

To
S.E. V Circle.

For favour of further remarks.

WAW
18.3.87

18/3/87

P.W.C. No ~~2197~~ En: 1

~~2466~~/87
2887

Rg 17.3.87

En: 3

No. 6392

SUPERINTENDING ENGINEER'S OFFICE,
V CIRCLE, MADRAS,
Chepâk, 24th March 1887.

From
Col. W.H. Burton R.E.
~~THE~~ SUPERINTENDING ENGINEER,
V CIRCLE,

To
THE Chief Engineer
P.W. Department.

SIR,

Enclosures. 4.

In returning your endorsement No 1060 C dated 19th March 1887. I have the honour to report that the Clerk and ~~the~~ Lascars who were attached to Sub Conductor Kelly whilst Red Hills was a Sub-Division were entertained under temporary Establishment and their Services were dispensed with at the end of February 1887. Whether Mr Kelly is employed at the Red Hills or elsewhere in this ~~&~~ Circle, a Clerk and Lascar are

are

P.W.C. No ~~219/7~~ En:1

~~2466~~/87
2887/87

Ry 17.3.87

En:3

No. 6392

SUPERINTENDING ENGINEER'S OFFICE,
V CIRCLE, MADRAS,
Chepâk, 24th March 1887.

From Col. W. H. Burton R.E.
~~THE~~ SUPERINTENDING ENGINEER,
V CIRCLE,

To
THE Chief Engineer
P. W. Department.

SIR,

Enclosures. 4.

In returning your endorsement No 1060 C dated 19th March 1887. I have the honor to report that the Clerk and ~~the~~ Lascars who were attached to Sub Conductor Kelly while Red Hills was a Sub-Division were entertained under temporary Establishment and their Services were dispensed with at the end of February 1887 - Whether Mr. Kelly is employed at the Red Hills or elsewhere in this ~~&~~ Circle, a Clerk and Lascar are

are required for him.

I have the honour to be
Sir,
Your Most Obdt. Servt.
W H Burton
Col. R.E.
Supg Engineer 5th Circle

Encl. 4 R. No. 753 / 29-3-87

No. 1202 C of 28th March 1887

To C.

Please reply now to the question whether the clerks & lascar will fall within the budget provision —

WCM
26.3.87

D.W.

Encl. 4
No. 18 / 6-4-87

Yes: they will.
6th C

C

P.W.C. No. 2461 / 2287

From
The Supg. Engineer
5th Circle

(4)

To
The Chief Engineer
P.W. Deptt.

Dated 24th } March 1887
Recd. 25 }
13.4.87

Enc: 4.

No. 6392.

Informs that a Clerk & Lascar are required for Mr. Kelly as the Services of those under him hitherto are dispensed with being temporary.

No. 1100 W

B/

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 21 April 1887

READ the following

From the Ex. Engr. Chingleput Dn.		No. 5717 d/ 8. 2. 87
Endorsement thereon by S.E.V.	"	No. 5686 d/ 17. 2. 87
Office Note to S.E. V Circle	"	No. 673 C d/ 25. 2. 87
From the S.E. 5 Circle	"	No. 6026 d/ 8. 3. 87
Office Note to the Examiner	"	No. 908 C d/ 11. 3. 87
Office Note from do —	"	No. 825 d/ 17. 3. 87
Office Note to S.E. V Circle	"	No. 1060 C d/ 19. 3. 87
Letter from S.E. V Circle	"	No. 6392 d/ 24. 3. 87
Office Note to the Examiner	"	No. 1202 C d/ 28. 3. 87
Office Note from do —	"	No. 18 d/ 6. 4. 87

R.M. (4)
G.Os. quoted not put up
F.B.
14/4

Saw.
File sent by E.K. O.W. with Cur 1979.
14/4

The proposal of the Supg. Engineer to attach an upper Subordinate to the Tiruvellore Sub Division of the Chingleput Division for duty in connection with the Madras water supply is approved.

2. The Red Hills Sub Divn. will not therefore be necessary, and has accordingly een omitted by the Supg. ngr. ~~in~~ from the list of Sub-Divisions submitted with his

15.4.87.

his No. 6080 d/10th March ~~April~~ 87.

3. The clerk and lascar required for Sub Contr. Kelly will be ~~are~~ sanctioned at the usual rates of pay. on submission of a proposition statement in the prescribed form. vide. Code para 26.

15.4.87

HB.
15.4.87

16/4/87

(4)

23/4

23.4

B. No 1100 W d/ 21 April 1887

To.
S. E. & C
Exr. P. W. d.
Ch: Engr: for Irrign:
Public Dept.

23/4

OLS 60/iv.

C. 15.4.87

M 18.4.87 R. 20.4.