

Number of Pages: 22 ✓

Dating Report: 3-2-88

Don't have a reference

2
5/4

Final Head Notes

Don't have a gift

Go. 1180

Date 2.3.1887

Don

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers :—

From G. T. WALCH, Esq., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Dowlaishweram, 28th March 1887, No. 11 G.D.

I have the honor to submit, herewith, for sanction, a proposition statement showing the increase of establishment under "Navigation" required for working the locks at Sivakodu, Sakinetipalli and Chintallanka, and the lock weir at Annampalli, in the Godavari Central division. These works have so far progressed towards completion that they will be fit for working from the re-opening of the canals after this season's closure.

2. I regret that, owing to the Executive Engineer, Central division, not having brought the matter to notice, this extra establishment was not entered in the budget estimate for next year.

ENCLOSURE.

DOWLAISHWERAM,
28th March 1887.

(Signed) G. T. WALCH,
Superintending Engineer, I Circle.

No. 22 E.W.

Forwarded to the Chief Engineer, Public Works Department, through the Examiner of Public Works Accounts, with the recommendation that the establishment applied for may be sanctioned from probable savings under Establishment.

CHERPÂK,
14th April 1887.

(Signed) J. P. DAVIDSON,
For Chief Engineer for Irrigation.

Endorsement thereon by the Examiner, Public Works Accounts, dated 19th April 1887, No. 29 I.

ORDER—dated 2nd May 1887, No. 1180 W., Public Works.

The increase of establishment required for working certain newly completed locks in the Godavari Central division is sanctioned as recommended by the Chief Engineer for Irrigation, against the anticipated savings under Permanent Establishment.

2. This sanction has been registered as Provincial, No. 2 W. of 1887-88, and classified as Establishment—Permanent.

(True Extract.)

Captain, R.E.,
Under Secy. to Govt., P.W.D.

To the Chief Engineer for Irrigation.
 " Superintending Engineer, I Circle.
 " Examiner, Public Works Accounts.

Exd. P. L. Pereira.
Spare Copies

GENERAL
ESTABLISHMENT.

Govt. of (1887) Madras.

PUBLIC WORKS.

Dated May, 2nd.

Recd.

Encl.

G.O., 2nd May 1887, No. 1180 W.

MAY.

Establishment

An increase of — required for working
certain newly completed locks in the Ge-
vari Central division, sanctioned.

PROPOSITION STATEMENT FOR REVISION OF THE

ESTABLISHMENT OF THE

Navigation District

Order sanctioning the present establishment Government of Madras Public Works Department.

NATURE OF CHANGE.

Present scale.

3/11/88

PROPOSITION.

Permanent.

Temporary.

Increase per month.

Decrease per month.

Increase per month.

Decrease per month.

Remarks.

No. Date.

Office to which the proposition refers.

No.

Designation.

Minimum.

Increment.

Maximum.

Average or fixed.

No.

Station.

Minimum.

Increment.

Maximum.

Average or fixed.

Amount.

Amount.

Period.

Amount.

Period.

Amount.

Provisional Budget for 1887-88
Preliminary Issue

Codavari Central Division.

Navigation Establish-
275 cts per det. in the
Budget - page 27 -

Nav. Establish-
187/275 cts in the Budget

27
Guam Canal
Sdu Lock.

1 Sup. Agent

10 10

1 La.

6 6

2 at Rs 5 each.

10 10

at Tipallidock

1 Sup. Agent

10 10

1 La.

6 6

2 at Rs 5 each

10 10

Canal.

Ch. Lock

1 Sup. Agent

10 10

1 La.

6 6

2 at Rs 5 each

10 10

Small Lock Chin

1 La.

5 5

83

C. P. Well



Enclosure: 1 of 2 of 29/2/87. No. 11 G.D.

FROM

THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO

THE CHIEF ENGINEER

FOR IRRIGATION.

DOWLAISHWERAM, 28th March 1887

Recd 2/4/87

SIR,

I have the honor to submit herewith, for sanction, a proposition statement shewing the increase of Establishment under "Navigation" required for working the Locks at Sivakodee, Sakinetipalli and Chintallanka & the Lock weir at Annampalli in the Godavari Central Division, these works have so far progressed towards completion that they will be fit for working from the re-opening of the Canals after this seasons closure.

2 I regret that owing to the Engr. Central G. not having brought the matter to notice this extra Establishment was not entered in the Budget Estimate for next year.

J.

I have the honor to be,
Sir,

Your most obedient

servant

Sup: Eng: 1st Circle.

5/11/80

From

G. T. Walsh

Super Engineer

To

Chief Eng



Fooding

Mar

Order 25 March 87

Dec 6th April 87

Recd

No 11 Ed

Recd 1

Establishment under
"Navigation" required for
Working the locks in
Central Division Goda
vosi - Proposition state
ment showing the increase
of - Forward -

6/1180

Endorsement # 29.9

Dated 19th April 1887

Transferred to
the Chief Engineer Public
Works Department, with the
remark, that Column "Present
Scale" of the Proposal State-
ment has been checked and
found correct.

[Signature]

Major R. C.
Examiner. P. W. Accounts

Major

[Signature]

27.

19/4/87

Encs. 2.

2/11/82

of - Harlow

P.W. No 3021 ✓

From

Major W. H. P. Christie, A. E.

Examiner, P. W. Accounts

Madras

To

The Chief Engineer

Public Works Department

Enclosure 2

Endorsement No 299

Dated 19th April 1887

By 20-4-87

Forwarding letter from
the Superintending Engineer, &
A/cle through the Examiner
of P. W. Accounts, with the
recommendation that the
Establishment under investigation
required for within the limits
is 12.

8/1180

No 22. Enl.

Ends



I forwarded to the Chief
Engineer, J. W. D. through the
Examiner of P. W. Accounts
with the recommendation that
the Establishment applied for
may be sanctioned from
probable savings under
establishment.

Davidson

Chap. For Chief Engineer for
11. April 1887

9/11/87

FORMER CASES.

No.	dated	188
"	"	188
"	"	188

LATER CASES.

No.	dated	188
"	"	188
"	"	188

Printed in P.M.G., No.


dated

REMINERS RECEIVED.

No. 1, dated	188
" 2, "	188
" 3, "	188
" 4, "	188
" 5, "	188

KEEP-WITHS.

1887.



From

THE CHIEF ENGINEER FOR IRRIGATION,

To

THE *Chief Engineer*
P. W. D.

This is the Examiner of
J. W. A. C. S.

No. 22 Encl.

Dated 14. 4. 87

Despatched

Received

ENCLOSURE 1

Subject.

*I forwarding letter from the
Supy Engr. I think the Ex?
of P. W. A. C. S. in the recom-
mendation that the
Establishment under
"Navigation" and for
working the locks in
C. D. W. Godavari may
be subtracted from
the probable savings
under Establs.*

No. 1180 W

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 2nd May 1887

Read the following

*From the Supy Engineer I find A. C. S. 11 G. D. of 28 March 1887
Endorsement by the Ch. Engr for Irriga. ... 22 G. D. of 14 April 1887
Endorsement thereon by the Engr. P. W. A. C. S. ... 29 G. D. of 19 April 1887*

*The increase of
Establishment required to
work and maintain
newly completed locks
in the Godavari in
Central Division is
sanctioned against the
anticipated savings
under Permanent Establs.
ment as recommended
by the Chief Engineer
for Irrigation.*

2. This sanction has
 been registered as Pro-
 vincial No. 2 W of
 1887-88 and classified
 as Establishment Per-
 manent.

Wm
 28.4.87

Wm
 28/4/87

Wm
 1/5

8
 19

Ch: Engr for Engr
 Supp Engr: I f...
 P. W. ...

11
 1180

713

Wm
 28/4/87

60 2nd May

Establishment

=

See

An increase of
required for working
contain newly
completed locks
in the Godavari
central division
sanctioned.

60
1
4

See
14/5-94/15