

23RD APRIL 1887, No. 1110 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following letter from Colonel W. H. BURTON, R.E., Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department, dated Chepák, 13th April 1887, No. 146 :—

I have the honor to submit, for sanction, an estimate of Rs. 3,441 for adjustment of the value of the compound lever rivetting machine and circular saw machine for cutting hot iron transferred from Public Works Stores to the Public Works Workshop division.

ORDER—dated 23rd April 1887, No. 1110 W., Public Works.

The estimate, amounting to Rs. 3,441, being the value of a compound lever rivetting machine and a circular saw for cutting hot iron which have been transferred from the Public Works Stores to the Public Works Workshops, is sanctioned.

2. This sanction has been registered as Provincial, No. 6 W. of 1887-88, and classified as tools and plant.

(True Extract.)

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, V Circle, with one enclosure.
„ Examiner, Public Works Accounts, with the duplicate abstract estimate.

Exd. P. L. Pereira.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1887) Madras.

PUBLIC WORKS.

Dated April, 23rd.

Recd.

Encl.

G.O., 23rd April 1887, No. 1110 W.

APRIL.

Tools and Plant

Estimate of Rs. 3,441, being the value of a compound lever rivetting machine and a circular saw for cutting hot iron which have been transferred from the Public Works Stores to the Public Works Workshops, sanctioned.

Enclosure: 108. Endowment No. 595 P. & S.
77: 9/3/87. P. W. Workshops Stone Depot
No. 2705 W. Madras. February 22 1887.

From
H. H. Monnell Esq.
General Superintendent.
P. W. Workshops Stone,
The Superintending Engineer
5th Circle
Madras.

Sir,
I have the honor to request that you will be good enough to obtain sanction for the transfer of the undermentioned articles from the "Stock accounts" of this Workshops, to "Machinery and Plant". Although the articles in question, are borne on "Stock accounts" yet they have been in use, and the transfer is necessary for reducing the Stock accounts.

Bill

N.

N.

Bell 1 Scales to weigh small }
Saw Iron 5 Weights Brass $\frac{1}{4}$ to 10 Scales Set 1 } Coins - }
Gallon Measure set 1 do do $\frac{1}{4}$ to 8 Ounces }
Set 1.

Their Booth price is Referred to 21-6-0.

Shane 45.

By Hugh A. Connell

Genl. Supt. P. W. Workshops.

N^o 5917

Submitted to the Chief
Engineer P. W. Department
through the Examiner of P. W.
Accounts for Sanction.

W. H. Antton

1st P. W.

Supy Engineer & Circle

3rd March 1887.

2/7967
 19/3/87
 From 2/3147/87
 The Supg Engineer
 3 Circle

To
 The Chief Engineer
 P.W. Deptt.

Thro' Examiner of
 P.W. Accounts.

Dated 3rd }
 March 87.

No 5917.

Transfer of certain
 Articles from the
 Workshops "Stock
 Account" to "Machinery
 & Plant" —

Requests sanction
 for —

Endorsement No 595 R. 5th
 dated 9th March 1887

Forwarded to the Chief
 Engineer Public Works Depart-
 ment with the intimation that
 if the proposed transfer is
 sanctioned, the excess over ap-
 propriation under Tools & Plant,
 which amounts to Rs 4644 up
 to January 1887, as shown
 below, will further be increased
 by Rs 121.

Outlay for new supplies
 and repairs — Rs 1519-8-10
 Loss on works and by
 Sales of Stock Articles — 7094-10-7
 Total debit — 8614-3-5
 Amount of Grant — 1000 —
 Excess over Grant — 7614-3-5

D. P. Gordon
 Examiner
 Pub Works Accounts
 Madras.

Enclosure 1.

9/3

V 2.6.2



Re No 7967
19-3-87

No 996 of 16 March 87

To S.E.V

Please report whether the loss referred to by the Examiners will be counter-balanced by anticipated profits. If not, the appropriation required towards such uncovered loss should be stated.

mem
15.3.87

for
13/3/87

1/3/47/87

From Mr. C. Gordon Esq
Examr Pub. Works Accounts
Madras

To

The Chief Engineer
Pub Works Department

Endorsement No 995 E.5
dated 9 March 87

Enclosures - 1

Recd 10/3/87

Forwarded endorsement No 595 E.5 dated 9 March 87 intimating that if the transfer asked for by the Genl Supt. P. W. Workshop be sanctioned, the excess over Appropriation under Tools & Plant will further be incurred by No 421

DN
TN

SUPERINTENDING ENGINEER'S OFFICE,
V CIRCLE, MADRAS,
Chepak, 13 April 1887.

No. 129

From Col. W. H. Burton, R.E.
SUPERINTENDING ENGINEER,
V CIRCLE,

To THE Chief Engineer
P.W. Department.

Sir,

Enclosures.

In returning your endorsement No 996 dated 16 March 1887, I have the honor to report that the loss referred to by the Examiners will be counter-balanced if the profits anticipated are realized.

2. The expenditure under Tools and Plant - New Supplies and Repairs will be Rupees 4110 and Rs 1000 or together Rs 5110. The Grant is original Rs 1000 Reappropriated by me from South Arcot Division 1200

2200

An additional grant will
be required to cover
outlay to the extent
of 7 Rupees 2910.

I have the honor to be
Sir
Your most Obedt Servt

Wm Barton Coll. R. Co.
Superintendent Engineer
S. Circle

No 996 C. 16. 3. 87
B. No 770 W. 11. 3. 87
" 374 W. 9. 2. 87
" 3312 W. 14. 12. 86

Files taken for use: 2806/87

P.W.C. No. 2901 ✓
From.
The Superintending Engr.
to the Circle.

To
The Chief Engineer
P.W. Department

Dated. 13.
Received. 14. 4. 87 April 1887
En: 2

No 129.
Transfer of certain
articles from the Work-
shops Stock Account
to Machinery and Plant.

Reports that the
loss will be counterbalanced
if the profits anticipated
are realized and states
that an additional grant
of Rs. 2910 will be required
to cover the excess outlay.

C. 26. 4. 87 R. 3-5-87

No. 1227 W

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 4th May 1887

Read the following

From the Suptg. Engineer V Circle. H. E. No. 5917 d/3rd March 1887.
Endorsement by the Examiner of P. W. Accounts. H. E. No. 595 L. E. V d/9th March 1887.
From the Suptg. Engineer V Circle. H. E. No. 129 d/13th April 1887.

The proposed transfer in the
accounts of the P.W. Workshops from "Stock"
to Machinery and Plant "is sanctioned.

2. The Suptg. Engineer reports
that the loss ^{brought to} ~~under~~ notice ^{by the Exr P.W.A.} will be
counterbalanced if the anticipated profits
are realised, and that an appropriation
of Rs. 2,910 will be required to cover the
excess under Tools and Plant. As the
official year 1886-87 has already expired,
the Examiner of P. W. Accounts is authorised
to admit in the accounts any excess
outlay that may ultimately be found
under that head.

W.C.M.
26. 4. 87

Disd
5/5/87
To The Suptg. Engr. V Circle
" Examiner of P. W. Accts. ✓

Jou
28/4/87

W. V. S.

1887 May 4



(11)

B. No 1227 Wd/4 May 1887

18/5

122.14
11.28.4.87

18/5

18/5