No. of Pages :- 74.
Date Of Repair :- 8.2.88.
Intial Of Referncer :-

P.W. Department
G.O. No 1247, 1248, 1249.
Dated :- 9-5-1887

9TH MAY 1887, No. 1247 W., PUBLIC WORKS.

1247 to 1249
1

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following papers:—

From Colonel J. BEATTY, R.E., Superintending Engineer, IV Circle, to the Chief Engineer, Public Works Department, dated Coimbatore, 14th December 1886, No. 468 E.W.

In continuation of my letter, No. 307, of 14th August 1886, I have the honor to forward an indent, in triplicate, on the Indian Store Department for materials required for the lightning conductors sanctioned in G.O., No. 2813 W., of 25th October 1886, for St. Thomas' Church at Ootacamund.

From H. H. O'CONNELL, Esq., General Superintendent, Public Works Stores, to the Superintending Engineer, V Circle, dated Madras, 10th January 1887, No. 994 S.

With reference to your docket, No. 4780, dated 21st December 1886, I have the honor to forward, for submission to Government, through the Examiner, Public Works Accounts, indent, in triplicate, for lightning conductors required by the Superintending Engineer, IV Circle, for St. Thomas' Church, Ootacamund. These stores cannot be advantageously obtained in the local market.

2. Sanction has been accorded to the estimate in G.O., No. 2813 W., dated 25th October 1886.

No. 5012.

Forwarded to the Chief Engineer, Public Works Department, through the Examiner of Public Works Accounts.

(Signed) W. H. BURTON, Colonel, R.E.,
Superintending Engineer, V Circle.

12th January 1887.

Endorsement by the Examiner, Public Works Accounts, dated 20th January 1887, No. 504 S.E., 5th.

Office note from the Examiner, Public Works Accounts, dated 2nd May 1887, No. 73.

9th May 1887, No. 1247 W., Public Works.

Enclosure.

Certificate by the Examiner, Public Works Accounts.

Number and date of indent or letter with which received.	Description and value of articles indented for.		Work and division to which the value is chargeable.	Grant.		Certificate attached by the Examiner.
				Amount.	Authority.	
1	2		3	4	5	6
	Provincial.	£ s. d.	*Nilgiri Division.*	RS.		
W.'s office note, No. 38 D., dated 25th April 1887.	Copper rods, solid, ¾" diameter, ft. Copper rods, solid, ¼" diameter, ft. Copper tapes 1" × ¼" diameter, ft. Copper tapes 1¼" × ¾" diameter, ft. Copper tapes 1¼" × ⅛" diameter, ft. Copper plates 3' × ⅛" diameter, ft.	67 4 4½	Providing lightning conductors to St. Thomas' Church, Ootacamund.	1,166	W.'s office note, No. 38 D., dated 25th April 1887.	I certify that funds to meet the outlay, which it is estimated will be incurred in England in connection with this indent during the year 1887-88, have been provided for in the estimates of the Public Works Department to the extent of £67-4-4½.

Madras,
2nd May 1887.

(Signed) C. H. P. CHRISTIE, Major, R.E.,
Examiner, Public Works Accounts.

Order—dated 9th May 1887, No. 1247 W., Public Works.

Ordered that the indent be forwarded to the Director-General of Stores, India office, for compliance.

(Here enter No. 1248 W., dated 9th May 1887.)

(True Extract.)

Captain, R.E.,
Under Secretary to Govt., P.W.D.

To the Superintending Engineers, IV and V Circles.
" Examiner, Public Works Accounts.

Exd. P. L. Pereira.
Spare Copies

1247-49
2

GENERAL.
ACCOUNT.

Govt. of (1887) Madras.

PUBLIC WORKS.

Dated May, 9th.

Encl.

Recd.

G.O., 9th May 1887, No. 1247 W.

MAY.

Indent

An — for materials for lightning conductors for St. Thomas' Church, Ootacamund, ordered to be forwarded to the Director-General of Stores, India office, for compliance.

9th May 1887, No. 1248 W., Public Works.

1247-49
3

PUBLIC WORKS DEPARTMENT.

General.
Account.

Letter—from

Colonel J. O. HASTED, R.E.,
Secretary to the Government of Madras,
Public Works Department,

To

The DIRECTOR-GENERAL of STORES,
India Office, London.

Sir,

I am directed to forward, herewith, for favor of early compliance, an indent (in duplicate) for materials for lightning conductors for St. Thomas' Church, Ootacamund.

2. A certificate by the Examiner, Public Works Accounts, to the effect that the necessary funds have been provided, accompanies.

G.O., No. 1247 W., dated 9th May 1887.

(Here enter No. 1249 W., dated 9th May 1887.)

I have the honor to be,
Sir,
Your most obedient servant,

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

Fort St. George,
9th May 1887.

Exd. P. L. Pereira.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1887) Madras.

PUBLIC WORKS.

Dated May, 9th.

Recd. *Encl.*

G.O., 9th May 1887, No. 1248 W.

MAY.

Indent

An — for materials for lightning conductors for St. Thomas' Church, Ootacamund, forwarded to the Director-General of Stores, India office, for compliance.

9th May 1887, No. 1249 W., Public Works.

1247-49
4

PUBLIC WORKS DEPARTMENT.

General.
Account.

Letter—from

Colonel J. O. HASTED, R.E.,
Secretary to the Government of Madras,
Public Works Department,

To

The SECRETARY to the GOVERNMENT of INDIA,
Public Works Department.

Sir,

I am directed to forward, for information, copy of my No. 1248 W., of this date, to the Director-General of Stores, accompanied by the triplicate copy of the indent referred to therein.

I have the honor to be,
Sir,
Your most obedient servant,
(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

Fort St. George,
9th May 1887.

Exd P. L. Pereira.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of | 1887 | Madras.

PUBLIC WORKS.

ated May, 9th.

Recd.

G.O., 9th May 1887, No. 1249 W.

MAY.

Indent

Copy of a letter to the Director-General of Stores, India office, forwarding an — for materials for lightning conductors for St. Thomas' Church, Ootacamund, forwarded to the Government of India.

4TH AUGUST 1886, No. 1937 W., PUBLIC WORKS.

1247/49
5

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following letter from Major G. F. L. MARSHALL, R.E., Under Secretary to the Government of India, Public Works Department, (Civil Works—Miscellaneous), to the Secretary to the Government of Madras, Public Works Department, dated Simla, 13th July 1886, No. 280 M. :—

The following to be substituted for Rule 2 of the revised rules for procedure in obtaining stores from England for the Public Works Department, other than Railway Stores, which accompanied Public Works Department letter, No. 12 M., dated 12th January 1886 :—

2. All printed indents transmitted to the India Office must be in triplicate, and must give full particulars and be accompanied by all information likely to be of use in guiding their supply. A copy of each indent and of the documents accompanying should be simultaneously sent to the Government of India in the Public Works Department. If the indents are not printed, two manuscript copies only should be sent to the India Office and one manuscript copy to the Government of India.

ORDER—dated 4th August 1886, No. 1937 W., Public Works.

Communicated to officers of the Public Works Department, in continuation of G.O., No. 202 W., dated 25th January 1886.

(True Extract.)

(Signed) J. SHAW-STEWART, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Chief Engineer for Irrigation.
To Superintending Engineers.
To the Consulting Architect to Government.
" Chairman, Madras Harbour Trust Board.
" Examiner, Public Works Accounts.

Exd. J. Moses.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of [1886] Madras.

PUBLIC WORKS.

Dated August, 4th.

Recd. *Encl.*

G.O., 4th Aug. 1886, No. 1937 W.

AUGUST.

English Stores

Letter from the Government of India communicating an amendment of Rule 2 of the revised rules for procedure in obtaining — for the Public Works Department, other than Railway Stores, communicated to officers of the department.

10th September 1886, No. 2288 W., Public Works.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

Read—the following papers :—

From Colonel J. BEATTY, R.E., Superintending Engineer, IV Circle, to the Chief Engineer, Public Works Department, dated Coimbatore, 14th August 1886, No. 307 E.W.

Adverting to paragraph 2 of G.O., No. 1624 W., of 25th June last, I have the honor to submit an indent (in triplicate) on the Indian Store Department for materials required for lightning conductors sanctioned in G.O., No. 1430 W., of 7th June 1886.

2. I have marked the indent as "urgent" with a view to their early supply, in order that the work may be put in hand at an early date and the grant be advantageously laid out by the end of the current official year.

Memorandum to the General Superintendent, Public Works Stores, dated 17th August 1886, No. 2817 C.

From H. O'CONNELL, Esq., General Superintendent, Public Works Stores, to the Superintending Engineer, V Circle, dated Madras, 21st August 1886, No. 523 S.

With reference to memorandum, No. 2817 C., dated 17th August 1886, from Chief Engineer, forwarded with your No. 2827, dated 17th August 1886, I have the honor to resubmit indent therewith received, prepared in proper form, for transmission to Government through the Examiner, Public Works Accounts, for materials required for lightning conductors for buildings in Ootacamund.

2. The articles can be obtained in the local market, but only of European manufacture.

Endorsement on the above.

No. 2567.

Forwarded to the Chief Engineer, Public Works Department, through the Examiner, Public Works Accounts.

31st August 1886.
(Signed) W. H. BURTON, Col., R.E.,
Superintending Engineer, V Circle.

No. 280 S.E., 5th

Forwarded to the Chief Engineer, Public Works Department, with the necessary certificate.

3rd September 1886.
(Signed) D. C. GORDON,
Examiner, Public Works Accounts.

CERTIFICATE by the Examiner, Public Works Accounts.

Number and date of indent or letter with which received.	Description and value of articles indented for.		Work to which the value is chargeable.	GRANT.		Certificate to be initialled by the Examiner.
				Amount.	Authority.	
	Provincial.	£ s. d.	*Nilgiri Division.*	RS.		
Superintending Engineer's (V Circle) letter, No. 2567, dated 31st August 1886.	1. Copper rod solid ¾ inch diameter of convenient length. 2. Copper rod solid ¼ inch diameter of convenient length. 3. Copper sheet 3 feet wide ⅛ inch thick. 4. Copper tapes 1¼ inches wide ⅜ inch thick. 5. Copper tapes 1¼ inches wide ¼ inch thick of convenient length. 6. Copper tapes 1 inch wide ¼ inch thick of convenient length. 7. Copper tapes 1 inch wide ⅛ inch thick.	532 12 0	Providing lightning conductors for certain Government buildings at Ootacamund.	10,610	G.Os. Nos. 1594 W., dated 23rd June 1886 and 1891 W., dated 27th July 1886.	I certify that funds to meet the outlay which it is estimated will be incurred in England in connection with this indent during the year 1886-87 have been provided for in the estimates of the Public Works Department to the extent of £ 532-12-0.

MADRAS,
3rd September 1886.

(Signed) D. C. GORDON,
Examiner, Public Works Accounts.

ORDER—dated 10th September 1886, No. 2288 W., Public Works.

Ordered that the indent be forwarded to the Director-General of Stores, India Office, for compliance.

(Here enter No. 2289 W., dated 10th September 1886.)

(True Extract.)

Major, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, IV Circle.
" " V "
" Examiner, Public Works Accounts.

Exd. E. Fernandez.
Spare Copies

1247-49
7

GENERAL.
ACCOUNT.

Govt. of (1886) Madras.

PUBLIC WORKS.

Dated September, 10th.

Encl.

Recd.

G.O., 10th Sept. 1886, No. 2288 W.

SEPTEMBER.

Indent

The — for materials for lightning conductors for certain public buildings in the presidency, ordered to be forwarded to the Director-General of Stores, India Office, for compliance.

10th September 1886, No. 2289 W., Public Works.

1247-49
8

PUBLIC WORKS DEPARTMENT.

General.
Account.

Letter—from

Colonel J. O. HASTED, R.E.,
Secretary to the Govt. of Madras,
Public Works Department,

To

The DIRECTOR-GENERAL of STORES,
India Office, London.

Sir,

I am directed to forward, herewith, for favor of early compliance, an indent (in duplicate) for materials for lightning conductors for certain public buildings in this presidency.

2. A certificate by the Examiner, Public Works Accounts, to the effect that the necessary funds have been provided, accompanies.

G.O., No. 2288 W., dated 10th September 1886.

I have the honor to be,
Sir,
Your most obedient servant,

Colonel, R.E.,
Secretary to Government, P.W.D.

Fort St. George,
10th September 1886.

Exd. E. Fernandes.
Spare Copies

124749
9

GENERAL.
ACCOUNT.

Govt. of (1886) Madra

PUBLIC WORKS.

Dated September, 10th.

Recd.

10th Sept. 1886, No. 2289 W.

SEPTEMBER.

Indent

An — for materials for lightning conductors for certain public buildings, forwarded to the Director-General of Stores, India Office, for compliance.

10th September 1886, No. 2290 W., Public Works.

1247-49
10

PUBLIC WORKS DEPARTMENT.

General.
Account.

Letter—from

Colonel J. O. HASTED, R.E.,
Secretary to the Government of Madras,
Public Works Department,

To

The SECRETARY to the GOVERNMENT of INDIA,
Public Works Department.

Sir,

I am directed to forward, for information, copy of my No. 2289 W., of this date, to the Director-General of Stores, accompanied by the triplicate copy of the indent referred to therein.

I have the honor to be,
Sir,
Your most obedient servant,

Colonel, R.E.,
Secretary to Government, P.W.D.

Fort St. George,
10th September 1886.

Exd. E. Fernandez.
Spare Copies

1247-49
11

GENERAL.
ACCOUNT.

Govt. of (1886) Madras

PUBLIC WORKS.

Dated September, 10th.

Recd.

10th Sept. 1886, No. 2290 W.

SEPTEMBER.

Indent

Copy of letter to the Director-General of Stores, India Office, forwarding an — for materials for lightning conductors for certain public buildings, forwarded to the Government of India.

25th October 1886, No. 2813 W., Public Works.

124749
12

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

Read—the following letter from the Venerable J. F. BROWNE, Archdeacon of Madras, to the Chief Secretary to Government, dated Madras, 6th October 1886, No. 127:—

I have the honor to forward, herewith, for the favorable consideration of Government, a letter from the Superintending Engineer, IV Circle, enclosing estimate, amounting to Rs. 1,166, for providing lightning conductors to St. Thomas' church, Ootacamund, which is at present unprotected.

No. 1752 C., Ecclesiastical.

Approved, and transferred to the Public Works Department for disposal.

(By Order.)

Fort St. George,
18th October 1886.

(Signed) E. S. LAFFAN,
Under Secy. to Govt.

Order—dated 25th October 1886, No. 2813 W., Public Works.

The estimate, amounting to Rs. 1,166, for providing lightning conductors to St. Thomas' church, Ootacamund, is sanctioned for execution when funds are available.

2. This sanction has been registered as Provincial, No. 126 W. of 1886-87, and classified as Civil Buildings, Original Works.

(True Extract.)

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, IV Circle, with one enclosure.
" Examiner, Public Works Accounts, with the estimate for note and return to Superintending Engineer, IV Circle.
" Ecclesiastical Department.

Exd. E. Fernandez.

Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1886} Madras.

PUBLIC WORKS.

Dated October, 25th.

Recd. *Exd.*

G.O., 25th Oct. 1886, No. 2813 W.

OCTOBER.

St. Thomas' Church, Ootacamund

The estimate, amounting to Rs. 1,166, for providing lightning conductors to —, sanctioned.

1886

P. W. DEPARTMENT.

Current No. 9815 1247/49/13

From The Supdg Engineer IV Circle

Enclos. — 1 in Tript.

No. 468 EW
Dated 14th Decr 86
Received 15 —

Subject.

Lightning Conductors for St. Thomas Church at Ootacamund. Fwds an indent in triplicate on the Indian Store Dept for materials required for the —

Disposal.

No. 4513 Dated 17th December 86.

Forwarded to the S.E. V Circle in view to the estimate being put into proper shape by the General Supt. P. W. Stores, & resubmitted through the Examiner P. W. Accts.

(Sgd) J. Hasted Col. R.E.
Ch Engr P.W.D.

Despd 18.12.86

S. E. V. Circle

No 2873 W d/ 25.10.86.
" 2288-90 9 W 10.9.86
" 2817 C " 17.8.86
" 1937 W " 4.8.86
" 1430 W " 7.6.86

---

188 6

P. W. DEPARTMENT.

Current No. 6392 / 1247-49 / 14

From

The Supdg: Engr:
IV. Circle

ENCLOS.—7 ×(in triplicate)

No. 307/S.W.
Dated 16 } August
Received 17 }

SUBJECT.

Lightning Conductors in Ootacamund. Submitting an Indent in triplicate on the Indian Store Dept: for materials required for —, sanctioned in G.O. 1430 W d/ 7-6-86.

DISPOSAL.

No. 2817 C Dated 17th August 1886

To

The General Supt
P.W. Stores

Please resubmit this indent in the prescribed printed form at the earliest possible date - thro' the Ex: P.W. accounts.

(Sd) C. A. S.

To
S. E. IV. Circle. (Sd.) A. D. W.

B. No 1624 W d/ 25-6-86
A - 1430 W - 7-6-86
- - 1937 W - 4-8-86
- - 202 W - 25-1-86

No: 307
E.W.

Supg: Engineer's office 4 Circle.
Coimbatore, 14th August 1886.

12474
15

From,

The Superintending Engineer,
Fourth Circle

To,

The Chief Engineer,
Public Works Department

Enclosure
1 Indent
in triplicate.

Sir,

Adverting to para 2 of G.O. No 1624 W of 25th June last, I have the honor to submit an Indent in triplicate on the Indian Store Department for materials required for Lightning Conductors sanctioned in G.O. No 1430 W of 7th June 1886.

2. I have marked the Indent as "urgent" with a view to their early supply, in order that the works may be put in hand at an early date, and the grant be advantageously laid out by the end of the current official year.

I have the honor to be
Sir,
Your most obedient Servant

L. Beatty. Colonel R.E.

Superintending Engineer,
4th Circle

A

No. 2817C of 17th August 188[illegible]

To

The General Supdt. P.W. Stores

—

Please resubmit this indent in the prescribed printed form at the earliest possible date – thro' the Examiner P.W. Accts.

C.H.
A.D.H.
17.8.86

To

S.E. V Circle

1 SEP 1886
ENCLOSURES
P.W. ACCOUNT

From,

The Superintending Engineer
Fourth Circle

To,

The Chief Engineer,
Public Works Departt.

Dated 14th }
Received 17.8.} August 1886

No. 307/EW

Enclo: 1 – (indent)

Lightning Conductors in Ootacamund:—

Submits an Indent in triplicate on the Indian Store Department for materials required for lightning conductors.

IVth Circle D.P.W. Nilgiri Division

Indent on England for Stores required for the Public Works Deptt. in the Presidency of Madras for the service of the Indian Govt.

124749/16

I hereby certify that the Stores enumerated in this Indent are absolutely required for the Service of the Public Works Department for Sanctioned works and I further certify that I have by a personal inspection of books & stores satisfied myself that they comprise the least possible quantity necessary for the Works.

Dated this Tenth day of August 1886 at Ootacamund

A. Smith Major R.E.
Executive Engineer

Received by the Director General of Stores in England the day of 1886.

IVth Circle D.P.W. Triplicate Nilgiri Division

Indent on England for Stores required in the Nilgiri Dn. for Materials for Lightning Conductors for Buildings in Ootacamund.

1247-49
17

Name of articles.	Revenue to which cost is chargeable.	Imperial head of account to which cost is chargeable	Established proportion	How established proportion is calculated.	Number or Quantity in Store	Number or Quantity due on previous Indent	Number or Quantity now indented for	Rate	Value. Of Number or Quantity due on previous Indent	Value. Of Number or Quantity now indented for	Remarks.	Shipped or under provision	Proposed to be provided	Remarks by the Director General of Stores.
							Running ft.							
Copper Rod solid 3/4" diameter of convenient length	Provincial				Nil	Nil	693	15 annas per lb.	Nil	Rupees (5326 – –) Five thousand three hundred & twenty six [illegible]	The Stores to be consigned to Madras Care of General Supplt. of P.W. Stores. [illegible]			
Do. solid 1/4" do. do.							479⅓							
Copper Sheet 3 ft. wide 1/8" thick							18							
Copper Tapes 1¼" wide 3/4" thick							21							
Do. 1¼" wide 1/8" thick of convenient length							6180							
Do. 1" wide 1/4" thick of convenient length							226⅓							
Do. 1" wide 1/8" thick							4⅓							
Total weight of above							5681 lbs.							

Nilgiri Division Office
Ootacamund 10th August 1886

L. Beatty Col.
Superintending Engineer 4th Circle

A. Smith Major R.E.
Executive Engineer.

Triplicate

ENCLOSURE 280
1 SEP 86
EXAMINER, P.W. [illegible]

IVth Circle D.P.W.

Nilgiri Division

SUPG: ENGINEER'S OFFICE
No. 666
12 AUG. 86
P.W.D.
FOURTH CIRCLE

E3.

P.W. Svcs: [illegible]
5392/18
5843

Indent on England for Stores required in the Nilgiri Dn for Materials for Lightning conductors in Ootacamund.

IVth Circle D.P.W.   Nilgiri Division

Indent on England for Stores required for the Public Works Deptt in the Presidency of Madras for the Service of the Indian Govt.

1247 49/18

I hereby certify that the Stores enumerated in this Indent are absolutely required for the Service of the Public Works Deptt for Sanctioned works, and I further certify that I have by a personal inspection of books & Stores Satisfied myself that they comprise the least possible quantity necessary for the works.

Dated this Tenth day of August 1886 at Ootacamund

A L Smith Major R.E.
Executive Engineer.

Received by the Director General of Stores in England the   day of   188

Urgent

IVth Circle D.P.W. Duplicate Nilgiri Division

1247749/19

Indent on England for Stores required in the Nilgiri Dn. for Materials for Lightning Conductor in Ootacamund

Name of article	Revenue to which cost is chargeable	Imperial head of account or grant to which cost is chargeable	Established proportion	How established proportion is calculated	Number or Quantity in Store	Number or Quantity due on previous Indents	Number or Quantity now indented for	Rate	Value: of Number or Quantity due on previous Indents	Value: of Number or Quantity now indented for	Remarks	Shipped or under provision	Proposed to be provided	Remarks by the Director General of Stores
							Running ft.							
Copper rod solid ¾" diameter of convenient length	Provincial				Nil	Nil	693	15 annas per lb	Nil	Rupees (5326-..-) Five thousand three hundred & twenty six or £532.12.- at 2/- per Rupee	The Stores to be consigned to Madras Care of General Supdt. of Pr. Stores. The Stores to reach Madras before January 1887 [illegible]			
Do. Solid ¼" do. do.							479⅓							
Copper Sheet 3 ft wide ⅛" thick							18							
Copper Tape 1¼" wide ¾" thick							21							
Do. 1¼" wide ⅛" thick of convenient length							6180							
Do. 1" wide ¼" thick of convenient length							226⅓							
Do. 1" wide ⅛" thick							4⅓							
Total weight of above							5681 lb							

Nilgiri Division Office
Ootacamund 10th August 1886

J. Beatty Col.
Supdtg. Engineer 4th Circle

A L Smith Major R.E.
Executive Engineer

Duplicate

ENCLOSURE
[illegible]
1 SEP 86
EXAMINER, P.W. ACCOUNTS

IVth Circle D.P.W.

Nilgiri Division

SUPG: ENGINEER'S OFFICE
No. 666 N.I
12 AUG. 86
P.W.D.
FOURTH CIRCLE

E2

Indent on England for Stores required in the Nilgiri Dn. for Materials for Lightning Conductors in Ootacamund.

3

12679/20

As the cost of the lightning conductors is considerable & the work is not emergent it is thought that they should be obtained on indent on Home Govt according to rules.

18/6/86

No. 205/E.W.

Supg: Engineer's office IV circle,
Coimbatore, 15th June 1886.

19
1247/21

From,

The Superintending Engineer
IV Circle.

To,

The Chief Engineer
P.W. Departt.

Sir,

I have the honor to request permission to purchase in this country the materials required for the lightning conductors sanctioned in G.O. No. 1430 W of 7th instant.

I have the honor to be
Sir
Your most obt. servant

E. Beatty – Colonel RE
Superintending Engineer
IV Circle

EA

G.O. No 1430W 7-6-86
" " 2024W 25-1-86

No. 1624 W. d/25 June 1886

As the cost of the materials will be considerable, and the work is not of an emergent nature, the Govt see no reason for authorising a departure from the rules regarding the purchase of articles of European manufacture.

2 The S.E. should submit an indent on the India Store Depôt for the materials required.

13/6/86

S.E. IV C. 22-6-86
Examiner P.W.A. / Dec
25/6/86

P.W. No. 4675

(3)

From
The Supdg Engineer,
Fourth Circle.

B. No. 1624 W. d/25 June 1886

Dated 15th } June/86
Despd. 16th } June/86
Recd: 18.6.86

No 205
E.W.

Materials for Lightning Conductors:—

Requesting permission to purchase in this country the — sanctioned in G.O. No. 1430 W of 7th June/86.

Ents in RR 3/7/86.

No. 5231

P. W. Store Department,
Madras, 21st August 1886.

1247-49
22

From

The General Superintendent,
Public Works Stores,

To

The Superintending Engineer
5th Circle

Sir,

Enclosure 1
Indent in [illegible]
Letter from S.E. IV Circle
with Indent in duplicate

With reference to Memo No. 2817C dated 17th August 1886 from Chief Engineer forwarded with your No. 2827 dated 17th August 1886 I have the honor to resubmit Indent therewith received prepared in proper form for transmission to Government through the Examiner Public Works Accounts for materials required for Lightning Conductors for buildings in Ootacamund

The articles can be obtained in the local market, but only of European Manufacture

I have the honor to be
Sir
Your Most obedt Servant
Hugh. O'Connell
General Supdt P.W. Stores.

NER
No. 28805
1 SEP. 1886
ENCLOSURES
P.W. ACCOUNTS.

Re No. 3056
31-8-86

From

The General Superintendent
Public Works Stores.
Madras

Enclosures
1 Original endorsement
with Indent in
duplicate
1 Indent in triplicate

To

The Superintending Engineer
5th Circle

No 2.5 / 6873/86

No. 2567

Forwarded to the
Chief Engineer - P.W. Depart-
-ment through the Exami-
-ner P.W. Accounts.

Dated 21st } August 1886
Desp. 21st }

W.H.Arctor
Col. R.E.
Superintending Engineer
5 Circle

31st August 1886.

No. 5238

Resubmits Indent for
transmission to Government
through the Examiner P.W.
Accounts for Materials required
for Lightning Conductors for
buildings in Ootacamund.

1247-49
23

Endorsement No. 28085 E 5th
of 3d September 1886.

Forwarded to the
Chief Engineer, P.W. Depart-
-ment, with the necessary
Certificates.

D. C. Curzon

Examiner P.W. Accounts
Madras
3/9/86

Bi
3.9 Enc 8

Ho 2817C. 17.8.86
Ho 1624W. 25.6.86
1430W. 7.6.56
" 1937W. 4.8.86
" 202W. 25.1.56

MCL 6875

(7)

Cw 4/9/86

[illegible] (The Intellects)

1247-49
24

Certificate by the Examiner P. W. Account.

1247-1247
24

1247-49
24A

No and date of Indent or letter with which received	Description and value of articles indented for		Work to which the value is chargeable	Grant Amount	Authority	Certificate to be initialled by the Examiner	Remarks
	Provincial		Nilgiri Dt				
Supg Engr 5th Cir's letter No 2367 d/31 August/86	1 Copper Rod solid 3/4" diameter of convenient length 2 — do — solid 1/4" — do — do — 3 Copper sheet 3 ft wide 1/8" thick 4 Copper Tapes 1 1/4" wide 3/4" thick 5 — do — 1 1/4" wide 1/8" thick of convenient length 6 — do — 1" wide 1/4" thick of convenient length 7 — do — 1" wide 1/8" thick	£ s d 532-12-0	Providing lightning conductors for certain Government Buildings at Ootacamund	Rs 10.610	G.O.'s No 1594W d/23 June/86 and 1891W d/27 July/86	I certify that funds to meet the outlay which it is estimated will be incurred in England in connection with this indent during the year 1886-87, have been provided for in the estimates of the P.W. Department to the extent of £532-12-0	
7	11	5	8	4	1	11/2	

D. C. Carmony

Examiner, P.W. Accounts.

Madras
3rd September 1886

Mal
3/9

Ch. 3/9

1247-49
24A

Genl
Acct

No. 2288 W. d/ 10 Sept. [illegible]

PUBLIC WORKS DEPARTMENT.

A

1247-49
25

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

Print	Letter from the S. E. 4th Circle A.C.	No. 307/Cw. d/ 14th Augt 1886
Print	Memo to the Genl. Supdt. P. W. Stores	" No. 2817 C d/ 17th — do —
Print	Letter from the Genl. Supdt. P. W. Stores	" No. 523 S. d/ 21st — do —
Print	Endorsement on the above by the Supy. Engr. V Circle	" No. 2567 d/ 31st — do —
Print	Endorsement by the Examiner P. W. Accts	" No. 280 S. E. 5 d/ 3rd Septr 1886.

Ordered that the indent be forwarded to the Director-General of Stores, ~~at the~~ India Office, for compliance.

(A. G. No. 2289 W d/ [illegible])

To
The Dire[illegible]enl. of Stores,
India Office,
London.

Sir,

I am directed to forward, herewith, for

Supdg. Engr IV Circle
Do V Circle
Exr P.W. Accts
Extd

22/9

for favor of early compliance, an indent in duplicate, for materials for lightning conductors for certain public buildings in this Presidency ~~Ootacamund~~.

2. A certificate by the Examiner, Public Works Accounts, to the effect that the necessary funds ~~will~~ have been provided, accompanies.

(7)

G.O. No. 2290 W. of 10th Sep/86

(A.C. No. 2290 W. d/10 Septr)

To The Secy. to the Govt. of India
P. W. Department

Sir,

I am directed to forward, for information, copy of my No. 2289 W of this date, to the Director General of Stores, accompanied by the triplicate copy of the indent referred to therein.

6/9/86

US

7-9

1247-49
26

f 873

Govt. of 1886 Madras.

PUBLIC WORKS.

Dated 13/9/86

Recd.

Encl.

G.O. 10th Septr 1886. No. 2288 W
2289 W
2290 W

Indent

Orders forwarding to the Director General of Stores, India Office, an — for materials for lightning conductors for certain public buildings.

45/4 Indent

The — for materials for lightning conductors for certain public buildings in the Presy, ordered to be forwarded to the Director General of Stores, India Office, for Compliance.

15/2 Indent

An — for materials for lightning conductors for certain public buildings, forwarded to the Director General of Stores, India Office, for Compliance.

Indent 37/2

Copy of letter to the Director General of Stores, India Office, forwarding an — for materials for lightning conductors for certain public buildings, forwarded to the Secy of India

---

1887.

P. W. DEPARTMENT. 1247-49 / 27

Current No. 9815 of 1886
426. of 1887.

From

The Examiner
P. W. Accts.

Enclos.—3
1 in duplicate

No. 504 SEVC

Dated 20-1-87

Received 21—"—"

SUBJECT.

St Thomas's Church Ootacamund

Forwarding indent for lightning conductors for — and stating that the certificate will be granted on receipt of information whether the appropriation for the work will be included in the Estimates of the current official year.

DISPOSAL.

No. 88 D. Dated 25th April 1887.

To
C.

Your endorsement No. 504 SE.V of 20th January 1887 retransmitted with enclosures.

Funds to the extent of the sanctioned estimate have been allotted in Separate Pros.× for supplying lightning conductors to St Thomas Church Ootacamund

Indent

Orders forwarding to the Director General of Stores, India Office, an — for materials for lightning conductors for certain public buildings.

11/7

Please therefore furnish the necessary certificate.

* Copy will be communicated when printed.

The Govern P.W.A. with 3 encl. & indent in triplicate.

4513 C of 17.12.86
2813 W of 25.10.86 A
2288 W
2289 W } 10/9/86
2290 W
2817 C of 17.8.86
1937 W of 6.8.86
1430 W of 7.6.86

Despatched 25/4/87

Enclosure No. 2 of Endorsement No. 504 I.E. 5th of 20th Jany/87

No. 468
E.W.

Superintending Engineer's Office 4th Cir.
Coimbatore 14th December 1886.

24/47
28

From

The Superintending Engineer,
IV Circle.

To

The Chief Engineer,
P. W. Department.

Enclosures
1 Indent in triplicate

Sir,

In continuation of my letter No. 307 of 14th August 1886, I have the honor to forward an Indent in triplicate on the Indian store Department for materials required for the Lightning Conductors sanctioned in G.O. No. 2813 W of 25th October 86 for St. Thomas' Church at Ootacamund.

I have the honor to be,
Sir,
Your most Obt Servt.

J. Beatty Colonel R.E.
Superintending Engr. 4th Cir.

P. W. C. No

No 49
27 APR 87

4

504 E 5 3338

No. 4513 C of 17th December 1886.

Forwarded to the Supdg Engr V Circle in view to the estimate being put into proper shape by the General Supt. P.W. Stores, & resubmitted through the Examiner P.W. Accounts.

Colonel R.E.
Chief Engineer P.W.D.

From

The Supdg: Engineer
4th Circle

To

The Chief Engineer
P.W. Department.

Dated 14th } December 1886
Received 15 }

No. 468
E.W.

Enclosure 1.

Lightning Conductors for St Thomas Church at Ootacamund.

Forwards an indent in triplicate on the Indian Store Department for materials required for the —

Forwarded.

Enclosure No. 1 of Endorsement No. 504 E 5 d/ 20/1/87

P. W. Store Department,

No. 994 S

Madras, 10th January 1887.

124/49
29

From

The General Superintendent,
Public Works Stores,

To

The Superintending Engineer 5th Circle
Madras

Sir,

Enclosures. Two
Indent in Triplicate
Letter from S.E. 4th Circle

With reference to your docket No. 4780 dated 21st December 1886, I have the honor to forward for submission to Government, thro' the Examiner Public Works Accounts Indent in triplicate for Lightning Conductors required by the Supdg Engineer 4th Circle for Saint Thomas' Church Ootacamund. These stores cannot be advantageously obtained in the local market.

Sanction has been accorded to the Estimate in G.O. No. 2813 W dated 25th October 1886.

I have the honor to be
Sir,
Your most Obedient Servant

O'Connell
General Supdt P. W. Stores

N° 622

N° 47

27 APR

504 PS5 1-87

1887

Enclosure
1 Indent in triplicate
1 Original Endorsement
of Chief Engineer
N° 4513 C dated 17th
December 1886.

From
The General Supt. P. W. Stores
Madras

To
The Superintending Engineer
5th Circle

N° 5012

Dated 10th January } 1887

N° 99 Ind

Forwards an Indent in triplicate on the Home Government for Lightning Conductors required by the Supdg. Engineer 4th Circle for Saint Thomas' Church Ootacamund.

Forwarded to the Chief Engineer P.W. Department thro' the Examiner of P.W. Accounts.

W H Burton
Col. R.E.
Superintg. Engr.
5th Circle

12th January 1887

Quote 4

124749
30

Endorsement No 504 PS5 dated 20th January 1887.

Forwarded to Secretary to Government, Public Works Department. The Certificate will be granted on receipt of information whether the appropriation for the work will be included in the Estimates of the current official year. It will be seen in G. O. No 2813 W dated the 25th October 1886, that the execution of the work has been authorized on funds becoming available.

O. C. Gordon

Examiner of P. W. Accts.
Madras

R.T.
20/1

E. Stey
20/1

Encs: 3

No 4513 C of 17-12-86
" 2813 W of 25-10-86
" 2288/2289/229 W of 10-9-86

No 2817 C of 17-8-86
" 2290 W of 10-9-86
" 2289 W of 10-9-86
" 2288 W of 10-9-86
" 1937 W of 4-8-86
" 1430 W of 7-6-86

No 47

3320

[illegible] will stand [illegible] for the works [illegible] G.O. [illegible]

221.07

S.S. IV Circle
S.S. V Circle
[illegible]

4/4

[C. No. 8.]

124749/31

GOVT. OF MADRAS. } 1887. { P. W. DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 2nd MAY 1887

OFFICE NOTE No. 73

To
W.

Encs: 7

YOUR OFFICE NOTE NO. 38 D. DATED 25TH APRIL 1887.

THE INDENTS ARE RETURNED WITH THE NECESSARY CERTIFICATE.

2. THE AMOUNTS SHOULD HAVE BEEN ENTERED IN ENGLISH MONEY VIDE RULE 4 OF THE RULES FOR OBTAINING STORES FROM ENGLAND EMBODIED IN GOVERNMENT OF INDIA'S PROCEEDINGS NO. 12 M. DATED 13TH JANUARY 1886, COMMUNICATED WITH G.O. NO. 302 W. DATED THE 25TH JANUARY 1886.

C.

Keep-with Genl. No.
dated 188 .

G.O. 202 W 25.1.86.
" 38 D d/ 25.4.87 with file

P.W.C. No 3338

(3)

Forwarded to
the Supg Engr
V Circle in view
to the indent
being revised
in accordance
with No. 4 of the
Rules printed in
G.O. No. 202 W
dated 25th
January 1886.

(By order)
Capt RE
Dy Chief Engr.

Rq 3.5.87
Enc: 5 +
(+1 in triplicate)

With the indent in trip

Sgd

Write to SE V to call
the attention of the Supdt
to the G.O
above
See separate note
by D.W.

W

5.5.87 5.5.87

1247-49
32

6

Certificate by the Examiner P W Accounts

(247)49
33

				Grant			
No. and date of Indent or Letter with which received	Description and value of articles indented for		Work and Division to which the value is chargeable	Amount	Authority	Certificate attached by the Examiner	Remarks
1	2		3	4	5	6	7
	Provincial		Nilgiri Division				
W. Office Note No. 38 D dated 25th April 1887	Copper rods solid 3/4 inch diameter ft —— do —— 1/4 —— do —— Copper Tapes 1 inch x 1/4 inch —— —— do — 1 1/4 inch x 3/4 inch —— —— do — 1 1/4 inch x 1/8 inch —— Copper plates 3 ft x 1/8 inch ——	£ s d 67 4 4½	Providing lightning Conductors to St. Thomas Church, Ootacamund	Rs 1166	W. Office Note No. 38 D dated 25th April 1887	I certify that funds to meet the outlay which it is estimated will be incurred in England in connection with this indent during the year 1887-88, have been provided for in the estimates of the Public works Department to the extent of £ 67-4-4½.	

Ch Strahan Major R.E.
Examiner P.W. Accounts
Madras.
M.G.
2/5

Madras
2nd May 1887

Bal.
4/5

Genl
Acct

PUBLIC WORKS DEPARTMENT.

No. 1247

1247-49
3/4

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 7th May 1887

A/

READ the following

Print From the Supy: Engineer IV Circle A. C. No. 468/E.4 d/14th December 1886

Print with the ... Supy Engineer V Circle .. .. 501 d/17th Jany 1887

Endorsement by the Exr: Pt. Accts .. .. 504 A.E.5th d/20th Jany 1887

Office [illegible] print the certificate ... the Exr: Pt. Accts 73 d/2nd May/87

Ordered that the indent be forwarded to the Director-General of Stores, India Office, for compliance.

Supy: Engrs IV & V Circles
Exr: P.W. Accounts

19/5

(A. E. No. 1248 W. 9th May/87

To
The Director-General of Stores,
India Office, London

Sir
I am directed to forward

herewith, for favor of early compliance, an indent (in duplicate) for materials for lightning conductors for ~~certain~~ St. Thomas' Church ~~public buildings in~~ Ootacamund ~~this presidency~~.

2. A certificate by the Examiner, Public Works Accounts, to the effect that the necessary funds have been provided, accompanies.

G. O. No. 1247 W d/9th May/8

A. E. No. 1249 W d/9th May 1887.

To The Secretary to the Govt of India
P. W. Department

Sir,

I am directed to forward, for information copy of my No. 1248 W of this date, to the Director General of Stores, as accompanied by the triplicate copy of the indent referred to therein.

pd
1247-49
35

McN
5.5.87

HB.
4/5/87

JCL
6/5/87

DC
19/5/87

Note

Indents to be signed by W.

1247-49
36

3338.

Govt. of [illegible] Madras.

PUBLIC WORKS.

urgent

please
Read [illegible]
11/6/83

10-5

Dated

Encl. Encl.

No. 9th May 1883. No. 1247
1248
1249

Indent

An — for materials for lightning conductors for St. Thomas' Church Ootacamund ordered to be forwarded to the Director General of Stores, India Office, for compliance.

Indent

An — for materials for lightning conductors for St. Thomas' Church Ootacamund forwarded to the Director General of Stores, India Office, for compliance.

Indent

Copy of a letter to the Director General of Stores, India Office, forwarding an — for materials for lightning conductors for St. Thomas' Church Ootacamund forwarded to the [illegible] India

Gen.