

86/7/31.3.86

(12) No. 511.T.5

3.82

No 1373C 184.87
 No 8387 19.3.87
 No 3371 22.12.86
 No 3321 16.12.86
 No 4170 24.11.86
 No 5852 30.8.86
 No 3630 8.7.86
 No 1670 21.5.86
 No 1177 23.2.86
 No 1827 W a 7 July 1887

Commd. and
 Comd. and
 the Estimate
 forwarded to the
 Suptg Engr. & Coide
 for disposal.
 2.7.87

4/1/87

G.E.T.C.
 with report of abstract
 estimate & wrapper
 in duplicate.

P.M.C. No 5003
 Govt. of 188 Madras.

To
 The M.D.

R 1-7-87
 Proceedings, dated 21/6/1887
 No. 100

Subject.
 No 1827 W a 7 July 1887
 Approving Estimate
 for Rs 1495 for
 the repair of bomb
 stores in St Mary's
 Cemetery Madras.

5/1

867 W. 31. 3. 86

(12) No. 511 T. J.
P. M. C. No. 51187

No. 783

SUPERINTENDING ENGINEER'S OFFICE,

V CIRCLE, MADRAS,

Chepak, 12th May 1882

From

Col. R. A. Burdett & Co.

THE SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE Venerable the Archdeacon.
Madras

SIR,

Enclosures. 2

I have the honor to forward for your approval and disposal an Estimate for the repair and remodelling of 140 Tombstones and monuments in Saint Marys Cemetery. All these have been notified in the Fort Saint George Gazette dated 9th May 1882. as requiring repair.

There are 137 other Tombs in this cemetery which also require repair. An Estimate will be sent to you dealing with these after the necessary Committee has been given, to meet of kind, in the Fort Saint George Gazette.

I have the honor to be,

Sir,

Your most obedt. servt.

R. A. Burdett Col. R. A.

Super. Eng. & Linds.

31. 3. 86

From

THE SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE

Dated

Reed.

ENCLOSURES.

No.

*In: 1
PW 5003/57*

188

Recd. 189/87

[25]



Consular Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following paper

From the Venerable the Archdeacon
of Madras, dated 7th June 1887 No 244

I have the honor to forward for the
favorable consideration of Government
a letter from the Superintending Engineer
V Circle, with estimates amounting to
Rs. 1495 for the repair and remodelling
of 170 Tombstones and Monuments in Saint
Mary's Cemetery, Madras.

2. The executive Engineer mentions
that there are still 137 Tombs needing
repair, concerning these notice will be
given to friends in the Fort Saint George
Gazette.

3. Every Endeavour is being made to
put St. Mary's Cemetery into proper order.
The Chaplain informs me that 350 young
trees have been lately planted, and
were last month placed under his
charge; and requests me again
to address Government and ask
sanction

Sanction

3-86
injunction for the entertainment of two
extra lascaros, as recommended in
the Report of the Chaplain and Execu-
tive Engineer, submitted with my letter
No. 100 dated 11th August 1886.

I trust Government will be pleased
to consider this application favorably
and direct that provision be made
in the Budget estimate of the P.W.
for watering the trees, and keeping
the ground in perfect order.

Order Number 21st June 1887 No. 100.

The estimate of Rs. 14.95 for the
repair of tombstones &c. is approved
and transferred to the Public Works
Department.

As regards the planting of new
trees and the entertainment of addi-
tional lascaros, the Venerable the
Archdeacon will be requested to re-
port on para 2 of G.O. 26th August
1886 No. 192 Ecclesiastical, a copy of
which will now be furnished to him.

| True Extract |

W. Meyer

Asst. Secy

To The Public Works Department, with encls. -
Venerable the Archdeacon