

tripling deviations from

E. I. FORM No. 3.

FORMER CASES.

No.	dated	188 .
"	"	188 .
"	"	188 .

LATER CASES.

No.	dated	188 .
"	"	188 .
"	"	188 .

Printed in P.M.G., No. dated

REMINDERS RECEIVED.

No. 1, dated	188 .
" 2, "	188 .
" 3, "	188 .
" 4, "	188 .
" 5, "	188 .

No. 1862 Wd/12-7-87
~~KEEP WITH~~

B Sanctioned
Sanctioned

C. E. P. S. J. 5.7.57
C. E. P. S. J. 11/7/57
C. E. P. S. J. 13/7
C. E. P. S. J. 15/7
C. E. P. S. J. 17/7
C. E. P. S. J. 19/7
C. E. P. S. J. 21/7
C. E. P. S. J. 23/7
C. E. P. S. J. 25/7
C. E. P. S. J. 27/7
C. E. P. S. J. 29/7
C. E. P. S. J. 31/7

PWC No. 5094
1887.

From

THE CHIEF ENGINEER FOR IRRIGATION,

To

THE Chief Engineer
J. W. W.

No. 268w
Dated 2.7.87
Despatched
Received 5.7.87

ENCLOSURES.

No. 1862 Wd/12-7-87

Subject.

Recommendation
In. Appraising Row
Supt. of the Construction
Branch of the E. I. Office
for exemption from
passing the examine
in the P. W. Code.

tripling deviations from

Note by the Chief Engineer for Irrigation
No 36. Sub.

On the transfer of Mr. Baldrey to the Chief Engineer's office, Mr. Appaswami Row who was acting as Superintendent of the Construction branch during Mr. Baldrey's employment in the Tank restoration office was confirmed. In G.O. No 1056 W. dated 6th May 1885, he was exempted from passing the Code examination prescribed for clerks while acting as Superintendent of the Construction branch. The Examiner of P.W. Accounts requires a separate order of Government exempting Appaswami Row from passing this examination after his confirmation in the appointment to enable him to pass his pay under the rules of P.W. Code. For the reasons stated in this office note No 50 E.W. dated 22nd April 1885, it is recommended that sanction may be accorded to his exemption from passing the examination.

Chepalu }
2nd July 1887 }

M. M. M. } Colonel R. B.
Chief Engineer for Irrigation

To The Chief Engineer P.W. Dept.