

(1) Number of page 28
 (2) Date of Repair Nov 21 88
 (3) Initial of the ✓
 Referee 2

Tamil Nader Archins.
 Govt of Tamil Nadu.
 P.W. Department.

G.O. No.	3208(W)	Pm
B.P. No.		Min
Date	24.11.1887	

7

3208
T

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers:—

Proceedings of the Court of Wards, dated 23rd May 1887, No. 673.

Read—the following letter from J. G. HORSFALL, Esq., Collector of Ganjam, to the Secretary to the Board in the Department of Land Revenue, dated Berhampore, 16th April 1887, No. 112:—

Referring to Court of Wards' Proceedings, dated 2nd November 1886, No. 1388, I have the honor to state that the late Acting Collector, Mr. Sewell, asked the Executive Engineer of the then Rushikulya division to state which of the buildings in the estates of Chinna Kimedi, Dhārākōt and Bodagada estates he would hand over to the estate managers. The enclosed is a copy of the now Ganjam Division (which comprises the whole district) Engineer's reply, dated 9th instant, No. 2-R.

2. The Engineer says that all the repairs which have been sanctioned since he took over charge would be executed by him, and suggests that future repairs to the buildings in these estates be executed by the estate managers.

3. In my opinion all the buildings should remain in the charge of the Public Works Department, and any urgent repairs which cannot at once be undertaken by the Public Works Department be executed by the estate managers under orders of the Collector.

4. As regards the irrigation works, I agree with the Executive Engineer that works for tanks irrigating less than 50 acres might be undertaken by the estate managers with a small establishment. I would recommend this proposal for Board's sanction not only in the case of Dhārākōt, Bodagada and Chinna Kimedi, but also in the case of Urlam, Jarada and Kurla, Tarlipeta, Aska and Chakepilli estates recently taken under Court's management.

5. The proposal of entertaining one establishment for more than one estate does not commend itself to me.

6. There should be a separate establishment for each estate, and it should be subordinate to the manager of that estate. I therefore recommend that the Collector may be authorised to entertain such establishment for each estate as he may consider necessary provided that the cost of the establishment may not exceed 15 per cent. of the total expenditure as in the case of Government minor irrigation works.

7. I may add that in the estates of Chinna Kimedi, Dhārākōt and Bodagada little or nothing has been done by the Public Works Department for the last two years, and that repairs are urgently needed. I have therefore, in anticipation of Board's sanction to the above proposals, instructed the managers of the three estates in question to undertake at once the necessary repairs to tanks with ayacut of less than 50 acres.

ENCLOSURE.

From J. HANNAN, Esq., Executive Engineer, Ganjam Division, to the Collector of Ganjam, dated Russellkonda, 9th April 1887, No. 2-B.

With reference to your endorsement, No. —, dated —, on Court of Wards' Proceedings, No. 1388, dated 2nd November 1886, I have the honor to state that I do not think that there are any buildings in the Chinna Kimedi, Dhārākōt and Bodagada estates of sufficient importance to be looked after by the Public Works Department or which cannot be easily looked after and repaired by the managers.

2. I propose to carry out all the repairs to buildings in these estates which have been sanctioned since I took over charge including building a compound wall round the palace (so called) of the Chinna Kimedi Zerindar, the estimate for which amounts to Rs. 4,360, but I would suggest that in future all repairs to these buildings be carried out by the manager.

3. Be good enough to let me know, with reference to the above-quoted proceedings, whether you are willing that all tanks irrigating less than 50 acres should be repaired by the estate manager as in the case of the Parlākimedi estate. This would leave to my staff more time to investigate and carry out the requirements of the more important works.

Resolution—dated 23rd May 1887, No. 678.

The Court agree with the Collector that the buildings on the estates referred to should be placed in charge of the Public Works Department. This course should, if possible, be followed. They also approve of the Collector's proposals regarding the minor irrigation works on the estates, and they sanction the entertainment of necessary establishments subject to the condition that the charge on their account shall not exceed 15 per cent. of the total expenditure.

(True Copies and Extract.)

(Signed) M. HAMMICK,
Acting Secretary.

No. 3597, Revenue.

Forwarded.

(Signed) J. F. PRICE,
Ag. Secy. to Government.

23rd June 1887.
To the Public Works Department.

From G. T. WALCH, Esq., Superintending Engineer, I Circle, to the Chief Engineer, Public Works Department, dated Dowlaiswaram, 31st July 1887, No. 321 G.N.

With reference to your No. 2236, dated 4th July 1887, I consider the proposal made by the Collector and approved by the Court of Wards, that in estates of the Ganjam district under that Court the tanks irrigating less than 50 acres should be managed by the estate managers, to be a wise one, indeed I would go further, and hand over to the same agency all tanks irrigating less than 200 acres.

2. I certainly advocate the again separating the present Ganjam division into two as long as the Rushikulya works are in progress; but as an Executive Engineer with only the southern portion of the district has so little to do as hardly to warrant the formation of it as a separate division, I would advocate the making the Rushikulya division simply and solely the Rushikulya Works and giving to the Ganjam division everything else, in short all the old Ganjam division had before the Rushikulya was first separated from it.

3. I would give the Rushikulya division two sub-divisions with sub-division officers, "Russellkonda" and "Surada," and a sub-division, "Aska," which could, when the Executive Engineer had only these works, be easily worked without a special

sub-division officer by the Executive himself. The head-quarters of the Rushikulya division would then be as was before intended Doegam.

4. For the Ganjam division, head-quarters Berhampore; there would then be three sub-divisions—Berhampore, which could easily be worked by the Executive Engineer without a special sub-division officer, Chicacole and Parlākimedi. No doubt, under ordinary circumstances, the Parlākimedi estate might be worked as part of the Chicacole sub-division, but the circumstances are not ordinary, and to do the estate justice and to have some one of position always, or nearly always, at the head-quarters of the estate to attend to the wants of the estate authorities, I consider it very advisable that it should form a separate sub-division.

5. The grants applied for for expenditure in the various estates amount to Rs. 1,19,600, and supposing the expenditure to amount to Rs. 1,00,000, the amount to be contributed for establishment would be Rs. 23,000 whilst the estate's establishments as now sanctioned amount to Rs. 12,288 per annum, and I see no reason why the total cost of all establishments under the proposal now made should be more than that now, except perhaps to the extent of an extra accountant.

6. As, however, the Chief Engineer for Irrigation will probably soon visit the Rushikulya works with me, I would request permission to defer detail proposals till I can discuss the matter with him.

From G. T. WALCH, Esq., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Dowlaiswaram, 27th October 1887, No. 487 G.N.

With reference to the Chief Engineer's memorandum, No. 2758, dated 16th August 1887, and your No. 28 G.N., of 20th instant, I have the honor to submit the following proposals with reference to the reconstituting of the present Ganjam division (including Chicacole sub-division) into two divisions, viz., (a) Rushikulya division, (b) Ganjam division, and I enclose the necessary proposition statements for the permanent office and office petty establishments for transmission to the Chief Engineer if the proposals meet with your approval.

2. As stated in my No. 321 G.N., dated 1st August 1887, to the Chief Engineer, I recommend that the Rushikulya division should have three recognised sub-divisions, viz. :—

- (a) Russellkonda, to embrace all the works north and east of the Rushikulya river.
- (b) Aska, to embrace all the works of the Rushikulya canal.
- (c) Surada, Surada reservoir and its works.

But it will be sufficient for the present to supply only two sub-division officers and their establishments, because the Surada reservoir works are in abeyance.

3. To the Ganjam division I would also give three sub-divisions, but only two special sub-division officers and their establishments, because there is no reason why the Executive Engineer should not himself directly manage the Berhampore or head-quarters sub-division; the three sub-divisions would be—

- 1st. "Berhampore" or "head-quarters" to include all the works in the northern part of the division and the four Court of Wards' estates, Chinna Kimedi, Dhārākōt, Bodagada and Jarada.
- 2nd. "Chicacole" to include all works in the southern portion of the district, chiefly the irrigation works of the Vamsadhāra and Nangulia rivers and the Utlam Court of Wards' estate.
- 3rd. "Parlākimedi" the Parlākimedi estate.

4. The head-quarters of the Rushikulya division to be at Doegam as long ago settled, and the quarters for the division office establishment to be built there as sanctioned in G.O., No. 922 I., dated 22nd December 1886.

5. The Ganjam division head-quarters to be at Berhampore.
6. As regards the Engineering staff, I would propose that it should be arranged thus:—

	Executive Engineers	Assistant Engineers	Upper Subordinates, permanent	Lower Subordinates, permanent	Upper Subordinates, temporary	Remarks
Now sanctioned ..	2	3	9	..	..	See G.O. No. 315 W., dated 21st March 1887. Out of six allowed for circle. Of which four for estate works.
Do. Do.	..	..	..	2	..	
Proposed. For Rushikulya division.	1	2	5	1	1	* 2 Russellkonda reservoir works. 1 Gumsir head works. 1 Mahanadi canal. 1 Ganjam head works and 10 miles Rushikulya canal. 1 Godahallow aqueduct and canal near at hand. † 1 Sheegadda cutting. ‡ 2 Berhampore sub-division. § 2 Chiknole sub-division. 2 Berhampore sub-division. ¶ 2 Parlakimedi. 1 Other estates.
For Ganjam division ..	1	..	2	1	1	
Total ..	4	5	16	4	3	

From which it will be seen that as long as the Surada reservoir works are in abeyance, I consider the Engineering staff may be less than that sanctioned under the present arrangement by one Assistant Engineer and one temporary upper subordinate.

7. As regards the permanent office and office petty establishments, the enclosed proposition statements will show that there is a slight excess of Rs. 2 per month in the proposed over the existing arrangements, but one of the clerks proposed for the Rushikulya division on average pay of Rs. 27½ would be required solely in the interests of "accounts," to which, as in the case of similar clerks in many of the divisions, he ought really to be charged.

8. To lessen the amount of trouble in redistribution of budget grants and office work generally and the liability to confusion in accounts, I would recommend that the alterations now proposed should not come into force till the close of this official year by which time the establishment quarters at Doegam might be ready.

9. I would remark that, if the proposals now made are carried out, it may be advisable that general Public Works Department works in and about Russellkonda and Aska should be carried out by the Rushikulya division staff, but this would probably be most simply arranged for by special requests in each case from the Ganjam division, to which would be given all allotments for such works in the budget.

No. 76 E.W.

Note by the Chief Engineer for Irrigation.

As requested in Chief Engineer's endorsement, No. 2758 C., of 16th August 1887, the detailed proposals for constituting the present Ganjam division into two divisions are forwarded. Mr. Walsh's proposals are approved of by me, and they ought to meet all requirements. It is, I consider, absolutely necessary, in order that the Rushikulya works may be properly carried on, that it should be made a separate division and that the Executive Engineer should have his head-quarters at Doegam and not be, as at present, liable to be called away from the Rushikulya works on other duty.

2. I regret that the Superintending Engineer does not see his way to make these changes until the end of this official year, but for the reasons given accept that the division shall remain as it is for this official year.

CHEPÆE, (Signed) H. R. MEAD, Colonel, R.E.,
10th November 1887. Chief Engineer for Irrigation.
To the Chief Engineer, Public Works Department.

ORDER—dated 24th November 1887, No. 3208 W., Public Works.

As recommended by the Court of Wards in their Proceedings of the 23rd May 1887, No. 678, the buildings on the estates in question will be placed in charge of Public Works Department officers, who will also undertake all works for tanks irrigating 50 acres and above.

2. To admit of proper effect being given to these orders, the Ganjam division will, with effect from the 1st April next, be reconstituted as follows:—

- (a) Rushikulya division, with head-quarters at Doegam.
(b) Ganjam division, with head-quarters at Berhampore.

3. The Rushikulya division will have three sub-divisions, but only two sub-divisional officers at present, the Surada sub-division being temporarily in abeyance. The Ganjam division will have four sub-divisions, the head-quarter sub-division being directly under the Executive Engineer.

4. The re-arrangement of the Engineering staff proposed in paragraph 6 of the Superintending Engineer's letter, No. 487 G.N., dated 27th October 1887, and the proposals for working the new divisions, are approved; and sanction is accorded to the revised scale of office and petty establishments shown in the proposition statement submitted by the Superintending Engineer. The net increase is Rs. 2¼ per mensem.

5. The sanction accorded in paragraph 4 of these proceedings is registered as Provincial, No. 46 W. of 1887-88, and classified as Establishment, Permanent.

(True Extract.)

Captain, R.E.,
Under Secy. to Govt., P.W.D.

To the Superintending Engineer, I Circle.
" Chief Engineer for Irrigation.
" Examiner, Public Works Accounts, with proposition statement.
" Revenue Department.

Exd. J. Moses.
Spare Copies

GENERAL
ESTABLISHMENT.

Govt. of (1887) Madras.

PUBLIC WORKS.

Dated November, 24th.

Recd.

Encl.

G.O., 24th Nov. 1887, No. 3208 W.

NOVEMBER.

Estate Works in the Ganjam
Division

Orders directing that the buildings on certain — be placed in charge of the Public Works Department officers who will also undertake all works for tanks irrigating 50 acres and above, and reconstituting the

COURT OF WARDS, 23RD MAY 1887, No. 678.

PROCEEDINGS OF THE COURT OF WARDS, *Notes*

READ—the following letter from J. G. HORSFALL, Esq., Collector of Ganjam, to the Secretary to the Board in the Department of Land Revenue, dated Berhampore, 16th April 1887, No. 112:—

Referring to Court of Wards' Proceedings, dated 2nd November 1886, No. 1388, I have the honor to state that the late Acting Collector, Mr. Sewell, asked the Executive Engineer of the then Rushikulya division to state which of the buildings in the estates of Chinna Kimedi, Dhárakót and Bodagada estates he would hand over to the estate managers. The enclosed is a copy of the now Ganjam Division (which comprises the whole district) Engineer's reply, dated 9th instant, No. 2-R.

2. The Engineer says that all the repairs which have been sanctioned since he took over charge would be executed by him, and suggests that future repairs to the buildings in these estates be executed by the estate managers.

3. In my opinion all the buildings should remain in the charge of the Public Works Department and any urgent repairs which cannot at once be undertaken by the Public Works Department be executed by the estate managers under orders of the Collector.

4. As regards the irrigation works, I agree with the Executive Engineer that works for tanks irrigating less than 50 acres might be undertaken by the estate managers with a small establishment. I would recommend this proposal for Board's sanction not only in the case of Dhárakót, Bodagada and Chinna Kimedi, but also in the case of Urlam, Jarada and Kurla, Taripeta, Aska and Chakepilli estates recently taken under Court's management.

5. The proposal of entertaining one establishment for more than one estate does not commend itself to me.

6. There should be a separate establishment for each estate and it should be subordinate to the manager of that estate. I therefore recommend that the Collector may be authorised to entertain such establishment for each estate as he may consider necessary provided that the cost of the establishment may not exceed 15 per cent. of the total expenditure as in the case of Government minor irrigation works.

7. I may add that in the estates of Chinna Kimedi, Dhárakót and Bodagada little or nothing has been done by the Public Works Department for the last two years, and that repairs are urgently needed. I have therefore, in anticipation of Board's sanction to the above proposals, instructed the managers of the three estates in question to undertake at once the necessary repairs to tanks with ayacut of less than 50 acres.

ENCLOSURE No. 1.

From J. HANNAN, Esq., Executive Engineer, Ganjam Division, to the Collector of Ganjam, dated Russellkonda, 9th April 1887, No. 2-R.

With reference to your endorsement, No. —, dated —, on Court of Wards' Proceedings, No. 1388, dated 2nd November 1886, I have the honor to state that I do not think that there are any buildings in the Chinna Kimedi, Dhárakót and Bodagada estates of sufficient importance to be looked after by the Public Works Department or which cannot be easily looked after and repaired by the managers.

2. I propose to carry out all the repairs to buildings in these estates which have been sanctioned since I took over charge including building a compound wall round the palace (so called) of the Chinna Kimedi Zemindar, the estimate for which amounts to Rs. 4,300, but I would suggest that in future all repairs to these buildings be carried out by the manager.

3. Be good enough to let me know, with reference to the above-quoted proceedings, whether you are willing that all tanks irrigating less than 50 acres should be repaired by the estate manager as in the case of the Parakimedi estate. This would leave to my staff more time to investigate and carry out the requirements of the more important works.

Resolution—dated 23rd May 1887, No. 678.

The Court agree with the Collector that the buildings on the estates referred to should be placed in charge of the Public Works Department. This course should, if possible, be followed. They also approve of the Collector's proposals regarding the minor irrigation works on the estates, and they sanction the entertainment of necessary establishments subject to the condition that the charge on their account shall not exceed 15 per cent. of the total expenditure.

(True Copies and Extract.)

M. M. M. M.

Acting Secretary.

To the Collector of Ganjam.

" Public Works Department, through the Secretary to
Government, Revenue Department.

Ed. A. Aubert.


3208
5

5047

REVENUE DEPARTMENT

1887.

Court of Wards,



Printed June 14.

Rgb

Proceedings, 23rd May 1887, No. 676.

As being with the Collector of Ganjam that the buildings in the Chinna Kinnik, Dekk, and Dodagada estates should be placed in charge of the Public Works Department; approving the Collector's proposals regarding the minor irrigation works in the estates; and sanctioning the entertainment of necessary establishments subject to the condition that the charge on their account shall not exceed 10 per cent. of the total expenditure.

G.O. No. 3577 of 1887

Forwards

Administrative

By Secretary to Govt.

No. 321 *G.D.*

FROM

G.I. Walsh Esq.
THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWARAM, 31st July 1887

Desps 1st August 1887

Recd 1
Contd. No. 1 SIR,
No. 456789
23rd May 1887

With reference to your No. 2236

4-7-87.

1. I consider the proposal made by the Collector and approved by the Court of Wards that in Estates of the Ganjam District under that Court the Tanks irrigating less than 50 acres should be managed by the Estate Managers, to be a wise one, indeed I would go further, and hand over to the same Agency all tanks irrigating less than 200 acres.

2. I certainly advocate the again separating the present Ganjam Division into two as long as the Rushikulya works are in progress; but as an Executive Engineer with only the Southern portion of the District has so little to do as hardly to warrant the formation

was
of a separate Division. I would ad-
vocate the making the Rushikulya Dⁿ
simply and solely the Rushikulya Works
and giving to the Ganjam Division everything
else, in short all the old Ganjam Division
had before the Rushikulya was first se-
parated from it.

with perhaps a
just the little
to be done in con-
tion with building
in Ganjam
Baka.

3. I would give the Rushikulya Divi-
sion two Sub Divisions with Sub Divi-
sion Officers "Russelkonda" & "Surada"
and a Sub Division "Baka" which
could, when the Executive Engineer had
only these works, be easily worked with-
out a special Sub Division Officer by
the Executive himself. The Head Quar-
ters of the Rushikulya Division would
then be as was before intended Doegam.

4. For the Ganjam Division head
Quarters Berhampur, there would then
be three Sub Divisions. Berhampur
which could easily be worked by the
Executive Engineer without a special
Sub Division Officer,

Chicacole and Parlakimidi. No
doubt under ordinary circumstances
the Parlakimidi Estate might be
worked as part of the Chicacole Sub
Division but the circumstances are
not ordinary & to do the Estate justice
& to have some one of position always, or

3208
nearly always, at the head Quarters of
the Estate to attend to the wants of the
Estate authorities I consider it very
advisable that it should form a sepa-
rate Sub Division.

5. The grants applied for for expen-
diture in the various Estates amount
to Rs 1,19,600 and supposing the expendi-
ture to amount to Rs 1,00,000 the amount
to be contributed for Establishment
would be Rs 23,000 whilst the Estates
Establishments as now sanctioned amount
to Rs 12,288 per annum and I see no rea-
son why the total cost of all establishments
under the proposal now made should be
more than that now - except perhaps to
the extent of an extra Accountant.

6. As however the Chief Engineer for
Irrigation will probably soon visit the
Rushikulya works with me I would
request permission to defer detail pro-
posals till I can discuss the matter with
him.

I have the honor to be,
Sir,

Your most Obedient St-

C. P. Wall.

Supl. Engr. 1st Circle.

let

1000000
230000
12288
117712

No 22360-4.7.87.

FROM

G. J. Walsh Esq.
THE SUPERINTENDING ENGINEER
FIRST CIRCLE

TO

(1)
THE CHIEF ENGINEER
PUBLIC WORKS DEPARTMENT

DATED
DESPATCHED
RECEIVED

3/12 July
1/2 August
1887

No. 3216/N

ENCLOSURES. 1

SUBJECT.

Ganyam Division

I advocate the again
separating the present
into two, as long as the
Rushikulya works are
in progress.

Wm
9.5.87

13/6/87

B. 1/1/87

E

S. E. I circle / bus

29/8

London 19th. 9.5.87. On 13/6/87

No. 487 Cpn.

FROM

G. J. Walsh Esq.
THE SUPERINTENDING ENGINEER

FIRST CIRCLE

TO

THE CHIEF ENGINEER

FOR IRRIGATION.

3208

Encls
/ Statement

DOWLAISHWARAM, 27 October 1887
Sep 28

SIR,

With reference to the Chief Eng^r
Memo No 2758-16-8-87 & your No 28 & N.
of 20th Instant, I have the honor to submit
the following proposals with reference to the
reconstituting of the present Ganyam Divⁿ
(including Chicaasle Sub Division) into two
Divisions viz-

- (a) Rushikulya Division-
- (b) Ganyam Division; and I enclose
the necessary proposition statements for
the permanent office & office Petty Establish-
ments for transmission to the Chief Engineer
if the proposals meet with your approval.

2. As stated in my No 321-1-8-87
to the Chief Engineer I recommend that
the Rushikulya Division should have 3
recognised Sub Divisions viz:

- (a) Russelkonda to embrace all the
works north and East of the Rushikulya River.
- (b) Chika to embrace all the works of
the Rushikulya Canal.

Recd in office
13/6/87

(c) Surada - Surada Reservoir and its work -
But it will be sufficient for the present to supply only two Sub Division Officers & their establishments because the Surada Reservoir works are in abeyance -

3. In the Ganjam Division I would also give 3 Sub Divisions but only 2 special Sub Division Officers & their Establishments, because there is no reason why the Executive Engineer should not himself directly manage the Berhampur or Head Quarters Sub Division; the 3 Sub Divisions would be

(1st) "Berhampur" or "Head Quarters" to include all the works in the Northern part of the Division and the four Court of Wards Estates Chimma Kimidi - Dharakota, Kodagooda & Sarada.

(2nd) "Chicacole" - To include all works in the Southern portion of the District, chiefly the irrigation works of the Vamsadhara & Mangulia Rivers & the Utlam Court of Wards Estate.

(3rd) "Parlakimidi" - The Parlakimidi Estate.

4. The Head Quarters of the Rushikulya Division to be at Dongam as long ago settled, and the Quarters for the Division Office Establishment to be built there as sanctioned in G.O. No. 922 - 22-12-86.

5. The Ganjam Division Head Quarters to be at Berhampur -
6. As regards the Engineering Staff I would propose that it should be arranged thus

	Executive Engineer	Assistant Engineer	Superintendent	Lower Subordinate	Upper Subordinate	Remarks
Now Sanctioned -	2	3	9			See G.O. No. 25-3-87
				2		Out of which 6 allowed for Circle
					5	Of which 4 for Estate works
Proposed -						
For Rushikulya Div.	1	2	5	1	1	2 Rushikulya Reservoir and 1 Common Head works 1 Pottaharoti Canal 1 Ganamilly Head works 400 Meters Rushikulya Canal 1 Kodagooda and 1 conal near Chhand 2 Chhand cutting 2 Berhampur Sub Div 2 Chicacole - do - 2 Parlakimidi 1 Other Estates Berhampur Sub Div
Ganjam Division	1	0	4	1	3	
	2	2	9	2	4	

From which it will be seen that as long as the Surada Reservoir works are in abeyance I consider the Engineering Staff may be less than that sanctioned under the present arrangement by 1 Assistant Engineer & 1 temporary Upper Subordinate.

7. As regards the permanent office & office Petty Establishments the enclosed proposition statements will show that there is a slight excess of Rs 2 per month in the proposed over the

existing arrangements, but one of the clerks proposed for the Rushikulya Division on average pay of Rs. 27½ would be required solely in the interests of "accounts" to which as in the case of similar clerks in many of the Divisions he might really to be charged -

8. To lessen the amount of trouble in redistribution of Budget grants & office work generally & the liability to confusion in accounts I would recommend that the alterations now proposed should not come into force till the close of this official year by which time the Establishment Quarter at Dargam might be ready.

9. I would remark that if the proposals now made are carried out it may be advisable that general D.P. Lt. works in & about Rushikulya & Chika should be carried out by the Rushikulya D. staff, but this would probably be most simply arranged for by special requests in each case from the Kanyam Division, to which would be given all allotments for such works in the Budget.

I have the honor to be,

Sir,

Your most Obedient Servt

C. P. Swaleh

Sup^{ts} Eng^g 1st Circle.

3208
10

FROM
THE SUPERINTENDING ENGINEER
FIRST CIRCLE.
TO
THE CHIEF ENGINEER
FOR IRRIGATION.

DATED
DESPATCHED
RECEIVED

27th / 28th / October 1887

No. 1487 Cpn

ENCLOSURES. /

SUBJECT.

28.1.1887
Gangam Division
including (Chicacole
Sub Division)

I submit proposals
with reference to the
reconstituting of the
present — into two
Divisions.

276 Cpn

Note by the Chief Engineer for Irrigation
3208

Enc. 2

As requested in Chief Engineer's endorsement
No. 2758 C. of 16th August 1887, the detailed proposals
for constituting the present Gangam division into 2
Divisions are forwarded. Mr. Walsh's proposals are
approved of by me and they might meet all require-
ments. It is considered absolutely necessary, in
order that the Ruchikulya works may be properly
carried on, that it should be made a separate
Division and that the Executive Engineer should
have his headquarters at Dargam and not be, as
at present liable to be called away from the Ruchi-
kulya works on other duty.

I regret that the Superintending Engineer does
not see his way to make these changes until the end
of this official year, but for the reasons given accept
that the Division shall remain as it is for this
official year.

Chupak
10th November 1887

Colonel R. E.
Chief Engineer for Irrigation

To The Chief Engineer, P. W. Department.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Proceedings of the Court of Wards, H.E. No. 678 of 23rd May 1887
 Endorsement thereon by the Revenue Dept. H.E. No. 3597 of 25th June /87.
 Letter from the Suptg. Engineer H.E. No. 321 G.S. of 31st July 1887
 - do - Smt. ^{with} ^{the} ^{Govt.} ^{of} ^{the} ^{State} ^{of} ^{Madras} H.E. No. 487 G.S. of 27th October /87
 Note by the Chief Engineer for Irrigation H.E. No. 76 E.W. of 10th Nov. /87

As recommended by the Court of Wards in their Proceedings of the 23rd May 1887 No. 678, the buildings on the Estates in question will be placed in charge of P. W. Dept. officers who will also undertake all works for tanks irrigating 50 acres and above.

2. To admit of proper effect
being given to these orders,
the Ganjam Dn with, with
effect

effect from the 1st April next,
be reconstituted as follows.

(a) Rushikulya Dⁿ, with head-
quarters at Hoegam.

(b) Ganjam Dⁿ, with head-
quarters at Bahampal.

2. The Rushikulya Dⁿ will
have three sub-divisions, but
only two sub-divisional officers
at present; the ^{Sub-division} Surada, being
temporarily in abeyance.

The Ganjam Dⁿ will
have 4 sub-divisions; the
head-quarter sub-division being
directly under the Executive
Engineer.

4. The re-arrangement of the
Engineering Staff proposed in
para 6 of the Suptg. Engrs. letter
N^o 487 G. S. dt 27th October/87
and the proposals for working
the new divisions, are approved,
and sanction is accorded
to the revised scale of Office
and petty establishments shown

rc. 22-11-87

in the Proposition Statement
submitted by the Superintending
Engineer. The net increase is
Rs. 2½ per mensem.

5. The sanction accorded
in the last para of these
Proceedings is registered as
Provincial N^o 466 of 1887-88
and classified as Establish-
ment, Permanent.

3208
13

10.11.87

19/11/87

16/11/87

To the Suptg. Engr. I Sule ✓

" Chief Engr. for Irrigation

" Engrs. P. W. Works ✓

" Revenue Dept. ✓

To the Revenue Secretary for favor of
initiate with reference (enc. 1)

Proposition Statement

12/12/87

R.S.

3208
14

3208
14

9115

Govt. of Madras

PUBLIC WORKS.

35/11
19

22/11/91

G.O. 24 Nov 1887. 32074

Rebate works in the
Gangam B.

Orders directing that
the buildings on cer-
tain - be placed
in charge of the P.W.
Dept Officers who will
also undertake all work
for banks irrigating
50 acres & above,
and reconstituting
the Gangam B.

MS

95/