

3. Estimates are expected from
the Executive Engineer, West Coast Division,
to the extent of Rs 600.

4. There are no military Stations
requiring ammunition boxes in the
Coimbatore Division.

I have the honor to be,
Sir,
Your most obed^t serv^t,

P. Scatty. Col. R.E.,
Superintending Engineer,
IV Circle.

AP

B. No. 1158 u. d. 17-4-88

The sums required
The sums are
for the supply of
ammunition boxes should
be included in the
statement of demands
on account of minor
works during 1888-89.

12.4.88

Joe
13/4/88

From

The Sup^r Engineer,
Fourth circle.

Dated 7/4/88

No. 125
rev.

Ammunition Boxes:-

Reporting the

sums required in connection with the supply of —.

2144

to the S.C. TV bench
with 17 cards.

2/4. vs 5 $\frac{68}{10}$ m. 14.4.15 250

No 316.

Supy Engineer's Office 5th Mile
Bangalore 25th April 1898.

From

Colonel H. M. Vibart R.E.

Superintending Engineer
5th Circle

By

The Chief Engineer.
P. W. Department

Sir,

Sir,
With reference to G. O. N^o. 832 W,
dated 13th March 1888, I have the honor
to report that the following sums are
required to be appropriated for expenditure
in the current Official Year under Im-
perial Military Minor New works for
supplying Ammunition Boxes.

Presidency Division — 24⁴⁰

Shingleport. — do — 300

North Aust—do— 90

Except a sum of Rs 64 in the Presiding
Division no funds were required in the
other Divisions in last year on account of
Ammunition Boxes.

I have the honor to be
Sir

Your most-Obt. Servant.
Hedley Ribb. Col. R.E.
Superintending Engineer
5th Corps