

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers:—

From the Chief Engineer for Irrigation,	dated 31st Oct. 1887, No. 72 E.W.
„ Superintending Engineer, I Circle, „	31st „ „ „ 292 G.L.
„ „ „ II „ „	21st Nov. „ „ 149 C.
„ „ „ III „ „	14th „ „ „ 1677.
„ „ „ IV „ „	11th „ „ „ 455 E.W.
„ „ „ V „ „	24th „ „ „ 3482.
„ „ „ VI „ „	29th „ „ „ 1412 T.J.
„ Consulting Architect to Government „	2nd „ „ „ 1022.

ORDER—dated 17th December 1887, No. 3452 W., Public Works.

The foregoing papers are replies to the inquiry made in G.O., No. 2827 W., dated 21st October 1887, as to whether the head-quarters sub-divisions of the divisions named in the margin, should be placed in direct charge of the divisional Executive Engineers, and also whether the rule implied in paragraph 1831 of the Public Works Code should be generally observed.

Vizagapatam.	Coimbatore.
Central Godávári.	Nilgiris.
Eastern Kistna.	Presidency.
Buckingham Canal.	North Arcot.
West Coast.	Consulting Architect.

2. The majority of Superintending Engineers are of opinion that an Executive Engineer should be free to devote equal attention to all parts of his division, and should not therefore be placed in immediate charge of any particular portion of it. The Chief Engineer for Irrigation considers that as a general principle, the rule that an Executive Engineer in charge of a division should also have direct charge of the head-quarters sub-division, may be accepted as suitable and satisfactory, but that there are many divisions which should form exceptions, as in them the rule can only be enforced at the cost of efficient supervision of the division by the Executive Engineer.

3. The Government agree in opinion with the Chief Engineer for Irrigation, and consider that while paragraph 1831 of the code may remain unaltered, the case of each division must be considered on its merits.

4. With respect to the particular divisions mentioned above, the Superintending Engineer concerned shows sufficient reasons, except in the case of the Vizagapatam division, for not placing the head-quarters sub-divisions in charge of the Executive Engineers, and the present arrangements will therefore be continued. With regard

to the Vizagapatam division, the Superintending Engineer is of opinion that the headquarters sub-division can, with advantage, be placed in the Executive Engineer's immediate charge, and arrangements will be made accordingly.

(True Extract.)

Captain, R.E.,
Under Secy. to Govt., P.W.D.

To the Chief Engineer for Irrigation.
To Superintending Engineers.
To the Consulting Architect to Government.
„ Examiner, Public Works Accounts.

GENERAL.
ESTABLISHMENT.

Gobt. of {1887} Madras.
PUBLIC WORKS.

Dated December, 17th.

Recd.

Encl.

G.O., 17th Dec. 1887, No. 3452 W.

DECEMBER.

Head-Quarters Sub-divisions

Orders on correspondence relating to the subject of placing the — of certain divisions in direct charge of the divisional Executive Engineers.



No. 912

FROM,

G. J. Walch Esqre

THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWARAM, 2nd April 1888
husp 4/4/.

SIR,

I have the honor to report that the conditions of the case have considerably altered since I recommended in my No. 292-31-10-87 that the Vizagapatam Sub Division of the Vizagapatam Division should be placed in direct charge of the Divisional Executive Engineer and I now see no reason for making it the sole exception to the rule of the Presidency; I now therefore request that the part of para 4 of G.O. 3452-17-12-87 which refers to the Sub Divⁿ may be considered cancelled from 1st January.

2 I propose the cancelling to be so antedated because early in January I took the Es Engineer with me to Kora-pud & Seypur and left him on the

Potinghi - Koraput Road where he
stayed some time and he could not
then of course manage the Vizagapa-
tam Sub Division direct which had
to be entrusted to an Upper Subordi-
-nate, an arrangement which knowing
what the present Executive Engineer
has to do I have allowed to remain
in force just as it did before the issue
of the G.O. under notice -

I have the honor to be,
Sir,

Your most obedient Servant

C. Swah

Sup^r Engr^r 1st Circle.



Compd
Ld.

no 3452 W of 17.12.87

12.11.82 W of 17.12.87
H
PPT
13/4/88

In the circumstances -
states, and in modification of
para 4 of G. O. No 3452 W. dated
17th December 1887, the previous
arrangement for the charge of
the Head Quarter Sub-Division
of the Vizagapatam Division will
be continued.

This order will take
effect from 1st January
1888

FROM,

P.W.D. No 3270
G. I. Walter Esq
THE SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DATED 2

DESPATCHED 4

RECEIVED

} April 1888

No. 9 V.L.

ENCLOSURES.

SUBJECT.

12.11.82 W of 17.12.87
Vizagapatam Sub D^y

Requests to cancel parts
of para 4 of G.O. No
3452 of 17-12-87 -
placing the - under the
direct charge of the
Ex Engineer for certain
reasons.

With order

W
10-4-88

11/4/88

18/4/88

The Suptg. Engr. I Subd.

Enam. P. W. Dept.

0 10/4. 0.2.5. 58 18 2.4. 80. No. 13. 4. 88