

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of (1885) Madras.

PUBLIC WORKS.

Dated May, 11th.

Recd.

Encl.

G.O., 11th May 1885, No. 1106 W.

MAY.

Judicial Buildings

List of —, submitted by the Inspector-General of Jails, especially desirable to be carried out in 1885-86, circulated to Superintending Engineers for submission of plans and estimates for the works.

Sir,

I am directed to state that, at the suggestion of the Military authorities, a sum of Rs 3000 was appropriated in the current year, under "Original works" for facing the Escarpment of Fort St. George with portland cement, in anticipation of sanction to the estimate for the work, and that a further sum of Rs 5000 was provided, in the Military Works Budget for 1888-89. Vide item No. 8 Class B. The Superintending Engineer now represents that estimates aggregating Rs 11,813 have been sanctioned by him under "Repairs", and he applies for sanction to the transfer of the funds to this head, which I am to request may be communicated at an early date.

The transfer of Rs 3000 provided in the current official year has been sanctioned by this Government in anticipation of the formal approval of the Government of India, as the official year is now rapidly drawing to a close and delay would prejudice the expenditure of the grant.

Recd. Wm
12.1.88
R.S.
12-1-88

No 143 w a 14th January 88
144

No. 4142.

SUPERINTENDING ENGINEER'S OFFICE,
V Circle, Madras,
Chepak, 5 January 1888.

From

Colonel A. M. Sibart R.E.

To

THE

Chief Engineer
P. W. Department.

SUPERINTENDING ENGINEER, V CIRCLE,

SIR,

Enclosures.

With reference to para 5
of G. O. No. 3406 W dated 14 December 1887,
I have the honor to report that 3 Estimates
amounting to Rs 11813 as per margin

Plastering the Exterior face of the
Emceinte from North Gate to St George
Gate Rs 2940.

Do - from St George Gate to
Wallajah Gate Rs 4223

Do - from Wallajah Gate to
S.E. Corner Bastion of Fort St George.

Rs 4620

11813

have been sanctioned
under Military
Repairs for facing
the Emceinte of
Fort St George with
Portland Cement
See this Office Letter
No. 2606 dated 23rd
September 1887.

* 2674 No. 12-10-87

The

The first mentioned Estimate
of £2940 only can be carried from
the sum of £3000 available; and
I request that it may be transferred
from Original Works to Repairs to
admit of the work being carried out.

I have the honor to be
Yours most ^{obd} obed^t Serv^t

Alfred Hunt
Colt. R.E.
Superintending Engineer
— 5. Birch —



B. No. 2674 Wd/12-10-87
G.O. 3406 W. 14-12-87
" 32 W. 6-1-88

From
The Supg: Engineer
5th Circle.

To
The Chief Engineer
P.W. Department.

Dated 5th } January 1888.
Recd. 6 }

No. 143 w a 14th January/88.
144

No. 4172.

Transfer of Funds.

Requesting certain—
from Original Works
to repairs.

are. 12-1-88

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 14th January/88

Read the following

Letter from the Superintending Engineer 5th Circle No. 4172 d/5th January 1888

(Facing the walls of the)

In his letter recorded above, the Supg: Engineer 5th Circle reports that estimates aggregating Rs 11813 for the "Execution of Fort Saint George with Portland Cement", have been sanctioned by him under "Repairs" and requests that a transfer of the grant made under "original works" may be sanctioned. The sum of Rs 3000, provided in the current year, in G.O. No. 3405 W dated 14th December 1887, will accordingly be transferred to "Repairs", Presidency Division, in anticipation of the approval of the Government of India

To
The Supg: Engr: 5th Circle ✓
Ex am: P. W. Accounts
Military Dept ✓

Recd
14/1

No. 144 w a 14th Jan/88

To
The Secretary to the
Government of India
Military Dept
Sir

233

239

no 3407 w at 14th December

3 1/2 w/12

circ. 12-1-88
12.1.50
12-1-88

20/12

20/12

20/12

No 2202.

Superintending Engineer's Office
5 Circle Madras
Bangalore 27th August 1887

From

Colonel A. M. Vibart P.E.
Superintending Engineer
5th Circle

To,

The Chief Engineer
P. W. Department

Sir,

With reference to para 3
in G. O. No 1614 W dated 15th June 1887,
I have the honor to request you
will be so good as to appropriate an
additional grant of Rs 30,000 for
Military Repairs in the Presidency
Division for expenditure during the
current Official year.

The Original grant
allotted in the G. O. above quoted for
these Repairs is Rs 150,000, and it
is insufficient. The Executive Engineer
reports that out of Rs 150,000, he has
already appropriated Rs 106,000 for
repair works reserving Rs 44,000 as per
particulars noted in the margin.
There

- (1) Reserve for
Municipal
Taxes 15,000
(2) Compensation
for quarters &c. 20,000
(3) Barrack -
Masters Repairs 5000
(4) Maintenance
of Fort Beach
roads 6000
46000

R.S.
12.1.58
12-1-88

There are emergent works yet to put in
hands for which he has no funds to
appropriate.

The \$30000 now required
will make up the amount of \$180,000 -
applied for in my Statement of Demands
for Military Repairs - Presidency
Divisions, for the current year.

I have the honor to be
Sir

Yours most obedt. Servant

Wm. R. Smith
Col. R. E.
Superintending Engineer
5th Div.

29-57

recd.

July 29/87

1617 W of 15-6-87

P.W.C. No 6773

Cw 6773

From,

The Superintending Engineer
- 5th Circle -

To,

The Chief Engineer
- P. W. Department -

No. 3017 C of 7th Sept 1887

Dated 24th }
Received 30 } August 1887

No. 2202.

Funds.

Requesting to appropriate
an additional grant of
Rs 3000 under Military
Repairs for Presidency
Division.

With a/c.

The following major military
works, for which funds have
been provided in the Budget,
have not yet been commenced
for want of sanctioned
estimate: -

- Grant 87-88
- | | |
|---|-----------|
| (1) Quarters for three Artillery
at Wellington | Rs 16,000 |
| (2) Workshops for Pioneer
regt. Bangalore | 3,000 |
| (3) Extension of magazine
accommodation for 8 th
Gorke | 17,000 |
| (4) Ordnance Coal Store
Madras | 9,000 |
| Total Rs | 45,000 |

It is not known when
estimate for (1) may be expected,
& it is probable that a portion
of the grant will be surrendered,
if work be not commenced
soon -

Estimate for (2) is
ready for approval by G.O.,
to whom a reference has been
made, the work will be
commenced - It is probable

The Government
regret that there
are no funds
at their disposal
under Military
Repairs to

allow

grant

1.9.87

S. E. has been talking lately in
the room. Is there any probability
of funds being available?

For
24/8/87

2.7.9.87

12-1-88

1617 W of 15-6-87

B

The Government
regret that there
are no funds
at their disposal
under Military
Repairs to
allow

approprate work
at this time

for the repair
of the bridge

Wm
1.9.87

S.E. was last night
in the house. Is there any possibility
of funds being available?

For
2/9/87

P. 7.9.87

that the allotment of Rs 3000
will be spent.

Estimate for (3) will
mostly go up to India, & as
the work is of a simple cha-
racter, the allotment will
perhaps be spent.

For (4) estimate is not
yet ready, & a site has
not yet been secured -
It seems likely that a whole
or a portion of the grant
will be surrendered.

We can therefore look
for surrenders from only
(1) & (4), & if the entire
grants be surrendered,
we shall have only Rs
25,000 to reappropriate
to repairs Presidency Divn.
against the Rs 30,000
voted by the Govt.

It does not seem
likely that there will
be any considerable
surrenders from any
other of the Budget works,
& we cannot look
for any surrenders
from the repair grants
to

to other divisions - the
allotments being generally
insufficient all round.

Proposed to tell
S.E. in reply to his
letter to apply for funds
again in December - we
can then ascertain what
lapses are likely to
occur, & if necessary,
the G.O.D. might be
asked for an additional
grant.

Ci
3/9/87

Approved

Jm
3/9/87

of 7 Sept 1887 P.W.S.

No 3017 eq 7 Sept 1877 Pro J

Memo

With reference to
letter from the S. S. V
Circle no 2202 of 27th
August 1887, the undersigned
has the honor to state
that no funds are
available at present
wherewith to augment
the grant to the Presidency
division under Repair
Military, but that
if the Suply Comr will
be good enough to
report again - early
in December, on the
requirements of the
division, the subject
will be reconsidered.

S. S. V circle.

22
87

Cu

John
2/9/87

P. 7. 9. 87

P. 7. 9. 87

121 circ. 12-1

No. 2606

SUPERINTENDING ENGINEER'S OFFICE,

Luddalore V CIRCLE, MADRAS,
Chennai, 23rd September 1887.

From *Colonel H. M. Tibbatts R.E.*
~~THE~~ SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE *Chief Engineer,*
P. W. Department.

SIR,

Enclosures.

With reference to G. O. No. 2131W dated 10th August 1887, I have the honor to state that there are no funds available from the Military Repair grant of the Presidency Division for facing the walls of Enciente of Fort St. George, with Portland cement. Appropriations were made by the Executive Engineer to the extent of Rs. 11,813 for ^{the} work - which it was subsequently found necessary to withdraw to provide funds for emergent works.

I have the honor to be
Sir

Your most Obedient Servant

Harold Tibbatts R.E.

Suptg. Engineer, V Circle.

Recd. 15.12.87.

Cy 12.12.87 P. 11/1/87.

B. No 2131 W. 10.8.87
 " 2746 W. 18.10.86,
 No 2674 W of 12th Oct 7/87

As no funds
 are available with
 the Government
 at present the
 S.E. will apply
 for the required
 funds later in
 the year.

Wm
 30.9.87
 Note
 11 July 8/10/87
 All S.E.s will be
 asked to report sur-
 renders of peace
 under all heads
 & if on receipt of their
 replies sufficient
 funds are not available
 application for a special
 grant will be made
 S.E. I Circle
 12/10
 30.9.87

From
 THE SUPERINTENDING ENGINEER,
 V CIRCLE,

To
 THE Chief Engineer
 for Irrigations

Dated 23rd
 Sep 27th
 Recd. 29th } September 1887

ENCLOSURES.

No. 2674 W of 12th October 87

No. 2606.

Military Repairs Grant

States that there
 are no funds available
 from the — of the
 Presidency for facing
 the walls of enclosure of Fort
 St. George, with Port-
 land Cement.

Write under

G.O. No. 3405 W. of 13.12.87

No. 3405 W

Note

As the Sup^d Engrs,
 III and V Circles have
 since reported surrenders
 to the extent of Rs 8330
 under Imperial Military
 the additional grant -
 viz: Rs 9000 for minor new
 works applied for in the
 accompanying letter to the
 Govt. of India is rendered
 unnecessary.

The draft is proposed
 to be altered as noted
 in pencil.

low

Submitted for
 approval -

14/12

Approved

14/12/87

14.12.87

Dec 15.12.87

13674 w a/12th Oct 2/87

From

No. 3405 W

Government of Madras.

PUBLIC WORKS DEPARTMENT.

To

*The Secretary to the Govt. of India
Military Department.*

13th December 1887.

SIR,

I am directed to bring to the special notice of the Govt. of India that it has been found impossible to appropriate funds by transfer to ^{meet} ~~cover~~ the repeated demands by some of the Suptg. Engineers on account of ~~Military minor work and repairs to military buildings~~ ^{which are considered very emergent by the Military authorities, and to request that the Govt. of India will be pleased to communicate their sanction by wire to the following ^{specific} allotment of ~~funds~~ ^{state} which, I am directed to ~~urge~~ ^{is} ~~is~~ indispensable necessary.}

* with the usual percentage charges on account of Establishment and Tools and Plant

Imperial Military ~~Minor Works~~ ^{Repairs} 36,000

Desd^d, 15.12.87.

12.12.87

B. N^o 2959 Wd / 7-11-87
 S.O. 2879 W - 25-10-87
 B. N^o 2746 W - 18-10-86
 " 2674 W - 12-10-87
 N^o 3017 C - 7-9-87
 S.O. 2152 W - 13-8-87
 " 1617 W - 15-6-87

The Hon. Secy to the Govt of India

305520 Wd

N^o 3405 Wd / 13 December 87

B. N^o 15712

in regard to the amount of the loan...

20/12/87

circ. 12-12-87

Explanation of necessity for reappropriation.

N^o 3407 Wd / 14th December 87

The surrender is due to the sanction of the Govt of India not having been received to the estimate submitted with letter N^o 2807 Wd of 20th October 1887, and the proposed appropriation is required to meet outlay on works which have already been completed at the request of the military authorities.

Cu

John 11/12/87

To

The Secy to the Govt of India Military Dept
 (in duplicate)
 The Secy to the Govt of India, Military Department

Desd 14/12/87

C. No 10039

233

234

no 3407 w at 14. December 87

3 1/2
w/12

20/12

20/12

20/12