

CIRCULAR No. 357 G. A. of 1888.

FROM

THE SECRETARY TO RESIDENT,

Hyderabad P. W. Dept.,

To

THE Secretary to Government.
Public Works Department
Madras.

DATED BOLARUM, 23rd June 1888.

SIR,

In compliance with the orders contained in Government of India Public Works Department Circular No. XI, dated 20th December 1887, I am directed to forward herewith a printed list of surplus stores available for transfer from the East Berar Division under this Administration, and to enquire whether any of the articles therein mentioned are required.

I have the honor to be,

Sir,

Your most obedient Servant,

J. W. D.

(For) Secy. to Resident, Hyd. P. W. D.

List of surplus stores available for sale or transfer in East Berar Division, Hyderabad Public Works Department, circulated as per Government of India Public Works Department Circular No. XI, dated 20th December 1887.

Station.	Names of articles.	No.	Value.
			Rs. a. p.
	<i>Metals.</i>		
	Air valves, self-acting (for 6" pipe) ...	2	131 10 0
	Cast iron 7" pipes turned and bored spigot and faucet ends, 9' long	2	25 7 8
Amraoti.	Do. 5" do. do. ...	50	401 10 3
	Do. 5" plain ends, do. ...	6	47 2 0
	Do. 5" x 2" branch pipes do. ...	4	67 8 10
	Cast iron $\frac{1}{4}$ bend, 5" bore ...	1	6 5 5
	Do. $\frac{1}{4}$ do. ...	1	5 12 7
	Total ...		685 8 9

PUBLIC WORKS SECRETARIAT, HYDERABAD,)

Bolarum, 23rd June 1888.

(For) diff: Secy. to Resident, Hyd, P. W. D.

Recd

P. W. Dept.

To be returned
reply.

30-6-88

P. W. C. 6173

6.8.88

No. 2465 C d/29th June 1888

Referred to the
Super Engineer V Circle for
favourable remarks.

(My order)

W. B. D. S. S.

C. S. S. S.

Under Secy & Genl Mgr

Recd. 26.6.88.

Referred

No. 1576.

SUPERINTENDING ENGINEER'S OFFICE,

V CIRCLE, MADRAS,

Bengaluru 12 July 1888.

From

Colonel H. M. Vibart R.E.

SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE Chief Engineer

Public Works Department

SIR,

Enclosures.

In returning your endorsement
No. 2465 C dated 29th June 1888,
I have the honor to state that none
of the Surplus Stores available for
transfer from the East Berar Divi-
sion, Hyderabad Public Works
Department, are required in the
Presidency Public Works Stores.

I have the honor to be

Sir

Your most obedient Servant

Henry Vibart R.E.

Superintending Engineer

A 1762 W/14-6-88
2465C a/29-6-88

No 2187 W/18 July
1888

To The Secy to the Resident
Hyderabad P.W. Dept
Andersland P.W. Dept

Sir

In reply to
your letter No 359 of
23rd June 1888, I have
the honor to state
that the stores
mentioned in the list
therewith forwarded
are not required by
the P.W. Dept in this
Presy.

16/7/88

14.7.88

Desd

14/7/88

20/7

20/7

P.W. Case 6885

From

THE SUPERINTENDING ENGINEER,

V CIRCLE,

To

THE

Chief Engineer
P.W. Department.

Dated 12

Recd. 13

July

1888

ENCLOSURES. 1

No 2187 W/18 July
1888

No. 1576.

Surplus stores available
for transfer from the East
Berar Division Hyderabad
Public Works Department.

States that the stores
of the — are required
in the Presidency P.W. Store.

in the letter