

N^o 5282

Superintending Engineer's office
V circle Madras.

14th March 1888

From

Colonel H. M. Vibart. R.E.

Superintending Engineer V circle

To

The Chief Engineer

Public Works Department.

Sir

I have the honor to state Lieutenant
Plummer Assistant Engineer obtained from
the Medical Stores in November last forty
ounces of Chlorodyne for the Seven Wells
water works in the Military Sub Division
Establishment as a precautionary measure
against an outbreak of Cholera. The cost of
the Chlorodyne is Rs 3-1-2 which the
Examiner states should be debited to
works with the sanction of Government,
or recovered from Lieutenant Plummer
As Lieutenant Plummer has retired I
request

Rs 3-1-2 for 40 ozs
of Chlorodyne in the
local market would
have cost something
like Rs 40/-
JES

request that sanction may be given to
the Rs 3-1-2 being debited to works.

I have the honor to be,

Sir

Your most obedient servant

Herbert Albert Col R.E.

Supg: Engineer & Circle

No 889 w a 17th March/88

B

The sum of Rs 3-1-2
The sum of Rs 3-1-2
may be charged to works.
may be charged to works.

WCS
16.3.88

Mh
16/3/88

From

The Supg. Engineer
V Circle

To

The Chief Engineer
P. W. Deptt

No 5282

Dated } March 1888
Received }

No 889 w a 17th March/88

Chlorodyne

Requests that sanction
be given to Rs 3-1-2,
being debited to works,
the cost of — obtained
by Lt Plummer for Seven
wells water works Establish-
ment.

After despatch
19/3

SRVC ✓ D
S. G. P. W. 17/3
S. G. P. W.
En. P. W.

D 889 w a 17/3

with order

SUPERINTENDING ENGINEER'S OFFICE,

V Circle, Madras,

No. 667.

Baugalney 17 May 1888.
Chopak,

From

Colonel H. M. Vibart. R.E.

SUPERINTENDING ENGINEER, V CIRCLE,

To

THE Chief Engineer
Public Works Department.

SIR,

Enclosures.

With reference to G.O. No 889 w dated
17th March 1888 I have the honor to state
that the Executive Engineer Presidency
has submitted a further application
for sanction for payment for forty
ounces of Chlorodyne obtained by
Lieutenant Plummer from the Medical
Stores in November last for the Fort
Lascars and the Military Works Sub-
Division Establishment as a precaution-
ary measure against an out break of
Cholera. The cost of the Chlorodyne is
Rs 3-5-10 and I request that sanction

May

may be given to the amount being debited
to works.

The Executive Engineer states that
there are no more of such indents - re-
quiring sanction for payment.

I have the honor to be,
Sir,

Your most Obedt. Servant

Ch. R. Subramanian f.c.R.C.

Supr. Engineer V Circle

us 887 w of 17- 3. 88.

From

THE SUPERINTENDING ENGINEER

V Circle,

To

THE

Chief Engineer

P. W. Department,

Dated

17th May 1888.

Recd.

ENCLOSURES.

No. 213 D of 22nd May 1888.

No. 667.

Chlorodyne.

Requests sanction
for the payment of
Rs. 3-5-10 being the value
of 40 ounces of—
being debited to works.

Public Works Department
Obtained 22nd May 1888.

No. 213 D of 22nd May 1888

Memorandum.

Letter from S.E. V Circle No. 667 of 17th May 1888.

The Superintending Engineer V Circle is requested to be so good as to explain why so large a quantity as 80 oz of chlorodyne was obtained in one month for work at establishment in the Presidency Subdivision, and why the cost of the two supplies of 40 oz each varies. In one case it is Rs 3.1.2. and in the other Rs 3.5-10. Both supplies are stated to have been obtained from the Medical Stores in the same month.

To.

The Supg Engineer
V Circle.

(sd) J. O. S. H.

Chief Engineer P.W.D.

S. S. V Circle

5/1/88

SUPERINTENDING ENGINEER'S OFFICE,

V Circle, Madras,

No. 1591,

Bongaloe
Chepauk, 13 July 1888.

From

Col. H. M. Tibart R.E.

SUPERINTENDING ENGINEER, V CIRCLE,

To

THE Chief Engineer
P.W. Department.

SIR,

Enclosures.

With reference to your
Memorandum No. 213D
dated 22nd May 1888, I
have the honor to state that
the Executive Engineer
explains that the large
quantity, 80 oz. of chlorodyne
obtained, was not for the
Fort Lascars and Ann Mills
Establishments only but for
the Office Establishments also.
and as regards the difference
in cost of the two supplies
of 40 oz each, that the Examiner
of Medical Accounts
states it is due to a dif-
ference

No. 213 D of 22nd May 1888

Remuneration
19-6-88

20/20: 2
ad. 22/88

difference in the packing
articles used.

I have the honor to be
Sir
Yours most Obedt Servt
Henry M. Bartlett
Superintendent Engineer
of the
S. S. Co.

No 213 D. 7 22-5-88.

From

P. W. C. 6923

THE SUPERINTENDING ENGINEER,

V Circle,

To

(2)

THE

Chief Engineer
P. W. Department

Dated

13th

July

1888.

Recd.

16th

ENCLOSURES.

No. 1591

Chlorodyne

Reports that the large
quantity of — for the Office
Establishment as well as
Fort Lascar & Wells
Establishment,

16.7.88 18.7.88

0
16.7.88

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 23rd July 1888.

Read the following

Letter from the Supty. Engr. } H. E. No. 667 of 17th May 1888.

— do — do — " " 1591 " 13th July 1888.

The charge of Rs. 3.5.10
for 40 oz. of chlorodyne ob-
tained for use in the
Presidency ^{do} is sanctioned
against "Works". But it will
be pointed out to the Executive
Engineer that medicines ^{should} ~~are~~ not
~~be~~ ^{be} supplied free to
establishments at the Presidency
town.

2

The Supty. Engineer V. Subb.
" Examiner F. W. Ault.

R.S.

Loc
18/7/88

[Faint, mostly illegible handwritten text on the left page of an open notebook. The text appears to be bleed-through from the reverse side.]



508 106.7
1947
P 25/7
508 26/7