No 3420 W

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 26th Octr 88

READ the following

From the Suptg Engineer II Circle (H.O. No 1598 K.S. d/ Octr 10, 188

From the Examiner P. W. Accounts " " 2472 d/ " 23, "

Pay may be admitted to the Overseer from the date on which he reported himself to the Suptg Engineer for duty in accordance with the order appointing him.

2. No general rule beyond those already in the Code is considered necessary.

D 28/10

S E II Circle.
Ex P.W. Accts.

for initials

No 3898C - 15.10.88.
2418W - 9.8.88.
2758C - 20.7.88.
36C - 27.1.88.

No 3420W - 26.10.88

P.W.C. No ~~10369~~ 10812

EXAMINER
No. 1674
16 OCT 1888
ENCLOSURES
P.W. ACCOUNTS

No. 3898C d/15 Oct. 1888

To
C
For favour of remarks.

13.10.88
D.W.

From,
The Suptg. Engineer,
2nd Circle

To,
The Chief Engineer,
P. W. D.

Dated 10th October 1888.

R/ ~~12.10.88~~
R/ 24.10.88

To W. ~~No 2472 d/ 28.10.88~~

The Executive Engineer Kistna Western Division claimed pay on behalf of the temporary Overseer from 16th. April 1888, but it was admitted only from 19th. April 1888 in accordance with P. W. D. Code para 422. Claim to pay for 16th. to 18th. April 1888 will be admitted if sanctioned by Government under P. W. Code para 545.

2. I would suggest that the approval of Government may be obtained to a general ruling being laid down leaving it to the Supg. Engineer to fix any date, not earlier than that of reporting to him for duty, to enable me to admit pay in the case of first appointments under P. W. D. Code para 422.

SECRETARY TO GOVERNMENT,
24 OCT. 88
P.W. DEPARTMENT, MADRAS.

23/10/88
Hony Asstt. C.
for C.

No. 1598 K.S.

No 3420W. d/26 Oct. 88.

Jagannadhachari - D. V. - Temporary Overseer - Kistna Western Dn. - Requests to obtain Govt. sanction to the salary of - being audited by the Examiner from the 16th April 1888 for certain reasons.

No 3898C - 15.10.88.
2418W - 9-8-88.
2758C - 20.7.88.
363C - 27.1.88.

No 3420W - 26.10.88

No. 2418 W d/9-8-88

No 1598. K.S.

Superintending Engineer's Of
2nd Circle, Bezwad
10th October/88

From

J. Hannan Esquire,
Superintending Engineer,
II Circle.

To

The Chief Engineer,
Public Works Department,
Madras.

Sir,

With reference to your Memorandum No 363 C dated 27th January last, posting D. V. Jagannadachari A.C.E., Temporary Overseer to this Circle, and ordering him to report himself to me for orders, I have the honor to inform you that the Overseer reported himself to me accordingly for orders on the forenoon of the 16th April 1888, and I instructed him to proceed to Wuggiralu and to report himself for duty to the Executive Engineer, Western Division Kistna, but the Examiner has disallowed in the absence of Sanction of Government under para 545 of the P.W. Code, the Overseer's salary for 3 days occupied in travelling &ca from my Head Quarters to Wuggirala (ie) from the 16th to 18th April 1888, on which date he reported himself to the Executive Engineer.

I, therefore, request you will be good enough to obtain the Sanction of Government to his Salary being audited by the Examiner from the 16th April 1888, on which date he reported himself to me for orders in accordance with your instructions.

I have the honor to be
Sir
Your Most obedt servt

J Harman

Superintending Engineer
II Circle

J.H.
9-10-88.

No. 3898 C d/15 Octr. 1888

To
C
For favour of
remarks.

13.10.88
D.W.

To W. No. 2472 d/28.10

The Executive Engineer Kistna Western Division claimed pay on behalf of the temporary Overseer from 16th. April 1888, but it was admitted only from 19th. April 1888 in accordance with P. W. D. Code para 422. Claim to pay for 16th. to 18th. April 1888 will be admitted if sanctioned by Government under P. W. Code para 545.

2. I would suggest that the approval of Government may be obtained to a general ruling being laid down leaving it to the Supg. Engineer to fix any date, not earlier than that of reporting to him for duty, to enable me to admit pay in the case of first appointments under P. W. D. Code para 422.

SECRETARY TO GOVERNMENT
24 OCT. 88
P.W. DEPARTMENT, MADRAS.

23/10/88
Hony Asstt. C.
for C

10812
P.W.C. No. ~~10369~~

EXAMINER
No. 1674
16 OCT 1888
ENCLOSURES
P.W. ACCOUNTS

From,
The Suptg. Engineer,
2nd Circle

To,
The Chief Engineer,
P. W. D.

Dated 10th October 1888.

Rg ~~13.10.88~~
Rg 24.10.88

No. 1598 K.S.

No. 3420 W. d/26 Oct/88

Jagannadhachari - D. V. - Temporary Overseer - Kistna Western Dn. - Requests to obtain Govt. sanction to the salary of - being audited by the Examiner from the 16th April 1888 for certain reasons.

I.

28/10

No. 2418 W d/9-8-88
" 2758 C " 20-7-88
" 363 C " 27-1-88

1888.

P. W. DEPARTMENT.

Current No. 10369

From

The Suptg. Engineer
II circle

Enclos.—

No. 1598 K.S.

Dated 10th Octr. 1888.

Received 13 — do —

Subject.

Requesting to obtain the sanction of Govt. to the salary of Tempy: overseer D. V. Jagannadhachari being audited by the Examiner from the 16th April 1888 on which date he reported himself to S. E. II

Disposal.

No. 3898 C Dated 15 Octr. 1888

To
C
For favour of
remarks.

(Sd) W. L. C. B.
13-10-88
D.W.

E

15/10

Despd. 15.10.88.

18/10

No. 363 C d/ 27-1-88

EXAMINED
No. 1323
21 JUL 1888
ENCLOSURES
P. W. ACCOUNTS.

No. 2758 C d/ 20th July 1888

To

C

For favour of remarks.

19.7.88

For D.W.

TO F. No. 1987 d/ 31.7.88

THE GRANT OF PAY WHILE IN TRANSIT FROM 16TH. TO 26TH. FEBRUARY 1888 TO TEMPORARY OVERSEER G.V. SUBRAMANYA IYER, IS INADMISSIBLE AS HE WAS EMPLOYED ON THE WORK ESTABLISHMENT, AND THE RULING QUOTED "SECTION 160 RULE 12 OF THE CIVIL LEAVE CODE" DOES NOT APPLY.

31
C.

31/7

31/7

P.W.C. Reg. 7563 ~~7028~~

FROM,

G. J. Walch Esqr
~~THE~~ SUPERINTENDING ENGINEER
FIRST CIRCLE

TO,

THE CHIEF ENGINEER
PUBLIC WORKS DEPARTMENT.

DATED 9th
DESPTCHED 12th } July 1888.
RECEIVED 18

Recd. 2-8-88

No. 972 C.D.

ENCLOSURES. e

No. 2418 W. d/ 9th August 1888

SUBJECT.

G. V. Subramanya Iyer Temporary overseer –

Requests to obtain sanction of Government to draw transit pay to – from 16th to 26th Febry/88.

To

NO. 972 G.D.

FROM,

G. T. Walch Esqre

~~THE~~ SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWARAM, 9th July 1888

SIR,

With reference to your Memo No. 363 ~~361~~ C. dated 27-1-88 appointing G. V. Subramanya Iyer as temporary Overseer 3rd Grade, I have the honor to inform you that this Overseer has been relieved of his duties as a Surveyor in the Coimbatore Division on 15th February and joined the Godavari Western Division for duty on 27th February 1888 and I therefore request that under Section 160 rule 12 of the Civil Leave Code, you will be good enough to obtain the sanction of Government to the pay of the Overseer while in transit.

I have the honor to be,
Sir,
your most obedient St.

C. m. Ewalt

let Supg. Engineer 1st Circle.

No. 363 C d/ 27-1-88

1888.

P. W. DEPARTMENT.

Current No. 7028

From

The Supdg. Engineer
I circle.

Enclos.—

No. 972 G.D.
Dated 9th July 1888
Received 18 — do —

SUBJECT.

G. V. Subramania Iyer. Tempy: Overseer
Informing that has been relieved of his duties as a Surveyor in the Coimbatore Dn on 15th Feby & joined the Godavari Western Dn for duty on 27 Feby 88 & requesting to obtain the sanction of Govt to the pay of the overseer while in transit.

DISPOSAL.

No. 2758 C Dated 20th July 1888

To
C
For favour of remarks.

(Sd) J. P. D.
19-7-88

For D.W. 20/7

D. 23/7

G.O. 2419 W d/15.x.72
" 1725 d/3.7.73
" 1199 d/5.5.74
" 1232 W d/16.5.82
" 470 D d/4.8.88
" 2916.17 W d/18.9.88

ree 29/10
H.W. 25.x.88 R 25.x.88

B. 27.7.88

P.W.C. No. 10,778

No. 3419 W of 26th Oct/88.

H.W./R

R 24.10.88 PPH 25 Oct

Communicated to the Supdg Engineer II Circle and the Examiner P.W. Accounts with reference to G.O. 2916 W dated 18th September 1888.

2. The conditions referred to by the Government of India will be found in para 473 et seq of the Madras Public Works Code.—

MCB
24.10.88

S.E. II Circle ✓
Ex. P.W. Accts ✓

24/10/88
D 24/10 gd

(1)

All communications should be addressed to the Secretary.

No. 369 A.G.

GOVERNMENT OF INDIA.

PUBLIC WORKS DEPARTMENT.

ACCOUNT.
General

SECRETARY TO GOVERNMENT
24 OCT. 88
P.W. DEPARTMENT, MADRAS.

To
The Secretary to the
Government of Madras,
Public works Department.

Simla the 18 October, 1888.

Sir,

I am directed to acknowledge the receipt of your letter No. 2917 W. of the 18th ultimo, and, in reply, to communicate the sanction of the Government of India to the disbursement, prior to audit, of the salaries of members of the Department attached to the Buckingham Canal Division, subject to the observance of the conditions set forth in Public works Department Code, Volume II, Chapter XIII, para: 95 et seq:-

I have the honour to be,
Sir,
Your most obedient Servant
A C Begbie Major, R.E.
Offg. Dy. Secy to Govt of India.

---

to that Division, to be disbursed before audit, subject to the conditions prescribed for divisions the head quarters of which are not at the same station as those of the Examiner. Subsequently, the head quarters of the Buckingham Canal Division were transferred to Nellore, and afterwards to Pulicat, but they have now been retransferred to Madras, and the Ex. Engr. seeks to revert to the privilege granted in 1882. The Examiner P.W. Acct., however, is of opinion that a renewal of the order will require the confirmation of the Govt. of India, and in the peculiar circumstances of the Buckingham Canal division ~~extending as it does into several districts~~, which are fully explained in the accompanying copy of a letter from the Executive Engineer No 947 dated 22nd August 1888, I am to request that the Govt. of India will permit the establishment of the division to draw their salaries prior to audit, subject in all respects to the conditions prescribed in para 473 of Madras P.W. Code.

I have &c.

18/9

Offd 2/8/88 | Hm. 2.8/88
OK 46:9 Hm. 11/9 JCH 30/7/88
CW 20/9 J 20/9. B.L.S. 28.VII
B. 27.7.88 0 31.VII.88

Resubmitted to the Hon. Member in charge with reference to the later letter from the Executive Engineer d/ 22nd August

JCH 10/9/88 W

I'd like to know what is the answer to the Examiner's obj. that in no case can the pay be made before despatch of salary bill & that it will be returned audited the very day of despatch. Why make a special rule & reference for the sake of one or at most two days?

FHT 3 [illegible]

No. 2916 W. of 18th September 1888
2917

Despatched - Please return

HC. To be returned to [illegible] for record

[illegible] 21/9 13/9 W 1/10

No. 2916 W

B/

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 18th Septr/88

READ the following

From the Supdg. Engr. II Circle . . . . . . A.E. No. 116 B.C. of 12 July 1888.
Office Note from the Cgr: P.W.D. . . . . . No. 1929 of 20 July 1888.
Office Note from — do — . . . . . . No. 1962 of 25 July 1888.
From the S. E. II Circle . . . . . . No. 180 B C of 4th Septr 88

Ordered that the Govt: of India be addressed.

To The Supdg. Engr II Circle ✓
" Cgr P.W.D. ✓

D
19/9.

A.E. No. 2917 W of 18th Septr

To

The Secy to the
Govt of India
P.W.D.

Sir,

With reference to Govt. of India Circular No. 14 of 24th March 1874, I am directed to state that in the circumstances set forth in letter from the Executive Engineer Buckingham Canal Division No. 245x of 28th April 1882, this Govt:, as a special case, authorised the salaries of members of the department attached to

x Copy forwarded herewith

No. 470 D. 4. 8. 88
1199. 5. 5. 74
1725. 3. 7. 73
2419 - 15. 10. 72
1232 of 16. 5. 82

PWC No. 897

(17)

From,

The Supdg. Engineer,
2nd Circle

To,

The Chief Engineer,
P. W. D.

Dated 4th September 1888.

Rd 8-9-88

No. 180 B.C.

Nos 2916 W of 18 Septr 1888
2917

Salaries of the Buckingham Canal Divisional Establishment - Disbursement of - before audit of the Salary Bill - Furnishing a report, concurring with Mr Vincent, for the —

6. 8. 9. 88
O.S. 96.9

No. 180.B.C.

Copy forwarded to the Chief Engineer, Public Works Department, with reference to his Memo No. 470D of the 4th August/88. The undersigned Concurs with Mr. Vincent.

J Harman

Supdg. Engr's office
II Circle
4th September/88

Superintending Engineer
II Circle

No. 947 Buckingham Canal Divn Office

Madras Basin, 22nd Aug/88.

From

C. Vincent Esquire

Executive Engineer B.C.Dn

To

The Superintending Engineer

II Circle,

Bezwada.

Sir,

In reply to your endorsement No 150 B.C of the 10th Instant, on the Joint Secretary's No 470 D of the 4th Instant regarding the disbursement of the salaries of this Division before audit, I have the honor to observe that, the contention of the Examiner in para 2 of his note that preaudit would not involve a delay of more than one or two days would be perfectly correct, if it were possible for me to arrange to be always at Head Quarters during the first three or four days of the

---

P. W. D.

No 470 D of 4th Augt 1888

Memorandum.

—

Office Note from the Examiner P. W. Accounts No 1929 dated 20th July 1888.

—

Copy of the above is forwarded to the Superintending Engineer II Circle with reference to his letter No 116 B.C. dated 12th July 1888. The Superintending Engineer is requested to submit any remarks which he may have to offer on the Examiner's objection - viz. that in no case can the payment be made before despatch of salary bill, and that the bill will be returned audited the day of despatch.

The

The delay would thus be only one day or at most two days.

(Signed) H R Mead Col RE
Jt Secy to Govt P. W Dept

No 470 D of 4th augt 1888

Reminder Issued 2/8/8.

despd 4/8/88.

To
The Suptg: Engr: II Circle

Superintending Engineer's Office
2nd Circle,
12th July 1888.

No 116. B.C.

From

J. Hannan Esquire,
Superintending Engineer,
II Circle.

To

The Chief Engineer,
Public Works Department,
Madras.

Sir,

I have the honor to request that, in order to Comply with the requisitions of the Examiner of P. W. Accounts, you will have the sanction accorded in G. O. No 1232 W of 16th May 1882 for preaudit payments of salaries in the Buckingham canal Division renewed. The reasons given to obtain the above sanction apply now with greater force.

I have the honor to be
Sir
Your Most obedient Servant
J. Hannan
Superintending Engineer
II Circle.

Compr

G.O. No 1199 d/ 5.5.74
" " 1725 " 3.7.73
" " 2419 " 15.10.72
B. No 1232 W. 16.5.82.

+ put up for Cir 7201 with S.A.W.

No. 2741 C d/ 19th July 1888

To
C

For favour of
remarks.

18. 7. 88

For D. W.

To W. No. 1962 D/ 25-7-88

Please see my office note
No. 1929 dated 20th. July 1888.

Sm 20/7
C.

20/7

+Cir 7201

O.S.L. 2/8/88 | Hm 2/8/88

Q. 27-7-88 R. 16.9.88

---

(6) P.W. Cir ~~7005~~ 7353

EXAMINER
No. 1353
21 JUL 1883
ENCLOSURES —
P. W. ACCOUNTS

From,
The Supdg. Engineer,
2nd Circle

To,
The Chief Engineer,
P. W. D.

Dated 12th July 1888.
Recd ~~17. 7. 88~~ 26. 7. 88

Nos. 2916/2917 W d/ 18th Septr 1888

No. 116 B.C.

Buckingham canal Do.
Preaudit payments of salaries in the — Requesting to have renewed, the sanction accorded in G. O. No. 1232 W. of 16th May 1882 for —.

To

---

salaries, even if paid before audit, may not be paid until the salary bill has been despatched; and salary bills of officers at the presidency, are almost invariably returned audited on the day of receipt if received in the morning, or on the following day if received in the afternoon.

Sm 20/7
C.

20/7

Pols. 1199 d/ 5.5.74
1725 . 3.7.73
2419 . 15.10.72
1232 W. 16.5.82.

O.S.L. 2/8/88 | Hm 2/8/88

Q. 27.7.88 R. 16.9.88

P.W.C. no 7201

(6)

Sn 4

Recd 21-7-88

2

Vide
2741C of 19-7-88

GOVT. OF MADRAS. } 1888. { P.W. DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 20 July 1888.

OFFICE NOTE No. 1929

Enc: 4

To

W.

I beg to forward herewith copies of correspondence noted in the margin* on the subject of the disbursement of salaries of the establishment of the Buckingham Canal Division prior to audit by this office and to point out that as G.O. No. 1232 W. dated 16th. May 1882 quoted by the Executive Engineer is apparently opposed to the orders contained in the Government of India circular No. 14 of 1874 (G.O. No. 1199 dated 5th. May 1874); any renewal of the order will in my opinion require the confirmation of the Government of India.

2. I may add that the delay entailed by preaudit will seldom exceed one day, and need never exceed two days, if bills are submitted punctually. Under Code para 473(2)

KEEP-WITH Genl. No.

dated 188 .

* This office letter No. 376 S.E.2 dated 21st. May 1888.

Letter from the Executive Engineer Buckingham Canal Division No. 385 dated 4th. June 1888.

This office letter No. 431 S.E.2 dated 23rd. June 1888.

Letter from the Executive Engineer Buckingham Canal Division No. 115 C. dated 3rd. July 1888.

1,000—7-2-88.

Q-27-7-88 Q-16-9-88

COPY OF LETTER FROM THE EXECUTIVE ENGINEER BUCKINGHAM CANAL DIVISION TO THE EXAMINER OF P.W. ACCOUNTS, MADRAS, NO.115 C. DATED 3RD. JULY 1888.

WITH REFERENCE TO YOUR LETTER NO.481 S.E.2. OF THE 23RD. ULTIMO, I HAVE THE HONOR TO INFORM YOU THAT I HAVE REFERRED THE QUESTION OF DISBURSING THE SALARIES OF THE ESTABLISHMENT OF THIS DIVISION PRIOR TO AUDIT TO THE SUPERINTENDING ENGINEER, WHO WILL DOUBTLESS LAY THE MATTER BEFORE GOVERNMENT UNTIL THE RECEIPT OF FURTHER ORDERS I AM HOWEVER OF OPINION THAT G.O. NO.1282 W. OF 16TH. MAY 1882 IS SUFFICIENT AUTHORITY FOR CONTINUING THE PRESENT PRACTICE.

(TRUE COPY)

G E Statter

SUPTT. CORRESPONDENCE BRANCH.

Mr. 10/7.

PS 20/7

G-27-7-88 D. 18-9-88

COPY OF LETTER FROM THE EXAMINER OF P. W. ACCOUNTS, MADRAS TO THE EXECUTIVE ENGINEER BUCKINGHAM CANAL DIVISION. NO.431 S.E.2. DATED 23RD. JUNE 1888.

WITH REFERENCE TO YOUR LETTER NO.385 DATED THE 4TH. INSTANT, I HAVE THE HONOR TO STATE THAT G.O. NO.1382 W. DATED 16TH. MAY 1882 CANNOT BE ACCEPTED AS APPLICABLE TO THE PRESENT TIME. I MAY ADD THAT ANY RENEWAL OF THE ORDER WILL REQUIRE THE CONFIRMATION OF THE GOVERNMENT OF INDIA.

(TRUE COPY)

G. E. Patton

SUPDT. CORRESPONDENCE BRANCH.

C-27-7-88 C. 18-9-88

COPY OF LETTER FROM THE EXECUTIVE ENGINEER BUCKINGHAM CANAL DIVISION TO THE EXAMINER OF P.W. ACCOUNTS, MADRAS, NO.885 DATED 4TH. JUNE 1888.

WITH REFERENCE TO YOUR LETTER NO.376 S.E.2. DATED 21ST. MAY 1888, I HAVE THE HONOR TO SOLICIT REFERENCE TO G.O. NO.1232 W. DATED 16TH. MAY 1882.

(TRUE COPY)

G.E. Patton

SUPTT. CORRESPONDENCE BRANCH.

Reg 8B20/

27-7-88 18.9.88

COPY OF LETTER FROM THE EXAMINER OF P. W. ACCOUNTS, MADRAS TO THE EXECUTIVE ENGINEER BUCKINGHAM CANAL DIVISION NO.376 S.E.S. DATED 31ST. MAY 1888.

IN RETURNING HEREWITH DULY AUDITED THE SALARY BILL OF YOUR DIVISION FOR THE MONTH OF APRIL 1888, I HAVE THE HONOR TO POINT OUT THAT UNDER PARA 472 OF THE MADRAS P.W.D. CODE THE SALARIES OF THE ESTABLISHMENT OF YOUR DIVISION ARE PAYABLE ONLY AFTER RECEIPT OF THE SALARY BILL DULY AUDITED BY THIS OFFICE, AND I THEREFORE REQUEST THAT YOU WILL IN FUTURE FORWARD YOUR SALARY BILL ON THE FIRST OF EACH MONTH OR AS SOON AFTER AS POSSIBLE TO OBVIATE DELAY IN PAYMENT.

(TRUE COPY)

G.E. Statter

SUPTT. CORRESPONDENCE BRANCH.

C.P.T.307

27-1-88 18.2.88

Go. No. 3417 W d/ 26 Oct/88

PPH 24 Oct

The Government observe that there appears to be no sufficient reason why the rates of pay sanctioned in G.O. No. 2699 W d/ 3rd Nov. 1884 should again be revised.

23.10.88

23/10/88

B. [illegible] 29/10

L

SE IV Circle

Despd 26/10

HM. 23. x. 88

R 24. x. 88

ECC 30/10

Mulr. 10671

From

The Supg: Engineer

Fourth Circle

Dated 19th Oct. / 88

Reg 22

SECRETARY TO GOVERNMENT, P.W. DEPARTMENT, MADRAS

21 OCT. 88

No: 465 / GW

Enclo: 2

Go: 3417 W d/ 26 Oct/88

Sub Divisional Clerks &c. of Nilgiri Dn.

Forwarding for favorable consideration copy of a letter together with a proposition statement from the Executive Engineer, [illegible] Dn. recommending an increase of pay to-

G.O. 656 W d/11.3.81
" 1416 W d/6.6.82
" 2206 W d/28.8.82
" 1004 W d/18.4.84
" 1895 W d/4.8.84
" 2699 W d/3.11.84.

C. 21-1288 d/16.9.88

SUPG: ENGINEER'S OFFICE
NO. 661d/S
29 SEP. 88
P. W. D.
FOURTH CIRCLE

From
THE EXECUTIVE ENGINEER,
NILGIRI DIVISION,

To
THE SUPERINTENDING ENGINEER,
4TH CIRCLE.

Dated 27
Despatched 27 } September 1888.
Received

No. 2540

Enclosures. 2.

Subject.

Sub Divisional Clerks &c of Nilgiri Division — Recommends an increase of pay to —

G.O. 656W d/ 11.3.81
" 1416W d/ 6.6.82
" 2206W d/ 28.8.82
" 1004W d/ 18.4.84
" 1895W d/ 4.8.84
" 2699W d/ 3.11.84.

27-7-88 18.9.88

No. 2540

N.B.—*Please quote the number and date of this letter in future communication on this subject.*

P. W. D.

Nilgiri Division Office,
Station Ootacamund 27 Sept. 1888.

Enclosures. 2
Petition
Proposition Statement

From
W. B. de Winton Esq.
Executive Engineer, Nilgiri Division,
Ootacamund,

To
The SUPERINTENDING ENGINEER,
Fourth Circle,
Coimbatore.

Sir,

I have the honor to forward in original, a petition received from the Clerks of No. 2 Sub Division Office in this Division praying for promotions to a higher grade, and request that you will be good enough to forward it for the favorable consideration of Government.

2. The scale sanctioned in G. O. No. 2699W of 3rd November 1884 for Sub Division Clerks, is II class ii Grade (Rs. 30-40). and for Clerks of Detached and Overseer's Offices II class iii Grade (Rs. 20-30). while the two junior Clerks in the Division Office are II class 1 Grade. (Rs. 40-50).

3. As Colonel Beatty states in Para 7 of his letter printed with the above G. O, the sub divisional Clerks are the men on whose Efficiency

Efficiency much of the correctness and punctuality of submission of the accounts depends. They are Head Clerks, Accountants and Storekeepers of the Sub division Office in one. Their work is harder, their responsibility is greater, and the intelligence required from them is certainly higher than that demanded of the two junior clerks in the Division Office, and yet the latter are classed a grade higher

4. The class of the 4th and 5th Clerks in the Division Office was fixed to give them some compensation for the hardships (to Natives) of the Nilgiri climate and the dearness of provision Etc. and I strongly recommend that the same concession be given to the Sub Division, Detached and Overseer's Clerks, who work under the same climatic conditions.

5. I beg therefore that you will be good enough to propose for the favorable consideration of Government that the following scale be substituted, as far as the Sub Division, Detached and Overseers Clerks are concerned for that sanctioned in G.O. No. 2699W of 3rd November 1884. A proposition statement is herewith sent

Two

Two Sub Division Offices.

2 Clerks III class 1st Grade - each 40-50.

One Detached Office

1 Clerk IV class 2nd Grade — Rs 30-40 -

Overseers' Office

1 Clerk IV class 2nd Grade — Rs 30-40

I have the honor to be
Sir
Your most obed Servant

Executive Engineer N. D.

No: 465/M.

Submitted to the Chief Engineer D. P. Works for favorable consideration. The Executive Engineer reports in a separate letter under date 15th instant that he finds it very difficult to procure qualified men for clerks in the offices of the Sub division and detached officers.

Coimbatore
19th October /88 }

L W Martin
Superintending Engineer ~~in charge~~
4th Circle

SUPG: ENGINEER'S OFFICE
NO. 6611/PA
29 SEP. 88
P. W. D.
FOURTH CIRCLE

From

The Executive Engineer,
Nilgiri Division,

To

The Superintending Engineer,
4th Circle.

Dated 27
Despatched 27 } September 1888.
Received

No. 2540

Enclosures. 2.

Subject.

Sub Divisional Clerks &c of Nilgiri Division — Recommends an increase of pay to —

EXECUTIVE ENGINEER'S OFFICE
GENL NO. 2759
13 SEP 1888
P. W. D.
NILGIRIS.

SUPG: ENGINEER'S OFFICE
NO. 2/661 c.Pd
29 SEP. 88
P. W. D.
FOURTH CIRCLE

1067/88

Encls. No: 1 of a letter No: ~~885~~ of 19-10-88 from the Sup. Engr. 4

PG: ENGINEER'S OFFICE
NO. 881/15

how, unfortunately it is for him, that the work and the amount of the responsibility he has, have escaped notice when the proposition statement was first submitted to the Government. It may be said, however that a man after serving for a time as a Sub-Divisional Clerk acquires a competency and capacity equal to the discharge of the duties of a Head Clerk of a Division office and as such he acquires, also, a claim to a grade next to his; but that his grade should be placed still less than that of the last Clerk of the Division office who is but a fair-copyist and has not much intelligent or responsible ~~work~~ work to do, is a matter meriting some consideration and revision.

6. In conclusion, I beg to add that a Sub-Divisional Clerk in the Nilgiri Division has more work to do than what a similar Clerk has on the plains, and that the allowance of a grade more, to the former, to make it equal to that of the last Clerk of the Division office here, will be an infinite favor.

7. Under such circumstances, I beg

that

R. No. 1223
11/9/88

SUPG: ENGINEER'S OFFICE
NO. [illegible]

To.

A. C. Lord Esquire
Sub-Engineer.
Ootacamund.

Respected sir,

I most respectfully beg to bring the following few lines for your kind consideration hoping to meet with success.

2. I beg to state that in consideration of the climate, the dearness of provision and the scarcity of accommodation, at this place, a special scale for the Nilgiri Division was first proposed and passed in 1885 or so; accordingly, the pay of the office establishment has been revised. But, in the proposal made, I beg to point out that the official status of the Sub-Divisional clerks has been very much lowered by keeping down their grade to IV class 2nd Grade i.e a grade less than what has been allowed to 4th or 5th Clerk of this Division Office.

3. It will not be out of place, here, to institute a comparison between what it exists on the plains and what it is here in respect of the grades of the Sub-Divisional Clerks

A-27-7-88 R. 18.9.88

SUPG: ENGINEER'S OFFICE
NO. 10661 N.P.
29 SEP. 88
P.W.D.
FOURTH CIRCLE

Enclo. No 2 of letter
No. 465/Genl of 17-10-88 from
The Ch. Engr 2nd P.W.D.

P/No 2
10671/88

Statement of Proposition for Revision of Establishment.

Order sanctioning Present Establishment Govt of Madras P.W.D.		Office to which the Proposition refers.	Nature of Change												Propositions					
			Present Scale						Proposed Scale						Permanent		Temporary			
			Number	Designation	Pay				Number	Designation	Pay				Increase per Month	Decrease per Month	Increase per Month		Decrease per Month	
No.	Date				Minimum	Increment	Maximum	Average or fixed			Minimum	Increment	Maximum	Average or fixed	Amount	Amount	Period	Amount	Period	Amount
G. O's No 1895 W and 2699 W	4th August and 3rd November 1884	Sub Divisions of Nilgiri Divisions –		Divisional Office.																
			1	Clerk 3rd Class 1st Grade	80	20	100	90	1	Clerk 3rd Class 1st Grade	80	20	100	90	-	-				
			1	" 3rd " 2nd "	60	20	80	70	1	" 3rd " 2nd Do.	60	20	80	70	.	.				
			1	" 3rd " 3rd "	50	10	60	55	1	" 3rd " 3rd Do.	50	10	60	55	-	.				
			2	" 4th " 1st Do. each	40	10	50	90	2	" 4th " 1st Do.	40	10	50	90	-	.				
			1	Draftsman	100	20	120	110	1	Draftsman	100	20	120	110	-	.				
			1	Do.	70	10	80	75	1	Do.	70	10	80	75	-	.				
			1	Storekeeper	.	.	.	50	1	Storekeeper				50	.	.				
			1	Messenger				10	1	Messenger				10	.	.				
			1	Do.	.	.	.	9	1	Do.				9	-	.				
			3	Lascars each @ 8 Rs.	.	.	.	24	3	Lascars @ 8 Rs each				24	-	.				
				Two Sub-divisional Offices.																
			2	Clerks 4th Class 2nd Grade each	30	10	40	70	2	Clerks 4th Class 1st Grade	40	10	50	90	20					
			2	Messengers 9 Rs each	-	-	-	18	2	Messengers @ 9 Rs each				18	.					
			6	Lascars 8 Rs Do.	-	-	-	48	6	Lascars @ 8 Rs Do.				48	.					
				One Detached Office.																
			1	Clerk IV class 3rd Grade	20	10	30	25	1	Clerk 4th class 2nd Grade	30	10	40	35	10					
			1	Lascar	.	.	.	8	1	Lascar	.	.	.	8	.					
				One Overseer's Office																
			1	Clerk IV class 3rd Grade	20	10	30	25	1	Clerk 4th Class 2nd Grade	30	10	40	35	10					
			1	Lascar	.	.	.	8	1	Lascar	.	.	.	8	.					
										Net increase per month					40					
										For One year					480					

Ootacamund
27th September /88

Executive Engineer Nilgiri Divn

C No 10,671

Note

The Executive and Supdg: Engineers seem to overlook the fact that the Subdivisional and Overseer's office Clerks are already drawing special rates of pay for service on the Nilgiris, under the sanction of G.O. 2699 W of 3d Nov 84.

The following are present and proposed rates as compared with pay in the plains.

	Plains.	Nilgiris Present.	Nilgiris Proposed.
Sub: divl: Clerks.	Rs 20-30.	30-40.	40-50.
Detached - do -	20-30.	20-30.	30.40
Overseer's - do -	15-20.	20-30.	30.40.

The detached officer's Clerk on the Nilgiris draws the same as a similar Clerk in the plains, but the rate, Rs 20-30, is not below that paid in other offices on the Nilgiris.

There appears to be no sufficient reason why the scale of pay should again be increased

23.10.88

C.S.

23/10/88

Date taken out.	FOR WHAT PURPOSE.			Initials of clerk taking the paper or of attender.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			

[Ref. / 4]
15,000—13-2-06.

G W DEPARTMENT.

Paper taken out of the Records from the charge of the Referencer.

Press / Miscellaneous / Routine No. 3415, dated 26-10 190 8.8

Date taken out.	For what purpose.			Initials of clerk taking the paper or of attender.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			
24-3 07	Estt Committee				31-5-07	BB

G.O. 634 W d/22.2.88

25-3 07

No: 3415 W d/ 26th Oct 1888

B

Sanction is accorded to the continued employment, for a further period of five months, of the temporary Draftsman sanctioned in G.O. 634 W d/ 22d. February 1888.

2. This sanction has been registered as Provincial N. 45 W of 1888.89, and classified as Estabt., Tempy.

23.10.88

23/10/88

S.E. II Circle ✓

Ex. P.W. Accts ✓

Rec 22/10 drafted 26/10 Mn. 23.x.88

24.x.88

Pdle 10628

From

The Superintending Engineer,
Second Circle.

To,

The Chief Engineer,
P.W.D.

Dated 17th October 1888.

SECRETARY TO GOVERNMENT
20 OCT. 88
P.W. DEPARTMENT, MADRAS

No. 616 NL

Enclosure: -1-

No 3415 W d/ 26th Oct 1888.

Temporary Draftsman in the Executive Engineer's Office, Nellore. Continuance of the services of a for a period of 5 months up to 18th March 1889 - Requesting to sanction

With order

No 319

Executive Engineer's Office,
Nellore, 8th October/88.

From
The Executive Engineer of
Nellore.

To
The Supdg Engineer,
II Circle.

Sir,

I have the honor to forward herewith a statement of proposition for revision of establishment, and to inform that the original sanction for the entertainment of the draftsman was given in G.O. No 634W of 22nd February 1888. As the drawing work in this Division is still very heavy, owing to several Minor Channels yet to be estimated for, I request you will be good enough to obtain the Sanction of Government for a further period of 5 months, viz. from 19th October 1888 to 18th March 1889.

Sent to Office on the 26/6.

I think this is necessary

I have &c

(sd) A. A. G. Malet
Executive Engineer

---

the Supdg Engr as a minor work.

2 The sanction ac-

Nellore Division

of Establishment.

	d scale.				Proposition					
					Permanent		Temporary			
tion	Pay				Increase per month	Decrease per month	Increase per month		Decrease per month	
	Minimum	Increment	Maximum	Average or fixed	Amount	Amount	Period	Amount	Period	Amount
rafts-man	-	-	-	40						
from 88 to 1889	-	-	-	440	-	-	5 months	200	-	-

(sd) A. A. G. Malet
Executive Engineer

W/pe 1
10628/88

1873 H

AW 20-11-88

JWB 28
29/12

S.E. II circle
Ch. E. for Irrn
Exd Moa
Despd. 23·2·88.

No 10,671

No 616 N. L.

Copy forwarded to the Chief Engineer, Public Works Department, for favor of Sanction under the ~ Circumstances explained by the Executive Engineer.

J. Hannan

Supdg Engr's office
II Circle
17th October/88

Superintending Engineer
II Circle

17-10-88.

G.O. 634 W d/ 22.2.88

2–3 ray

No: 3415 W d/ 26. Oct 1888

B.

PPH
24 Oct

Sanction is accorded to the continued employment, for a further period of five months, of the temporary Draftsman sanctioned in G.O. 634 W d/ 22d. February 1888.

2. This sanction has been registered as Provincial No. 45 W of 1888.89, and classified as Estab.t, Temp.

23.10.88

23/10/88

S.E. II Circle ✓

Ex. P.W. Accts ✓

Rec 29/10 drafted 20/10

23.x.88

24.x.88

No 10671

From

Mlle 10628

The Superintending Engineer,
Second Circle.

To,

The Chief Engineer,
P.W.D.

Dated 17th October 1888.

SECRETARY TO GOVERNMENT
20 OCT 88
P.W. DEPARTMENT, MADRAS

No. 616 NL

Enclosure: – 1 –

No 3415 W d/ 26. Oct 1888.

Temporary Draftsman in the Executive Engineer's Office, Nellore. Continuance of the services of a – for a period of 5 months up to 18th March 1889 – Requesting to sanction

With order

---

the Supply Engr as a minor work.

2 The sanction ac-

Nellore Division

of Establishment.

...tion	Pay				Proposition					
					Permanent		Temporary			
					Increase per month	Decrease per month	Increase per month		Decrease per month	
...d scale.	Minimum	Increment	Maximum	Average or fixed	Amount	Amount	Period	Amount	Period	Amount
Draftsman	-	-	-	40						
from ...88 to ...1889	-	-	-	440	-	-	5 months	200	-	-

(sd) A. A. G. Malet
Executive Engineer

Mlle 10628/88

20.11.88

29/12

S.E. II Circle ✓

Ch. E. for Irrn ✓

Ex. P.W.A. ✓

Desptd. 23.2.88.

the Supdg Engr as a minor work.

3. The sanction accorded in para 1 has been registered as Provl No 59 W of 1887-88, and classified as Establishment Temporary.

20.2.88

20/2/88

No 634 W of 22nd February/88

20.2.88

S.E. II circle
Ch. E. In Engrs
Exn Moa
Dacca 23.2.88.

PUBLIC WORKS DEPARTMENT.

No. 634 W

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the 22nd February /88

READ the following

From the S. E. II Circle A. S. No 775 N. L. dated 2 Feby 1888

Endt. by the Ch. Engr. for Irrn. No 15 E. W. of 15th

FPH
21 Feb

The employment in the Nellore division of a temporary draftsman on Rs 40 per mensem for six months is sanctioned.

2. Under para 192 of the P. W. Code, transfers of upper subordinates within Circles are within Supdg Engrs' powers, & under para 186 an estimate for surveyors & lascars may be sanctioned by

the

No. 775 NL

Suptg. Engineer's Office,
2nd Circle, Bezvada.
2nd February 1888.

From,

J. Hannan Esquire,
Superintending Engineer,
2nd Circle

To,

The Chief Engineer,
For Irrigation,
Madras.

Enclosure
1 Estimate

Sir,

I have the honor to submit in connection with my predecessor's letter No. 175 C of the 28th November 1887, an Estimate for Survey Establishment required for the investigation of irrigation schemes in the Nellore Division for your sanction as Mr. Malet informs me, that if Mr. Hendrick is transferred from the Buckingham canal for this work he will, with his assistance, be able to effectively supervise the Surveying operations; and as Mr. Vincent informs me that he can spare Mr. Hendrick's services I have ordered his transfer to Nellore.

I have the honor to be,
Sir,
Your most obedt. Servant,
J Hannan
Suptg. Engineer 2nd Cle.

Compd

No. 15 Eng. Emi:1

Forwarded to the Chief Engineer. P. W. D. with the recommendation that the transfer of Mr Hendricks to the Nellore Division may (if not ~~as believed~~ as believed to be the case, within the Supg. Engineer's powers) be confirmed and the employment of a temporary Draughtsman for 6 months on Rs 40 per mensem be sanctioned to enable the Executive Engineer to arrange for the investigation of certain irrigation schemes in the Nellore Division. An estimate for surveyors and Lascars may under para 186 of the P. W. Code be sanctioned by the Supg. Engineer himself from the grant for Minor Original works in the Division.

Col. R.E.
Chief Engineer for Irrign
Camp Buckingham Canal
15th Feby 1888.

Madras office
18-2-88

C. W. No. 1612

CHIEF ENGINEER
6 hL
6-FEB.88
FOR IRRIGATION

From

The Supdg Engineer

II circle

To

The Chief Engineer

For Irrigation

Dated - 2nd February 1888

Ry 18.2.88

No. 634 W a/ 22nd February /88

No. 775 NL

Enclosures - One

Irrigation schemes - in Nellore Division - Survey establishment required for investigating the - Submits for Sanction

---

Enclo to S.E. 2nd No 775 NL 2-2-88

11732 NL/87

REFERENCE TO MADRAS P. W. D. CODE.
PARAS. 921, 932, &c., 949, 952—955, 962—964.

P. W. D. FORM.
No. M 207.

CHIEF ENGINEER
No. 6 hL
6-FEB.88
FOR IRRIGATION

CIRCLE— 2nd
DIVISION— Nellore

ESTIMATE FORM.—Abstract.

(To accompany the Detailed Estimate No. of 1887-88 for * Temporary Establishment—

E.1 / CW 1612/88

* Here enter the name and description of work in full.

ESTIMATE FORM.—Abstract.

Quantity.	Description of Work.	Rate.	Per	Amount	TOTAL.
		RS.		RS.	RS.
	Temporary Establishment				
1	Surveyor for 6 months	80-0-0	month	480	
6	Lascars for – do	6-0-0	do	216	
1	Draughtsman do	40-0-0	do	240	
6	Lascars for 4 months	6-0-0	do	144	

Grand Total of Estimate Rs 1,080

STATION Nellore

Dated 21st December 1887

a.k.

Superintending Engineer
2nd Circle

Executive Engineer.
Nellore Division

Madras office
18-2-88

GENERAL.
ESTABLISHMENT.

Govt. of (1888) Madras.

PUBLIC WORKS.

Dated June, 25th.

Recd. *Encl.*

G.O., 25th June 1888, No. 1893 W.

JUNE.

Gudivada Division

Orders sanctioning, with remarks, the statement of office and petty establishment required for the —.

ENCLOSURE.

STATEMENT of proposition for revision of Temporary Establishment in the Kistna Eastern Division of the II Circle.

Order sanctioning present Establishment, Government of Madras, Public Works Department.		Office to which the proposition refers.	Nature of Change.												Proposition.					
			Present Scale.						Proposed Scale.						Permanent.		Temporary.			
					Pay.						Pay.				Increase per month.	Decrease per month.	Increase per month.		Decrease per month.	
Number.	Date.		Number.	Designation.	Minimum.	Increment.	Maximum.	Average or fixed.	Number.	Designation.	Minimum.	Increment.	Maximum.	Average or fixed.	Amount.	Amount.	Period.	Amount.	Period.	Amount.
					RS.	RS.	RS.	RS.			RS.	RS.	RS.	RS.	RS.	RS.	MTHS.	RS.	MTHS.	RS.
No. 277 W ..	23rd Jan. 1888.	Kistna Eastern division.	1	Clerk, 4th class, 1st grade ..	..	..	..	40	1	Clerk, 4th class, 1st grade ..	..	..	..	40	..	..	..	..	..	..
..	..		2	Clerks, 5th class, 2nd grade, on Rs. 10 each	..	..	..	20	..	....	..	..	..	..	..	..	..	..	9	20
..	..		1	Draughtsman, 2nd class ..	..	..	..	35	1	Draughtsman, 2nd class ..	..	..	..	35	..	..	..	..	..	..
No. 1030 W ..	4th April 1888.		1	Clerk, 5th calss, 1st grade, for northern sub-division ..	..	..	..	15	1	Clerk, 5th class, 1st grade, for northern sub-division.	..	..	..	15	..	..	..	..	..	..
..	..	Gudiváda division.	..	....	..	..	..	..	1	Clerk, 4th class, 1st grade ..	..	..	..	40	..	..	9	40	..	..
..	..		..	....	..	..	..	..	1	Do. do. 2nd ,, ..	..	..	..	30	..	..	9	30	..	..
..	..		..	....	..	..	..	..	2	Clerks do. 3rd ,, ..	..	..	..	40	..	..	9	40	..	..
No. 1030 W ..	4th April 1888.		1	Clerk, 5th class, 1st grade ..	..	..	..	15	1	Clerk, 5th class, 1st grade ..	..	..	..	15	..	..	..	..	..	..
..	..		..	....	..	..	..	..	1	Draughtsman, 2nd class ..	..	..	..	35	..	..	9	35	..	..
No. 1110 W ..	13th April 1888.		1	Draughtsman, 3rd class ..	..	..	..	30	1	Do. 3rd ,, ..	..	..	..	30	..	..	..	..	..	..
..	..		..	....	..	..	..	..	1	Messenger	..	..	..	7	..	..	9	7	..	..
..	..		..	....	..	..	..	..	1	Do.	..	..	..	6	..	..	9	6	..	..
..	..		..	....	..	..	..	..	3	Lascars	..	..	..	18	..	..	9	18	..	..
..	..		..	....	..	..	..	..	1	Storekeeper	..	..	..	25	..	..	9	25	..	..
..	..	Nellore.	..	....	..	..	..	..	1	Cashier, Clerk, 4th class, 3rd grade	..	..	..	20	..	..	9	20	..	..
				Total per mensem ..	..	..	..	155	..	....	..	..	..	356	..	..	9	221	9	20
				Total for nine months from 1st June to end of February 1889	..	..	..	1,395	..	....	..	..	..	3,204	..	..	..	1,989	..	180
				....	..	..	..	..	..	Net Excess ..	..	..	..	..	..	..	..	1,809	..	..

N.B.—No head clerk (clerk, 3rd class, 2nd grade) is applied for the Gudiváda division, as it is proposed to post supernumerary head clerk V. Sitapathi Row to that division. As he is now doing the duty of a cashier in the Nellore division, a temporary cashier on Rs. 20 is recommended in his stead for the Nellore division.

(Signed) J. HANNAN,
Superintending Engineer, II Circle.

28th May 1888.

Forwarded to Chief Engineer. Approved, with a request that the establishment may be sanctioned and another officer be posted to the Kistna as soon as practicable.

OOTACAMUND,
6th June 1888.

(Signed) H. R. MEAD, Colonel, R.E.,
Chief Engineer for Irrigation.

From the Examiner of Public Works Accounts, dated 16th June 1888, No. 1678.

ORDER—dated 25th June 1888, No. 1893 W., Public Works.

The statement of office and petty establishment required for the Gudiváda division is sanctioned with effect from date of entertainment.

2. With reference to para. 2 of the Superintending Engineer's letter, it is observed that Mr. A. M. Hayes has been gazetted as Executive Engineer, 4th grade, temporary rank. He will continue to hold charge of the Kistna Eastern division until a Senior Executive Engineer can be posted to it, when Mr. Hayes will be transferred to the charge of the Gudiváda division.

3. The Superintending Engineer's proposals with respect to the distribution of the executive staff and the formation of two sub-divisions in the new division are approved.

4. The sanction accorded in para. 1 of these proceedings has been registered as Provincial, No. 28 W. of 1888-89, and classified as Establishment, Temporary.

(True Extract.)

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Superintending Engineer, II Circle.
„ Chief Engineer for Irrigation.
„ Examiner, Public Works Accounts.

Exd. F. R. Bantleman.
Spare Copies

25th June 1888, No. 1893 W., Public Works.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

Read—the following papers:—

From J. HANNAN, Esq., Superintending Engineer, II Circle, to the Chief Engineer, Public Works Department (through the Chief Engineer for Irrigation), dated 28th May 1888, No. 537 K.S.

With reference to G.O. No. 1307 W., of the 3rd instant, reconstituting the Gudiváda temporary division, and calling for the submission of a nominal roll showing the proposed distribution of the existing executive staff of the Kistna Eastern division between the two divisions, I have the honor to forward, herewith, a statement in the form of distribution return of officers and subordinates, embodying the information required above.

2. There are, at present, no Executive Engineers in the Kistna Eastern division against the two sanctioned. Should an Executive Engineer be posted for charge of the Kistna Eastern division, I beg to propose placing Mr. A. M. Hayes, Senior Assistant Engineer, in charge of the Gudiváda division, he being made an Officiating Executive Engineer. By doing so, one of the following members of the existing staff will be available for transfer elsewhere :—

(1) Mr. C. H. D. Marjoribanks, Assistant Engineer.
(2) Mr. W. A. Mathews, Sub-Engineer.
(3) Mr. T. Subrahmanya Iyer, Supervisor.

3. I propose to divide the Gudiváda division into two sub-divisions as heretofore :

(1) Head-quarter sub-division.
(2) Cowtaram sub-division.

The former to be held by the Executive Engineer himself, and for charge of the latter only a sub-division officer is allowed.

4. I beg to send in a statement of proposition for the additional clerical and menial establishment required for the new division office for your approval and sanction of Government from 1st June 1888, or from any subsequent date. I have simply provided the same office establishment for the Gudiváda division that existed before its amalgamation, with this exception, that no sub-division establishment is allowed for the Gudiváda or head-quarter sub-divisions, which, as stated above, will be worked by the Executive Engineer himself without any additional establishment.

I trust that an Executive Engineer may be sent at an early date for the Kistna Eastern division, so that Mr. Hayes may take charge of the new Gudiváda division, which is suffering much for the want of an efficient officer.

Mch 10716
~~Cwo 4337~~

Judicial (1888) Departt

"Registration"

From, The Inspector General
of Registration
Madras

To, The Acting Chief Secretary
to the Government

Dated 4th } October 1888
Received } No. 4312 + 3
Rey 22 20 Oct
Enclosures - Two -
(1 Sketch plan)

No 3413W No. 26-10-88.

Requesting that the sanction of the Government may be obtained for the preparation of plans and Estimates for the construction of new offices on the revised standard design at Sholavandan, Mutukulatur and Devakottai in the Madura district.

Dm. Dy 20 October 88
PHH 18 Oct

Approved & transferred to the P.W.D.
(by order)
A. G. Cardew.
as under Secy.
16 oct

SECRETARY TO GOVERNMENT, P.W. DEPARTMENT, MADRAS.
22 OCT.

B No: 3413W dt 26 Oct 88.

Communicated to the Supdg: Engr: VI. Circle for submission of the requisite estimates

23.10.88

23/10/88

C 17/10
R 19/10
Dec 29/10

S.E. VI. Circle
Judl: Dept:
Despd 26/10
31/10

a stop to my work for want of light long before the usual office hour expires".

I have the honor to be,
Sir,
Your most obedient Servant,

W. Hamnett

Inspector General of Registration.

M.

[illegible]
10/6/85

Cua 4332

Registration Department.

G. No. 4312.

From,

Geo. Hammett Esqr.
Inspector General of Registration
Madras.

To,

J. F. Price Esqr.
Acting Chief Secretary to the
Government.

Madras the 4th October 1888.

Sir,

I have the honour to request that you will be pleased to obtain the Sanction of the Government for the preparation of plans and Estimates for the construction of new offices on the revised Standard design at Sholavandan, Mutukulatur and Devakottai in the Madura District.

2. The offices are self-supporting[x] and the want of suitable accommodation is greatly felt.

[x] Vide statement A-enclosed-

3. I inspected the office at Sholavandan in February 1886, and again in August 1888. On both occasions the Sub Registrar represented the inconvenience to which he and parties resorting to registration were put from the private rented building in which the office is being held.

Pu No 2
10716/88

Judl 4332/88
2

In K 5086-

Enclosure 1

Enc. Ans 5374

Enclosure to letter No. 4312 of 1888 to Government from the Inspector General of Registration-
(To be returned)

A.

Statement showing the registrations - receipts and expenditure in the following sub districts in Madura-

	Sholavandan.			Mutukulatur.			Devakottai.		
Year	Registrations	Receipts	Expenditure	Registrations	Receipts	Expenditure	Registrations	Receipts	Expenditure
	No.	Rs.	Rs.	No.	Rs.	Rs.	No.	Rs.	Rs.
1883-84	4009	4512	2303	1746	1922	1184	"	"	"
1884-85	2645	3196	1838	1759	2049	1149	"	"	"
1885-86	2474	3181	1742	1623	2065	1258	401	717	433
1886-87	2506	3240	1808	1444	1892	1151	1133	1686	1267
1887-88	2729	3455	2024	1655	1906	1266	1033	1751	1209

From 1st November 1885-

4th October 1888-

Gw. Hamnett
Inspector General of Registration-
JW

ANNEXURE.

Revised standard design for a Sub-Registrar's office with terraced roofing.

Descriptive Specification.

Foundations.—A depth of 4 feet is provided in the estimate, but this should be settled locally in accordance with the nature of the soil.

Walling.—The walls should be carried up in English bond two bricks thick, verandah wall one brick thick.

Stone-work.—The stone-slabs under verandah posts should measure 10½" × 10½" × 6" with mortice holes 2" square and 2" deep, into which the posts will be tennoned. The steps may also be of stone-slabs, if easily procurable.

Wood-work.—The verandah posts, bressummers and joists should be of Burma or Indian teakwood, well seasoned.

Doors.—Provide a venetian and panel door for the entrance and a strong battened door for the record room (according to the detail shown in the plan for tiled roofing), both doors to be provided with a good Europe rim lock.

Windows.—Venetian windows to be provided for the office and windows with glazed inner shutters, battened outer shutters and iron bars, ¾ inch square, set diagonally, for the record room. The sills of all windows should slope outwards with a small opening under the frame to allow water to flow out. All doors and windows to be provided with strong iron bolts and hinges and hooks for fastening when opened, and the venetians to have wooden buttons for securing when closed.

Sun-shades.—Sun-shades to be provided for each of the end windows of the office.

Roofing.—The roofing of the office and record room will be of "pucka terracing," care being taken that proper slopes are made for drainage towards the weep-holes, which will have shoots made with redwood or teakwood projecting at least 2 feet from the face of the wall. The verandah roof will be of Bengal terrace or of Mangalore tiles, where they are easily obtainable.

Flooring.—The floor may be of square bricks or stone-slabs, if the latter are easily procurable. The record room should be floored with asphalte, ¾ inch thick.

Interior and exterior finishing.—The interior of the building should be plastered and rubbed smooth or plastered and whitewashed. Where good bricks or stone is available, the exterior should be pointed, otherwise plastered.

If the soil is damp, river sand to a depth of 1 foot at least should be laid below the flooring, and the interior walls to a depth of about 3 feet all round plastered with Portland cement half an inch thick. The exterior plinth should also be plastered with cement.

Painting.—The roof timbers, sun-shades, doors and windows to be painted with three coats of Carson's oak paint.

Ventilation.—Holes to be left between the joists measuring 4" × 6" sloping outwards and closed with wire-netting of ¾ inch mesh to prevent birds and bats entering.

(Signed) J. W. BRASSINGTON,
Consulting Architect to Government.

Detail measurements.

Detail of work.	Number.	Measurements in feet.						Area of contents.	Total quantity of each description of work.
		Length.		Breadth.		Depth.			
		FT.	IN.	FT.	IN.	FT.	IN.		
Excavation for foundations—									
Outer walls	...	108	0	3	6	4	0	} 1,855	
Cross wall	1	24	6	3	6	4	0		
Verandah wall	...	35	6	2	4½	4	0	337	
Steps	...	12	0	3	6	1	0	42	
								C. feet.	2,234

Detail measurements—*cont.*

Detail of work.	Number.	Measurements in feet.						Area or contents.	Total quantity of each description of work.
		Length.		Breadth.		Depth.			
		FT.	IN.	FT.	IN.	FT.	IN.		
Earth filling in basement—									
Record room	1	25	6	12	0	1	6	747	
Clerks' do.	1	16	0	12	0	1	6		
Registrar's room	1	9	6	12	0	2	6	285	
Verandah	1	24	6	5	9	1	6	211	
								C. feet.	1,243
Concrete—									
Outer walls...	...	108	0	3	6	1	6	696	
Cross wall	1	24	6	3	6	1	6		
Verandah wall	...	35	6	2	4½	1	6	126	
Steps	...	12	0	3	6	1	0	42	
								C. feet.	864
Brick-work in foundations and basement—									
Outer walls footing course ...	...	108	0	2	7½	1	6	522	
Cross wall do. ...	...	24	5½	2	7½	1	6		
Verandah wall do. ...	...	36	5½	1	6	1	6	82	
Outer wall above footing course...	...	108	0	1	10½	3	0	749	
Cross wall do. ...	...	25	1½	1	10½	3	0		
Verandah wall do. ...	...	37	1½	0	9	3	0	84	
Steps do.	1	7	6	1	0	0	6	4	
Do. do.	1	9	6	2	0	0	6	10	
Do. do.	1	11	6	3	0	0	6	17	
								C. feet.	1,468
Brick-work in superstructure—									
Outer walls	...	108	0	1	6	13	0	2,106	
Cross wall	1	25	6	1	6	13	9	526	
Parapet	...	109	6	1	1½	1	0	123	
Coping	...	117	0	0	9	0	9	66	
									2,821
Deductions—									
Doors	2	4	0	1	6	8	0	96	
Windows	8	3	6	1	6	5	0	210	
Arch-work as per details ...	...	...		...		...		86	
									392
								C. feet.	2,429
Arch-work over doors and windows—									
Over doors	2	5	6	1	6	1	1½	86	C. feet.
Windows	8	5	0	1	6	1	1½		
Stone-work—									
Under posts	4	0	10½	0	10½	0	6	2	C. feet.
Teakwood wrought and put up—									
Joists	42	13	6	0	3	0	7	83	
Verandah posts	4	0	6	0	6	7	6	8	
Do. bressummers	1	28	0	0	6	0	6	7	
Do. rafters	22	8	6	0	3	0	4	16	

Detail measurements—*cont.*

Detail of work.	Number.	Measurements in feet.						Area or contents.	Total quantity of each description of work.
		Length.		Breadth.		Depth.			
		FT.	IN.	FT.	IN.	FT.	IN.		
Teakwood wrought and put up—*cont.*									
Verandah pieces at ends	2	7	0	0	3	0	4	1	
Do. planks at ends ...	2	7	0	0	1	1	6	2	
Railing in clerks' room—									
Hand rail	1	9	6	0	3	0	2½	1	
Bottom piece	1	9	6	0	3	0	2½		
Uprights	17	3	0	0	1½	0	1½	1	
Do. at end	1	3	6	0	3	0	3		
								C. feet.	119
Venetian and panel door with frames, &c., complete	1	4	0	...		8	0	32	S. feet.
Batten door with frames complete ...	1	4	0	...		8	0	32	S. feet.
Venetian windows with frames complete—									
For office	2	3	6	...		5	0	35	S. feet.
Venetian windows with frames and glazed inner shutters complete ...	2	3	6	...		5	0	35	S. feet.
Batten windows with frames, iron bars ¾″ square and inner glazed shutters complete—									
For record room	4	3	6	...		5	0	70	S. feet.
Galvanised iron wire-netting to cover holes between joists...	40	0	6	...		0	8	13	S. feet.
Sun-shades complete		2 in number.							
Terrace roofing—									
For office and record room ...	1	27	0	...		27	0	729 Squares.	S. feet. 7·29
Bengal terrace—									
For verandah	1	27	6	...		8	0	220 Squares.	S. feet. 2·20
Plastering with chunam interior walls—									
Office and record room	2	75	0	...		9	0	1,350	
Door jambs	2	14	0	...		1	6	42	
Window jambs	8	17	0	...		1	6	204	
Top of parapet	...	109	0	...		1	3	136	
Inside of parapet	...	104	0	...		1	0	104	
									1,836
Deductions—									
Doors	3	4	0	...		5	0	60	
Windows	8	3	6	...		5	0	140	
									200
								S. feet. Squares.	1,636 16·36
Plastering with Portland cement ½ an inch thick—									
Office and record room	2	75	0	...		3	0	450	
Plinth exterior	...	128	0	...		2	3	288	

Detail measurements—*cont.*

Detail of work.	Number.	Measurements in feet.			Area or contents.	Total quantity of each description of work.
		Length.	Breadth.	Depth.		
Plastering with Portland cement ½ an inch thick—*cont.*		FT. IN.	FT. IN.	FT. IN.		
Sides of steps	2	2 0	...	1 6	6	
Door jambs	2	6 0	...	1 6	18	
						762
Deduct—						
Doors	3	4 0	...	3 0	...	
						36
					S. feet.	726
					Squares.	7·26
Pointing exterior—						
Walls	...	114 0	...	15 6	...	
						1,767
Deduct—						
Door	1	4 0	...	8 0	32	
Windows	8	3 6	...	5 0	140	
						172
					S. feet.	1,595
					Squares.	15·95
Flooring with 8 inches square bricks—						
Office	1	25 6	...	12 0	306	
Door piece	1	4 0	...	1 6	6	
Verandah	1	26 0	...	6 6	169	
Steps	1	11 6	...	3 0	35	
					S. feet.	516
					Squares.	5·16
Flooring with asphalte ¾ inch thick over a bed of concrete 4 inches thick—						
Record room	1	25 6	...	12 0	306	
Door piece	1	4 0	...	1 0	4	
					S. feet.	310
					Squares.	3·10
Painting with three coats—						
Joists	42	13 6	...	1 5	803	
Verandah posts	4	2 0	...	7 6	60	
Bressummers	1	27 6	...	2 0	55	
Rafters	22	8 6	...	1 3	234	
Planking at ends	2	7 0	...	3 0	42	
Railing	1	18 0	...	3 0	54	
Venetian and panel door ...	3	4 0	...	8 0	96	
Batten door	2	4 0	...	8 0	64	
Venetian windows ... 4 ×	2	3 6	...	5 0	140	
Do. with glazed shutters 5 ×	2	3 6	...	5 0	175	
Batten windows with glazed shutters and iron bars ... 4 ×	4	3 6	...	5 0	280	
Sun-shades	4	5 0	...	5 0	100	
Do.	2	2 0	...	2 0	8	
					S. feet.	2,111
					Squares.	21·11

ABSTRACT.

Quantity.	Description of work.	Rate.	Per	Amount.	Total.
		RS.		RS.	RS.
2,234 C. feet.	Excavation for foundations ...		1,000 C. ft.		
1,243 „	Earth filling in basement		„		
864 „	Concrete in foundations		100 C. ft.		
1,468 „	Brick-work in foundations and basement		„		
2,429 „	Brick-work in superstructure ...		„		
86 „	Arch-work		„		
2 „	Stone-work under posts		C. ft.		
119 „	Teakwood wrought and put up ...		„		
32 Sq. ft.	Venetian and panel door with frames, hooks and rim lock, complete		Sq. ft.		
32 „	Batten door do do. ...		„		
35 „	Venetian windows with frames, hooks, &c., complete		„		
35 „	Venetian windows with frames and glazed inner shutters, hooks, &c., complete		„		
70 „	Battened windows with frames, iron bars and inner glazed shutters, hooks, &c., complete		„		
13 „	Galvanised iron wire-netting ...		„		
2 No.	Sun-shades		Each.		
7·29 Sqs.	Terrace roofing		Square.		
2·20 „	Bengal terrace		„		
16·36 „	Plastering interior walls with two coats of chunam		„		
7·26 „	Plastering with Portland cement ½ an inch thick		Square.		
15·95 „	Pointing exterior walls		„		
5·16 „	Flooring with 8 inches square bricks laid in mortar over a levelling course of wall bricks		„		
3·10 „	Flooring with asphalte ¾ inch thick over a bed of concrete 4 inches thick		„		
21·11 „	Painting with three coats of Carson's paint		„		
	Petty supervision at 2½ per cent. Contingencies at 5 per cent. ...		„		
	Grand Total of estimate ...				

Madras,
8th June 1888.

(Signed) J. W. BRASSINGTON,
Consulting Architect to Government.

Revised standard design for a Sub-Registrar's office with tiled roofing.

Descriptive Specification.

Foundations.—A depth of 4 feet is provided in the quantities, but this should be settled locally in accordance with the nature of the soil.

Walling.—The walls should be carried up in English bond 2 bricks thick, verandah wall 1 brick thick.

Stone-work.—The stone-slabs under verandah posts should be 10½″ × 10½″ × 6″ with mortice holes 2 inches square and 2 inches deep into which the posts will be tennoned. The steps may also be of stone-slabs if easily procurable.

Wood-work.—The verandah posts should be of Burma or Indian teakwood, well seasoned. The rafters and other roof timbers may be of approved country wood.

Doors.—Provide a venetian and panel door for the entrance and a strong battened door for the record room, both doors to be provided with a good Europe rim lock.

Windows.—Venetian windows to be provided for the office, and windows with glazed inner shutters, battened outer shutters, and iron bars ¾ inch square set diagonally for the record room. The sills of all windows should slope outwards with a small opening under the frame to allow water to flow out. All doors and windows to be provided with strong iron bolts and hinges and hooks for fastening when opened and the venetians to have wooden buttons for securing when closed.

Sun-shades.—Sun-shades to be provided for each of the end windows of the office.

Roofing.—The roof will be of the usual flat and pan-tiles or Mangalore tiles; in the latter case, the rafters should be spaced about 2′ 6″ apart centre to centre and a ceiling of ½ inch planking provided.

Flooring.—The floor may be of square bricks or stone-slabs if the latter are easily procurable. The record room should be floored with asphalte ¾ inch thick.

Interior and exterior finishing.—The interior of the building should be plastered and rubbed smooth or plastered and whitewashed. Where good bricks or stone is obtained, the exterior should be pointed, otherwise plastered.

If the soil is damp, river sand to a depth of 1 foot at least should be laid below the flooring, and the interior walls to a depth of about 3 feet all round plastered with Portland cement half an inch thick. The exterior plinth should also be plastered with cement.

Painting.—The roof timbers, sun-shades, doors and windows to be painted with three coats of Carson's oak paint.

Ventilation.—For ventilation, the spaces between the rafters measuring about 15″ × 6″ and sloping outwards may be left open and galvanised iron wire-netting of ¾ inch mesh nailed in between to prevent birds and bats entering.

(Signed) J. W. BRASSINGTON,
Consulting Architect to Government.

Detail measurements.

Detail of work.]	Number.	MEASUREMENTS IN FEET.			Area or contents.	Total quantity of each description of work.
		Length.	Breadth.	Depth.		
		FT. IN.	FT. IN.	FT. IN.		
Excavation for foundations—						
Outer walls	...	108 0	3 6	4 0	1,855	
Cross wall	1	24 6	3 6	4 0		
Verandah wall	...	35 6	2 4½	4 0	337	
Steps	...	12 0	3 6	1 0	42	
					C. feet.	2,234
Earth filling in basement—						
Record room	...	25 6	12 0	1 6	747	
Clerks' room	...	16 0	12 0	1 6		
Registrar's room	...	9 6	12 0	2 6	285	
Verandah	...	24 6	5 9	1 6	211	
					C. feet.	1,243
Concrete—						
Outer walls	...	108 0	3 6	1 6	696	
Cross wall	1	24 6	3 6	1 6		
Verandah wall	...	35 6	2 4½	1 6	126	
Steps	...	12 0	3 6	1 0	42	
					C. feet.	864
Brick-work in foundations to floor level—						
Outer wall footing course	...	108 0	2 7½	1 6	522	
Cross do. do.	...	24 5½	2 7½	1 6		
Verandah do. do.	...	36 5½	1 6	1 6	82	
Outer wall above footing course	...	108 0	1 10½	3 0	749	
Cross wall	...	25 1½	1 10½	3 0		

Detail measurements—*cont.*

Detail of work.	Number.	MEASUREMENTS IN FEET.			Area or contents.	Total quantity of each description of work.
		Length.	Breadth.	Depth.		
		FT. IN.	FT. IN.	FT. IN.		
Brick-work in foundations to floor level—*cont.*						
Verandah wall above	...	37 1½	0 9	3 0	84	
Steps	...	7 6	1 0	0 6	4	
Do.	...	9 6	2 0	0 6	10	
Do.	...	11 6	3 0	0 6	17	
					C. feet.	1,468
Brick-work in superstructure—						
Outer walls	...	108 0	1 6	12 6	2,025	
Cross wall	1	25 6	1 6	21 6	822	
Gables	2	28 6	1 6	4 9	406	3,253
Deductions—						
Doors	2	4 0	1 6	8 0	96	
Windows	8	3 6	1 6	5 0	210	
Arch-work as per details	...	...	...	...	86	392
					C. feet.	2,861
Arches over doors and windows—						
Over doors	2	5 6	1 6	1 1½	86	C. feet.
Windows	8	5 0	1 6	1 1½		
Stone-work—						
Under posts	4	0 10½	0 10½	0 6	2	C. feet.
Wood-work—						
Wall-plates	3	26 0	0 4	0 3	7	
Rafters	36	18 6	0 3	0 7	97	
Railing in clerks' room—						
Hand rail	1	9 6	0 3	0 2½	1	
Bottom piece	1	9 6	0 3	0 2½		
Uprights	17	3 0	0 1½	0 1½	1	
Do. at end	1	3 6	0 3	0 3		
Verandah—						
Posts	2	0 6	0 6	8 0	7	
Do.	2	0 6	0 6	6 6		
Brackets	2	1 0	0 6	0 4	1	
Do.	2	0 7½	0 6	0 6		
Bressummers	2	10 0	0 6	0 6	5	
Do. piece at ends	2	7 0	0 3	0 4	1	
Valley rafters	2	11 0	0 3	0 5	3	
Do. ridge	1	8 6	0 3	0 5		
Rafters	16	9 6	0 2½	0 4	15	
Do. small rafters	10	6 0 average length.	0 2½	0 4		
Collar piece	1	6 0	0 3	0 3	1	
Finial	1	4 6	0 3	0 3		
Barge planks	2	7 0	0 6	0 1	1	
Do.	2	2 6	1 6	0 1	1	
Planking at ends	2	7 0	0 1	2 6	3	
					C. feet.	144
Venetian and panel doors with frames complete	1	4 0	...	8 0	32	Sq. feet.

Detail measurements—*cont.*

Detail of work.	Number.	Measurements in feet.						Area or contents.	Total quantity of each description of work.
		Length.		Breadth.		Depth.			
		FT.	IN.	FT.	IN.	FT.	IN.		
Batten door with frames complete ...	1	4	0	...		8	0	32	Sq. feet.
Venetian windows with frames complete for office	2	3	6	...		5	0	35	Sq. feet.
Venetian windows with glazed inner shutters for office	2	3	6	...		5	0	35	Sq. feet.
Batten windows with frames, iron bars, and inner glazed shutters for record room	4	3	6	...		5	0	70	Sq. feet.
Galvanised iron wire-netting between joists	2	26	0	...		0	8	35	Sq. feet.
Sun-shades		2 in number.							
Tiled roofing—									
Office and record room	2	29	6	...		37	6	2,213	
Verandah	1	22	9	...		8	0	242	
Do.	1	7	6	...		8	0		
								Sq. feet.	2,455
								Squares.	24·55
Plastering—									
Office and record room	2	75	0	...		14	6	2,175	
Door jambs	2	14	0	...		1	6	42	
Window jambs	8	17	0	...		1	6	204	
Deductions—									2,421
Doors	3	4	0	...		5	0	60	
Windows	8	3	6	...		5	0	140	
									200
								Sq. feet.	2,221
								Squares.	22·21
Plastering with Portland cement ½ an inch thick—									
Office and record room	2	75	0	...		3	0	450	
Door jambs	2	6	0	...		1	6	18	
Plinth exterior	...	128	0	...		2	3	288	
Sides of steps	2	2	0	...		1	6	6	
								Sq. feet.	762
								Squares.	7·62
Pointing exterior—									
Walls	...	114	0	...		12	0	1,368	
Gables	2	28	6	...		4	9	271	
Deduct—									1,639
Door	1	4	0	...		8	0	32	
Windows	8	3	6	...		5	0	140	172
								Sq. feet.	1,467
								Squares.	14·67

Detail measurements—*cont.*

Detail of work.	Number.	Measurements in feet.						Area or contents.	Total quantity of each description of work.
		Length.		Breadth.		Depth.			
		FT.	IN.	FT.	IN.	FT.	IN.		
Flooring with 8 inches square bricks—									
Office	1	25	6	...		12	0	306	
Door piece	1	4	0	...		1	6	6	
Verandah	1	26	0	...		6	6	169	
Steps	1	11	6	...		3	0	35	
								Sq. feet.	516
								Squares.	5·16
Flooring with asphalte ¾ inch thick over a bed of concrete 4 inches thick—									
Record room	1	25	6	...		12	0	306	
Door piece	1	4	0	...		1	0	4	
								Sq. feet.	310
								Squares.	3·10
Painting with three coats of Carson's paint—									
Rafters	36	18	6	...		1	5	944	
Railing	...	18	0	...		3	0	54	
Verandah—									
Posts	2	2	0	...		7	6	54	
Do.	2	2	0	...		6	0		
Brackets	2	1	0	...		1	3	3	
Do.	2	1	0	...		1	6	3	
Bressummers	2	10	0	...		2	0	40	
Piece at end	2	7	0	...		0	6	7	
Valley rafter and ridge	...	30	0	...		1	0	30	
Rafters	...	212	0	...		0	10½	186	
Collar piece and finial	...	10	6	...		1	0	11	
Planks	2	7	0	...		1	1	15	
Do.	4	2	6	...		1	6	15	
Do.	4	7	0	...		2	6	70	
Venetian and panel door ...	3	4	0	...		8	0	96	
Batten door	2	4	0	...		8	0	64	
Venetian windows ... 4 ×	2	3	6	...		5	0	140	
Do. with glazed shutters 5 ×	2	3	6	...		5	0	175	
Batten windows with shutters and iron bars ... ... 4 ×	4	3	6	...		5	0	280	
Sun-shades	4	5	0	...		5	0	100	
Do.	4	2	0	...		2	0	16	
								Sq. feet.	2,303
								Squares.	23·03

ABSTRACT.

Quantity.	Description of work.	Rate.	Per	Amount.	Total.
		RS.		RS.	RS.
2,234 C. feet.	Excavation for foundations ...		1,000 C. feet.		
1,243 „	Earth filling in basement		„		
864 „	Concrete in foundations		100 C. feet.		
1,468 „	Brick-work in foundations and basement		„		
2,861 „	Brick-work in superstructure ...		„		
86 „	Arch-work		„		
2 „	Stone-work under posts		C. feeet.		
144 „	Teakwood wrought and put up ...		„		
32 Sq. feet.	Venetian and panelled door with frames, hooks and rim lock, complete		Sq. feet.		
32 „	Batten door with frames, hooks, and rim lock, complete		„		
35 „	Venetian windows with frames, hooks, &c., complete		„		
35 „	Venetian windows with frames and glazed inner shutters, hooks, &c., complete		„		
70 „	Battened windows with frames, iron bars, and inner glazed shutters, hooks, &c., complete		„		
35 „	Galvanised iron wire-netting fixed.				
2 No.	Sun-shades		Each.		
24·55 Squares.	Tiled roofing with flat and pan-tiles and teak reepers		Square.		
22 21 „	Plastering interior walls with two coats of chunam		„		
7·62 „	Plastering interior walls with Portland cement $\frac{1}{2}$ an inch thick ...		„		
14·67 „	Pointing exterior walls		„		
5·16 „	Flooring with 8-inch square bricks laid in mortar over a levelling course of wall bricks		„		
3·10 „	Flooring with asphalte $\frac{3}{4}$ inch thick over a bed of concrete 4 inches thick		„		
23·03 „	Painting with three coats of Carson's paint		„		
	Petty supervision at $2\frac{1}{2}$ per cent.				
	Contingencies at 5 per cent ...		„		
	Grand Total of Estimate ...				

MADRAS,
8th June 1888.

(Signed) J. W. BRASSINGTON,
Consulting Architect to Government.

21ST JULY 1888, No. 2230 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following papers :—

From J. W. BRASSINGTON, Esq., Consulting Architect to the Government of Madras, to the Chief Engineer, Public Works Department, dated Chepâk, 8th June 1888, No. 414.

With reference to the orders of Government marginally noted, I have the honor to submit revised standard designs for Sub-Registrars' offices, with tiled roof and terraced roof, with specifications and schedules of quantities.

G.O. No. 879 W., dated 16th March 1888.
„ „ 1333 W., „ 7th May „

No. 334 D.

Forwarded for the approval of Government in the Judicial Department.

OOTACAMUND,
16th June 1888.

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

Referred to the Inspector-General of Registration for remarks.

(By Order.)

22nd June 1888.

(Signed) A. G. CARDEW,
Ag. Under-Secretary.

From G. HAMNETT, Esq., Inspector-General of Registration, to the Chief Secretary to Government, dated Madras, 28th June 1888, G. No. 2700.

With reference to endorsement, Judicial, (returned with plans and papers), dated the 22nd June 1888, on a letter from the Consulting Architect to the Government, submitting revised designs for Sub-Registry offices with tiled roof and terraced roof, I have the honor to state that the accommodation provided in the revised design is precisely the same as that provided in the design sanctioned in 1885, and that so far as departmental needs are concerned, I have no remarks to make.

2. As regards artistic appearances, I am no judge, but I should not omit to mention, for the information of the Government, that in the tiled roof design the "dormer" has been omitted, apparently because it was difficult to build, and still more difficult to keep from leaking.

3. The terraced roof design is about the same. It is to be hoped that wherever this design is adopted by the Public Works Department, the terrace will be carefully and substantially built to prevent it from leaking.

4. The estimate for the two designs does not make provision for any lightning conductors. They may, or may not, be required in some places.

Transferred to the Public Works Department with papers received under endorsement No. 334 D., dated 16th June 1888, returned, and with an intimation that Government in this department approve of the revised type-designs.

(By Order.)

(Signed) A. G. CARDEW,
Ag. Under-Secretary.

7th July 1888.

Order—dated 21st July 1888, No. 2230 W., Public Works.

The revised type-designs, with descriptive specifications and estimates of quantities for Sub-Registrars' offices will be circulated to officers of the Public Works Department in supersession of previous type-designs for similar buildings.

2. Lightning conductors are not considered necessary for these buildings.

(True Extract.)

(Signed) J. O. HASTED, Colonel, R.E.,
Secretary to Govt., P.W.D.

To Superintending Engineers.
To the Consulting Architect to Government.
,, Judicial Department.

Exd. F. R. Bantleman.
Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1888} Madras.

PUBLIC WORKS.

Dated July, 21st.

Recd. *Encl.*

G.O., 21st July 1888, No. 2230 W.

JULY.

Type-designs

Circulating the revised — with descriptive specifications and estimates of quantities for Sub-Registrars' offices in supersession of previous type-designs.

WEST

1 & 2. are doorways opening into the Record room & they are secured by a cross wooden bar across the doors.
5 & 4. are windows & they are similarly secured
6. Sub Registrar's seat.
7. Iron safe place.
8. Clerk's seat.
9 & 10. are doorways opening into the office room.
11. Court-yard.
12. Verandah leading to the premises of the office.
Where lines form the boundaries of the premises of the office.
13 & 14. are thin mud walls.



In No 9966.

Enclosure 1

Ins. 3274

Pw Recd
10/16/88

Judl. 4332/88
1

Public 10805

Resolution

Submitted to Government with reference to the Government Order quoted by the Collector.

2. The result of the Collector's communication with the Erode Taluk Board on the subject of converting the present Dy. Tahsildar's office into a public Chatram will be reported to Govt. in due course. Rey 24/10/88

Order thereon, 18 Oct. 1888, No. 6208.

Recorded.

(One Extract)

[illegible]
Ag. Secy. to Govt.

To

The Commr. of S.R.
" P.W. Dept. &
" Judicial Dept.

SECRETARY TO GOVERNMENT
2 OCT. 8
P.W. DEPARTMENT, MADRAS.

Ab. 3287 W d/ 16 10 88

Ab. 3127 C d/ 17 8 88 & files

No 3414 W d/ 26 Oct. 1888.
P/

Recorded with
Recorded with
reference to G. O. No
reference to G.O. No
3287 W d/ 16 Octr. 1888
3287 W d/ 16 Oct. 1888

[illegible]
25.10.88

Despd 26/10

[illegible]
25/10/88

S.E. IV Circle
S.E. IV Circle

[illegible]
4

AR
2 C C D 29/10

REVENUE DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following Pros: of the Board of Reve: (LRf) of 9 Oct: 1888, Mis: No: 5991, on letter from the Collr: of Coimbatore, dated 24 September 1888, No: 1587/Sub —

With reference to G.O. R.D. dated 31 July last, No 2461, forwarded with Board's Proceedings, dated the 17 ultimo, No: 4970 Mis: I have the honor to report as follows:—

The Deputy Tahsildar of Perunakurichi proposes that his present office building may be converted into a public chatram as there is none there and as travellers find great difficulty in finding a place to halt in. But I do not know whether the Erode Taluk Board care to have a chatram there. I will correspond with them and report the result.

As regards the second query, I beg to state that the selected site for the Deputy Tahsildar's office is about 250 yards from the Sub Registrar's office. The Sub Registrar's office being surrounded by houses, the Deputy Tahsildar's office cannot be built contiguous to it.

Resolution

G.O. 202 W dt 25.1.86.
" 1679 W dt 2.7.86.

Rd No 3412 W of 25th Oct 1888

PPH 24 Oct

Sanctioned.

22.10.88

22/10/88

S.E. V Circle.
Ex. P.W. Accts.

Hm 23.x.88
R 24.x.88
Rec 29/10
Desp 26/10
31/10

Public 10708
No 322 P.W. Stn
17.10.88

188 .

P. W. DEPARTMENT.

From

THE SUPERINTENDING ENGINEER,
V CIRCLE,

To

THE CHIEF ENGINEER,
PUBLIC WORKS DEPARTMENT.

Reg 24/10/88 In duplicate

No. 3099.

Dated 18th } October 1888
Recd. }

No 3412 W of 26th Oct 1888

Subject.

Requesting that sanction may be given to the purchase of certain articles of Europe manufacture in the local market.

With order

No. 1802W

PRESIDENCY P. W. WORKSHOPS,
Madras,
17th October 1888.

From
Lt-Col: S C Clarke R.E.
~~THE~~ GENERAL SUPERINTENDENT,
P. W. WORKSHOPS,

To

THE SUPERINTENDING ENGINEER,
V CIRCLE,
Madras.

SIR,

With reference to paras. 2 and 3 of the Government of India Resolution published with G.O., No. 202-W, dated 25th January 1886, I have the honor to request you to obtain the sanction of Government to my purchasing in the local market, for the reasons stated, certain articles of European manufacture as overleaf.

I have the honor to be,
Sir,
Your most obedient Servant,
Lt. Col R.E.
General Superintendent, P. W. Workshops.

f8
76/10

Stores manufactured in Europe but purchased in India under paragraph 3 of Government of India Financial Resolution, No. 185, dated 10th January 1883.

Description or Class of Stores.	No. or Quantity.	ACTUAL COST IN INDIA.									ESTIMATED COST IF OBTAINED THROUGH INDIA OFFICE									REMARKS.
		Average Price or Rate.			Incidental Charges, Carriage, &c.			Total Cost.			Average Price or Rate.			Incidental Charges, Freight, Exchange, &c.			Total Cost.			
		Rs.	A.	P.	Rs.	A.	P.	Rs.	A.	P.	Rs.	A.	P.	Rs.	A.	P.	Rs.	A.	P.	
Iron Square 1" About lbs	3200	150	..	..	..	..	..	150			110	4	5	55	2	2	165	6	7	Not procurable in the P W Stores, and required for immediate use in the P W Workshops for execution of orders Sanction is requested under Clause I Para 3 of the Govt: of India Financial Resolution No 185, dated 10th January 1883, and embodied in G O No 1679 W dated the 2nd July 1886.

Lt. Col.

General Superintendent, P. W. Workshops.

PRESIDENCY P. W. WORKSHOPS,
Madras,
17th October 1888.

No. 3099.

The above application is forwarded to the Chief Engineer, Public Works Department, with the recommendation that it be complied with.

SUPERINTENDING ENGINEER'S OFFICE,
V Circle, Chepâk,
19th October 1888.

Colonel, R.E.,
Superintending Engineer, V Circle.