

- (1) பக்கங்களின் எண்ணிக்கை 20
(2) புதுக்கித் திருப்பிய நாள் 4.11.88
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் long

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

P.W. துறை

அரசாணை எண்.	3882 W	அச்சகம்
மு. கோப்புத் தாள் எண்.		பலவகை
- 1888		
நாள் :	10.12.1884	~~198~~

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

செ

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT

General.
Account.

READ—the following papers:—

From J. HANNAN, Esq., Superintending Engineer, II Circle, to the Chief Engineer, Public Works Department, (through the Examiner of Public Works Accounts), dated 25th June 1888, No. 285 N.L.

I have the honor to forward herewith, for your approval and sanction of Government, under para. 1786 of the Public Works Code, an estimate, amounting to Rs. 952, for land and kilns, lime manufacture, in the Nellore division.

2. With reference to the penultimate clause of Code para. 1789, I have to state that the period within which the charges are to be cleared is twelve months.

Office note from the Examiner of Public Works Accounts, dated 24th September 1888, No. 2305.

Forwarded.

2. It is not clear whether the manufacture contemplated is the manufacture of a definite quantity of lime, the operations extending at most over parts of two seasons, or whether there is an intention of continuing it for a series of years.

3. If the former, the case is not one in which a land and kiln account should be opened. The masonry lime shed and any other permanent building should in such cases be charged to Original Works, Civil Buildings, and the other charges to the manufacture. The rates at which the out-turn is priced should of course take into account the necessity of spreading initial charges over the whole out-turn.

4. If the latter, the Superintending Engineer should state for how many years the operations are likely to continue, and the opening of a land and kiln account should be formally sanctioned if considered proper, and in that case the permanent lime shed (Rs. 862) should, it is thought, be charged to land and kiln, and the Superintending Engineer should propose a period not exceeding fifteen years in which the charges should be adjusted. The other items would be chargeable to manufacture.

5. The closing of the manufacture accounts annually, as prescribed in Code para. 1792 (note 2), in cases where the manufacture is for a definite quantity, the operations extending at most over parts of two seasons, would appear to be of no practical utility and no more necessary than it is to close the accounts of a work once in each year. If you agree with me, please obtain the approval of the Government to modify the code in this respect.

6. I regret that the submission of the Superintending Engineer's letter has been so long delayed owing to its being the first attempt to apply the new rules for land and kilns approved in G.O., No. 1833 W., dated 19th June 1888.

From A. A. G. MALET, Esq., Executive Engineer, Nellore Division, to the Superintending Engineer, II Circle, dated Nellore, 16th October 1888, No. 328.

In reply to your endorsement No. 590, dated 6th October 1888, I have the honor to return the enclosures and report as follows.

2. The lime manufacture operations at Nellore should, I consider, extend over a series of years.

There is always more or less work near Nellore and for the greater part of the delta. Nellore is the best place at which to manufacture lime. It is cheaper to manufacture lime than to buy it in the market.

3. The remarks in paras. 3 and 5 of Examiner's note do not therefore apply.

4. With reference to para. 4, it would seem that the Examiner proposes to charge all the items in the land and kilns estimate, with the exception of the lime shed, to manufacture.

I think this proposal is open to question, and that, with the exception perhaps of item 3, they are all fairly chargeable to land and kilns.

I would point out, however, that it is impossible to foresee all requirements for even two years, and that an estimate framed to cover a period of fifteen years would soon require revision. As it is, I wish now to improve the lime shed and the permanent kiln.

I have found these improvements to be necessary since I started manufacture on the 22nd July 1888, and I propose to submit a revised estimate shortly.

No. 642 N.L.

Copy forwarded to the Chief Engineer, Public Works Department, with reference to his memorandum No. 3668 C. of the 28th September 1888 (herewith returned as directed), with a request that the estimate, herewith re-submitted, may be sanctioned against "Land and Kilns," and suggest that five years be the time over which the operations are to continue, and within which these initial charges are to be recovered.

30th October 1888.

(Signed) J. HANNAN,
Superintending Engineer, II Circle.

Office note from the Examiner of Public Works Accounts, dated 23rd November 1888, No. 2643.

The sanction of the Government should be obtained to the opening of the land and kilns account, and if this is sanctioned the second and fourth items of the estimate, amounting as corrected and shown in pencil to Rs. 973, may, in my opinion, be properly charged to land and kilns account; but the other items should be charged directly to the manufacture. Such charges as the sixth and seventh items (Repairs and general charges) cannot possibly be charged to "Land and Kilns."

2. The period proposed (five years) for clearing off the charges seems reasonable.

ORDER—dated 10th December 1888, No. 3882 W., Public Works.

The estimate, amounting to Rs. 1,172, for lime manufacture in the Nellore division is sanctioned.

	RS.	
Forming a platform for slaking lime ..	111	2. The opening of a land and kilns account is approved, and the items marginally noted will be charged thereto. The remaining items of the estimate will be charged to manufacture.
Constructing a masonry lime shed with corrugated iron roofing and extending the same	862	
Total ...	973	3. The period proposed (five years) for clearing off the charges is approved.

standing order modifying note (2), para. 1792, of the Public Works Code, in the manner suggested in para. 5 of his office note No. 2305, dated 24th September 1888.

5. The sanction accorded in para. 1 has been registered as Provincial No. 123 W. of 1888-89, and classified as Stock.

(True Extract.)

Captain, R.E.,
Under-Secy. to Govt., P.W.D.

To the Superintending Engineer, II Circle.

„ Examiner, Public Works Accounts, with the estimate for note and return to the Superintending Engineer.

„ Chief Engineer for Irrigation.

Exd. J. Moses.
Spare Copies

GENERAL.
ACCOUNT.

Govt. of (1888) Madras.
PUBLIC WORKS.

Dated December, 10th.

Recd.

Encl.

G.O., 10th Dec. 1888, No. 3882 W.

DECEMBER.

Lime manufacture in the
Nellore Division
Estimate for —, sanctioned with remarks.

No 285NL

Supdy. Engineer's Office,
2nd Circle.
25th June 1888.

From,

17th

J. Hannan Esquire,

1P

Superintending Engineer,

To,

2nd Circle.

Enclosure 1.

The Chief Engineer,

2nd Circle.

Public Works Department,

Madras.

Through,

The Examiner,

P. W. Accounts,
Madras.

Sir,

I have the honor to forward herewith
for your approval and sanction of Govern-
ment under Para 1786 of the P.W. Code,
an Estimate amounting to Rs. 952 for land
& Kilns, Lime manufacture in the Nellore
Division.

2. With reference to the penultimate
clause of Code para 1789, I have to state
that the period within which the charges are
to be cleared is 12 months.

I have the honor to be,

Sir,

Your most Obedt. Servant,

Hannan

Superintending Engineer,
2nd Circle.


Copy

TO W.

A-2305 724-94

FORWARDED.

From



*The Suply Engineer
Series II Circle*

8 of years

*The Chief Engineer
P/W &*

*Shri The Engineer of
P.W. Works
Madras*

*Dated 25th June 1938
No 2854/L*

in to one

*Villore District, Land
& Kilns, Lime Manufacture,
Estimate Amounting to Rs 952
for - sanction of for sanction
of Government-*

PROPER,

2. IT IS NOT CLEAR WHETHER THE MANUFACTURE CONTEMPLATED IS THE MANUFACTURE OF A DEFINITE QUANTITY OF LIME, THE OPERATIONS EXTENDING AT MOST OVER PARTS OF TWO SEASONS OR WHETHER THERE IS AN INTENTION OF CONTINUING IT FOR A SERIES OF YEARS.

3. IF THE FORMER, THE CASE IS NOT ONE IN WHICH A LAND AND KILN ACCOUNT SHOULD BE OPENED. THE MASONRY LIME SHED AND ANY OTHER PERMANENT BUILDING SHOULD IN SUCH CASES BE CHARGED TO ORIGINAL WORKS CIVIL BUILDINGS AND THE OTHER CHARGES TO THE MANUFACTURE. THE RATES AT WHICH THE OUT-TURN IS PRICED SHOULD OF COURSE TAKE INTO ACCOUNT THE NECESSITY OF SPREADING INITIAL CHARGES OVER THE WHOLE OUT-TURN.

4. IF THE LATTER, THE SUPERINTENDING ENGINEER SHOULD STATE FOR HOW MANY YEARS THE OPERATIONS ARE LIKELY TO CONTINUE AND THE OPENING OF A LAND AND KILN ACCOUNT SHOULD BE FORMALLY SANCTIONED IF CONSIDERED



Has been in use for 15 years

28/5 310


PROPER, AND IN THAT CASE, THE PERMANENT LIME SHED (RS. 862-0-0) SHOULD IT IS THOUGHT BE CHARGED TO LAND AND KILN AND THE SUPERINTENDING ENGINEER SHOULD PROPOSE A PERIOD NOT EXCEEDING FIFTEEN YEARS IN WHICH THE CHARGES SHOULD BE ADJUSTED. THE OTHER ITEMS WOULD BE CHARGEABLE TO MANUFACTURE.

5. THE CLOSING OF THE MANUFACTURE ACCOUNTS ANNUALLY AS PRESCRIBED IN CODE PARA 1790 (NOTE 2) IN CASES WHERE THE MANUFACTURE IS FOR A DEFINITE QUANTITY THE OPERATIONS EXTENDING AT MOST OVER PARTS OF TWO SEASONS, WOULD APPEAR TO BE OF NO PRACTICAL UTILITY AND NO MORE NECESSARY THAN IT IS TO CLOSE THE ACCOUNTS OF A WORK ONCE IN EACH YEAR. IF YOU AGREE WITH ME, PLEASE OBTAIN THE APPROVAL OF THE GOVERNMENT TO MODIFY THE CODE IN THIS RESPECT.

6. I REGRET THAT THE SUBMISSION OF THE SUPERINTENDING ENGINEER'S LETTER HAS BEEN SO LONG DELAYED OWING TO ITS BEING THE FIRST ATTEMPT TO APPLY THE NEW

RULES

RULES FOR LAND AND KILNS APPROVED
IN G.O. NO. 1233 W. DATED 19TH. JUNE
1888.



W. G.

c.

P. W. Chs 9649

En. 1.

Ry 26.9.88

2³ Encls. to S. Si No 842 No 30-10-88

W. G.

No. 3668 c. 2/28 Sept. 1888

Referred to the
Suptg. Engr. II circle
for favour of report,
with adherence to
the Examiner's remarks.

(By order)

W. B. Smith

Capt R. E.

Dy. Chief Engr. P. W. D.

Referred

No 328

Executive Engineer's Office
Nellore, 16th October/88

1754

From

The Executive Engineer of
Nellore

To

The Superintending Engineer,
II circle

Sir,

In reply to your memorandum No.
590
6.10.88, I have the honor to return the enclosures
and report as follows.

2. The lime manufacture operations at
Nellore should I consider extend over
a series of years.

There is always more or less work
near Nellore and for the greater part
of the dist. Nellore is the best place at
which to manufacture lime. It is cheaper
to manufacture lime than to buy it in the
market.

3. The remarks in paras 3 & 5 of Examiner's
note do not therefore apply.

4. With reference to para 4, it would seem
that the Examiner proposes to charge all the
items in the Land and Kilns estimate with the
exception of the lime shed to manufacture.

I think this proposal is open to question
and that with the exception perhaps of item 3

they are all fairly chargeable to Land
and Kilns.

I would point out, however, that
it is impossible to foresee all requirements
for even 2 years, and that an estimate framed
to cover a period of 15 years would soon
require revision. As it is, I wish now to
improve the time shed & the permanent kilns.

I have found these improvements
to be necessary since I started manu-
-facture on the 22nd July 1888, and I
propose to submit a revised estimate
shortly.

I have &c

J. A. G. Hatch

Executive Engineer
Vellore Dist.

N. 642. N. 2.

Copy forwarded to the Chief
Engineer, Public Works Department, with
reference to his Memo No 3668 C of the 28th
September 1888 (herewith returned as directed)
with a request that the estimate herewith
resubmitted may be sanctioned against
"Land & Kilns", and suggest that 5 years be the
time over which the operations are to continue,
and within which these initial charges are to be
recovered.

Supd. Engrs. Office
30th October 1888

J. A. G. Hatch
Superintending Engineer

Enclosures: 2
1 Estimate
1 Copy Encl.
11. 26. 1888
2

288/1

No. 4342 C of 7 Nov 1888

To C

For favor of any further remarks you may have to offer.

WMB
6.11.88

DW.



2643 of 23.11.88

To W.

Encl: 2

The sanction of the Government should be obtained to the opening of the land and kilns account, and if this is sanctioned the second and fourth items of the estimate amounting as corrected and shown in pencil to Rs. 673 may in my opinion be properly charged to land and kilns account; but the other items should be charged directly to the manufacture. Such charges as the sixth and seventh items (repairs and general charges) cannot possibly be charged to "land and kilns".

2. The period proposed

From,

The Suptg. Engineer,
2nd Circle.

To,

The Chief Engineer,
P. W. D.

Dated 30th October 1888.



No. 642 N.L.

Encl: 2

Land & Kilns - Lime manu-
-facture at Mellore -
Resubmits for sanction the
Estimate of Rs. 1172 for -
reporting on the Examiner's
remarks.

To

(3 years) for clearing off the charges seems reasonable.

710

7/10

h/ll
m/c

11/27
P.13/11

G.O. 1833 W.A. 19. 6. 88
 N^o. 3723 C.A. 14. 10. 88
 2047 W.A. 6. 7. 88
 3668 C.A. 18. 9. 88
 4342 C.A. 17. 11. 88

File not
 recd 7-1-89

Sb 90 of 84
 22-6-88

1888-89 2/3

1888-89

1888-89

PUBLIC WORKS DEPARTMENT

No 3882-W

8/1

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 10 Decr/88

Read the following

From the Superintending Engineer
 II Circle - H.E. No 285 NL of 25 June 1888
 Office Note from the Examiner.
 P. W. Accounts H.E. No 2305 of 24th September 1888
 From the Superintending Engineer
 II Circle H.E. No 642 NL of 30th October 1888
 Office Note from the Examiner.
 P. W. Accounts H.E. No 2648 of 23rd November 1888.

The estimate amounting
 to Rs 1172 for lime manufac-
 - ture in the Nellore Division
 is sanctioned.

Met
 9 Dec

2. The opening of a land
 and Kilas account is approved
 and the items marginally noted
 will be charged thereto. The
 remaining items of the estimate
 will be charged to manufacture.

3. The period proposed
 (5 years) for clearing off the
 charges

Forming a platform for
 stacking lime - Rs 111
 Constructing a masonry
 lime shed with corrug-
 - ated iron roofing
 and extending the same - Rs 862
 Rs 973

3882
10

has been approved.

4. The Engineer will
submit a draft standing order
codifying note (2) para 1792
of the P. W. Code in the manner
suggested in para 5 of his
office note no 2395 dated
4th September 1888.

5. The sanction accorded
para 1. has been registered
Provincial no 123 W of
88-89 and classified as
lock.

WCB
8/12/88

WCB
8/12/88

18/11/12

19/12

The
Supt Engineer to Civil
& Public P. W. Accounts
with the estimate for note
and return to the Supt Engr.
Chief Engineer

WCB
10/12/88

WCB

WCB
10/12/88

Govt. of (1888) Madras
PUBLIC WORKS.

17/12

Dated

Recd.

Encl.

G.O. 10 Dec 1888, No. 38824

Lime Manufacture
in the Bellary Dist.

Report —, sanctioned
with remarks.

85

5

12/12 1888