

N^o. 4629 Cap. 22. 11. 88.

2794 W^a 22. 10. 86.

3589 C^a 15. 10. 86

3539 C^a 12. 10. 86

3376 C^a 30. 9. 86.

2255 W^a 8. 9. 86.

11 W^a 5. 1. 85

149 W. 15 1. 83.


N^o. 3900 Waf¹² Dan¹⁸⁸⁸

15
12/12

Haw. 7. XII. 88
N^o. 10712/88

P¹⁵/12- 3m
13/12

Haw. 8/12 N^o. 10712- 13/12



OFFICE OF THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

Trichinopoly. 20 November 1888.
W. H.

No. *1714 TJ*

From *W. Hughes Esq.*

The Superintending Engineer,

6th Circle.

To

The *Chief Engineer*

for Irrigation.

Sir,

ENCLOSURES.

In the Superintending Engineer's letter published with S.O No 2255W dated 8th September/86 it is stated that the proposed Establishment for the Cauvery Regulators was in accordance with the decision arrived at in personal consultation with you; that the pay of the Superintendent was fixed for the present, at Rs 75 but that it ought to be understood that it would be raised from time to time as the holder gained experience. The Government order does not refer to the suggestion that the pay of the Superintending

Am 8/12 R. 15/12 13/12

should be progressive, so possibly this question was left for future consideration.

2. The present Superintendent V. Narayanasamy Iyer has held the post for over two years and done his work very creditably. He had previously been supdt at the Lower Aricut and Temporary Overseer for two years in the Sengore Division where I found him a most promising subordinate. He holds a Superintendent's certificate.

3. I beg to recommend that from the beginning of next official year his salary may be raised by annual increments of Rs 5 until a maximum pay of Rs 100 is reached.

I have the honor to be
Sir
Your most obedient servant

W. Hughes.

Supdt Engineer W. circle.

No. 4629 C of 22nd Novr 1888

To

C

For favour of remarks.

W. H.
21.11.88

D. W.

To W. A. 26948 3.12.88.

The maximum pay of the appointment can be fixed by Government at Rs. 100 per mensem as proposed but under section 52 of the Pay and Acting Allowance Code, the maximum must not be reached by less than five equal yearly increments.

W. H.
3/12

90.15.1.83 N. 149 W.

" 5.1.85 N. 11 W.

" 8.9.86 N. 2255 W.

" 30.9.86 N. 3376 C.

" 12.10.86 N. 3539 C.

" 15.10.86 N. 3589 C.

" 22.10.86 N. 2794 W.

" 22.11.88 N. 4629 C.

C.

W. H.

SP 3/12

N: 97 E. W.

Forwarded to the Chief Engineer
Public Works Department for
disposal. The Superintending
Engineer's recommendation, as to
the maximum pay of the post
is approved, but it is considered
that, it would be better, if the
rise in pay should not be
too much a matter of course.
It is, therefore, suggested that,
from the 1st April next, the
pay of the incumbent be raised
to Rs 85, the further raising
upto the maximum limit being
left in the hands of the Super-
intending Engineer.

C. Swaleh

Ag: Chief Engineer for Irrigation
Chp 24
13th November 1888

P. W. D. 6TH CIRCLE.

From
The Superintending Engineer,
6th Circle.

To
The Chief Engineer
for Irrigation
No. 171475 Madras.

Dated 2nd Nov 1888
Received 15th Nov 1888

Enclosure. Kib

No. 3906 W of 12th Dec 1888

Recommended that the
Salary of Superintendent
Canal & Irrigation Regulator
may be raised by
annual increments of
Rs 5 until a maximum
pay of Rs 100 is reached.

PUBLIC WORKS DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

12th Dec 1888

Read the following

the Suptg Engineer VI circle A.C. No. 1714 S.J. dated

2nd Nov 1888.

Recommendation by the Chief Engr: for augmentation A.C. No. 976 W

of 13th Nov 1888.

See note from the Examiner P.W. Sects A.C. No. 2694 of

3rd Dec 1888.

~~From 1st April 1889,~~

The pay of the Superintendent
Canal and Irrigation
Regulators will be fixed
at Rs 75-100 per annum,
the maximum salary being
reached by five yearly
increments, in accordance
with Section 52 Pay and
Acting Allowance Code.

2. As the Supt has held his post
the appointment for more than two
years, he will draw the second
increment from the 1st April 1889.

6.12.88

6/12/88

The Suptg Engineer VI circle
Chief Engr: for Irrig.
Examiner P.W. Sects