

1679 W 7 27/06
202 W 2 27/06

P. 402.5 W 1/12/06
B

Sanctioned
Sanctioned

WCB
22.12.50

Mh
22/12/00

Mh

B 12/12/06

Mr. W. Biscoe
S. R. W. Biscoe
Capt. A. W. A.
Det. A. W. A.

Sm
8/12/06

ENGINEER'S

From,

The Supg. Engineer,
4th Circle.

Dated 19th }
Decd 21st } December 1888.

SECRETARY TO GOVERNMENT
22 DEC 88
P.W. DEPARTMENT

No. 598
E.W.

Enclosure one.

P. 402.5 W 1/12/06

English Stores.

Forwards an
application from the
Executive Engineer, Nilgiri
Division, for the purchase
of — in the local market
for sanction of Government
with required explanation.

dw



From
THE EXECUTIVE ENGINEER,
NILGIRI DIVISION,
To
THE SUPERINTENDING ENGINEER,
4TH CIRCLE.

Dated 28
Despatched 28 November 1888
Received

No. 3300

Enclosures. 1

Subject.

Work on piping —
Affords explanation
in regard to application
for local purchase
of —

No. 3300

N.B.—Please quote the number and date of this letter in future communication on this subject.

P. M. D.

NILGIRI DIVISION OFFICE,

STATION Ootacamund 28 Nov 1888

Enclosures.

From

W. B. de Winton Esq.

EXECUTIVE ENGINEER, NILGIRI DIVISION,

OOTACAMUND,

To

THE SUPERINTENDING ENGINEER,

FOURTH CIRCLE,

COIMBATORE.

SIR,

In reply to your Memo N^o 548 of 22nd Nov/88
N. I.

I have the honor to state that from the latest
list of stores available for issue from the P. W.
Stores dated 28 July/87 it is clear that
wrought iron piping is not on hand, and I
think the list should be taken as sufficient
evidence of the fact.

2. If the list is to be ignored and a re-
ference made to the P. W. Stores every time
that Division Officers have to purchase ear-
- rope articles much correspondence and
delay will result, which might be avoid-
- ed if the list is accepted as a correct re-
- cord of the stores on hand, and the Su-
- perintendent P. W. Stores is authorised
to

to Circulate to Division Officers. ad-
-ditions to it whenever they occur, in the
same way that standing Orders are
circulated for insertion in the Code.

3. With reference to Para 2 of your
Indorsement N^o 546 N.I. of 22^d instant sanc-
-tion to purchase the piping and all stores
connected with the water supply is asked
for under the second of the special cases
enumerated in Para I of G.O. N^o 1679 of
2^d July 1886. The stores were not
indented for from England because Govt.
sanctioned the local purchase of the
water supply plant, to which the
articles now required are unforeseen
additions. The inconvenience of
getting them from England now when the
water supply system is practically
completed, and thus keeping the whole
system waiting for months for the
sake of a few rupees, hardly needs
demonstration.

I

I have the honor to be
Sir
Your most obed^t servant.

W. B. B. B. B.
Executive Engineer, N. D.

N^o 598
E.W.

Submitted to the Chief Engineer,
P. W. Department for favor of obtaining
sanction of Government for the local pur-
-chase of wrought iron piping as per accom-
-panying application under the latter part
of clause 2, Para 3 Appendix G. of the
Public Works Code.

A. Smith Lt. Col. R.E.,
Supg. Engineer, 4th Circle.
19-12-88.

24-3-88



NILGIRI DIVISION.

APPLICATION for Stores
manufactured in England
and required to be pur-
chased locally.

Fourth Circle, D. P. W.

Stores manufactured in Europe but purchased in India, under paragraph 3 of Government of India, Financial Resolution, No. 185, dated 10th January 1883.

No. 3195

NILGIRI DIVISION

Descriptions or class of stores.	Number or quantity.	ACTUAL COST IN INDIA.			ESTIMATED COST, IF OBTAINED THROUGH INDIA OFFICE.			REMARKS.
		Average price or rate.	Incidental charges, carriage, &c.	Total cost.	Average price or rate.	Incidental charges, freight ex-change, &c.	Total cost.	

2" wrought iron pipes 5 length remaining	125 ft.	7 6	-	58 9 6				
1 1/2" do 7	110 ft.	5 3	-	36 1 6				
1" do 12	150 ft.	3 6	-	32 13 -				
3/4" do 15	225 ft.	2 6	-	35 2 6				
1/4" do				162 10 6				
1/4" galvanized wrought iron piping	800 ft.	3 -	-	150 -				
galvanizing do 1 1/2" to 1"	1	8 -	-	8 -				
galvanizing do 1 1/2" to 1"				150 8 -				

This work was sanctioned in Mysore. 10/83

to lay the contents of the same in 1900 to 1901

NILGIRI DIVISION OFFICE,
Mysore, 1883

No.

Submitted to the Superintending Engineer, 4th Circle, for sanction.

Executive Engineer, Nilgiri Division