(1) பக்கங்களின் எண்ணிக்கை 12
(2) புதுக்கித் திருப்பிய நாள் 2-8-89
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

(7)

தமிழ்நாடு அரசு

P W D துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	1448	அச்சகம் பலவகை
நாள் :	1. 6 1889	198 .

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

6 sheets

ஆவண, அ-1—18,000—15-8-87.

To W

C. No: 4555. & this remark thereon 1448

Propose to omit the concluding words of the draft order within blue chalk brackets. The P.W. Dept. are not supposed to charge Municipalities for trifling services of this kind.

R.S.
27.v.89

Approved
Ruse?
27.5.89

Seen
[illegible]
27.5.89

1

1448

letter No. 61, dated 4th April
the Executive Engineer in
Water Works, Cuddapah
man, Municipal Council,

ncloseing letter, dated 2d
Messrs Massey & Co, I have
tate that most probably I
ent from Cuddapah both
l June and that it will be
for me to run down to
ing these months. The number
ents also will be either
and each of my trips to
l cost the Municipality
t. I therefore suggest that
e asked to allow one of
fficers in Madras, say
Superintendent of P. W.
to inspect the pipes when
ry.

fy)

Chairman

1448

Copy of letter No. 61, dated 4th April 1889, from the Executive Engineer in charge of Water Works, Cuddapah to the Chairman, Municipal Council, Cuddapah

In enclosing letter, dated 2nd Inst from Messrs Massey & Co, I have the honor to state that most probably I shall be absent from Cuddapah both in May and June and that it will be inconvenient for me to run down to Madras, during these months. The number of consignments also will be either four or five, and each of my trips to Madras will cost the Municipality Rs 60 at least. I therefore suggest that Government be asked to allow one of the D. P. W. Officers in Madras, say the General Superintendent of P. W. Workshops, to inspect the pipes whenever necessary.

(True Copy)

C. S. McJennerty
Chairman

1012 on 7/89

1648

Copy of letter from Messrs Massey & Co, Madras, dated 2nd April 1889 to the Executive Engineer, Cuddapah Division in Charge of Water Works.

In reply to your letter No 58 of the 29th ultimo. We are as yet without information about shipment of pipes from England, but we think the first consignment may arrive about the middle of next month, and the whole quantity by the middle of the following month, June. When however we are in possession of definite advices we will at once let you know in order that you may make your arrangements for the inspection work - the number of consignments will probably four or five.

(True Copy)

Chairman

3

To 12m 4/89

Copy of letter from Messrs. Massey & Co., Madras, dated 2d April 1889 to the Executive Engineer, Cuddapah Division in Charge of Water Works.

In reply to your letter No 58 of the 29th ultimo. We are as yet without information about shipment of pipes from England, but we think the first consignment may arrive about the middle of next month, and the whole quantity by the middle of the following month, June. When however we are in possession of definite advices we will at once let you know in order that you may make your arrangements for the inspection work — the number of consignments will probably four or five.

(True Copy)

Chairman

Rs 455/8

2/1012 May/89

1448

Extract - the Proceedings of the Municipal Co dated 25th April 1889

× × ×

Nº III. R etter Nº 61/4-4-89 from the Exec ngineer in Charge of Wate forwarding letter dated 2nd Idem from Messrs Massey & Co regarding the testing of Madras.

Resolution. Reso Government be addressed so favor of orders to the Gen tendent of P. W. Workshop the pipes tested before their despatch to this Municipality on information furnished to him by Messrs Massey & Co.

× × ×

(Signed) C. Raghava Row
Chairman

(True Extract)

Chairman

4X

4.

E/
1W4555/89

3/1012m of 89

No. 285 1448

CUDDAPAH MUNICIPAL OFFICE,
Dated 25th April 1889.

Enclosure. 3.

CURRENT No 1012m.

From
M.R.Ry
C. Raghava Row Pantulu Garu
Chairman Municipal Council,
Cuddapah,

To
The Honorable J. F. Price
Chief Secretary to Government
Local & Municipal Department
Fort St. George

through the Collector of Cuddapah

No. 3183
6.5.89

Forwarded.
E. J. Sewell.
Ag. Collector.
Camp, Kadiri
3.5.89

Sir,

In submitting copies of letters dated 4th & 2nd instant received from the Executive Engineer in charge of Boogga water works & from Messrs. Massey & Co, Madras respectively, I have the honor to inform you that, on perusal of the correspondence the Council have in their resolution No III (a copy of which is herewith submitted) resolved to solicit the Government to issue orders to the General Superintendent of Public Work workshops to arrange for testing, at Madras, of pipes required for the water works here before their transmission by rail. I, therefore, beg that you will be pleased to submit this application to His

His Excellency in Council to obtain the necessary orders.

I have the honor to be
Sir,
Your Most obedt. Servt.

Chairman

124 [illegible] 31-1-89

P.W. 1889 No. 4555

3-5-89

CUDDAPAH MUNICIPAL COUNCIL.

From

The Chairman Municipal Council,
Cuddapah.

11/5/89 1012 m.

To

The Chief Secretary
to Government
Fort St. George

(3)

Dated 25th }
Despatched 30th } April 1889
Received 8 MAY. 89 }

Rg 18-5-89

No. 285

Enclosures. 3

No. 1448 [illegible]

Subject.

Submitting for the information of Government Copies of letters from Mr. J. C. Johnston, Executive Engineer in Ch. of Cuddapah Boggo Water works & from Messrs. Massey & Co., & soliciting the favour of orders to the General Superintendent of P.W. Workshops for testing of pipes at Madras before despatch by rail.

(6) Without order

D.W.

With an Endorsement

No 418

Transferred to the Public works department.

1 Byorder

L. S. [illegible]

Assistant Secretary

V.S.
11/5/89 - 13-5-89 -

Fort St George }
17th May 1889 }

[illegible] There is no charge [illegible] in this case.

H.S.

To The Public works Departt.

H.W. 1448 W. [illegible]

Communicated to Supt. Engineer V Circle who will instruct the Supdt. P.W. Stores & Workshops accordingly & report the terms on which testing will be carried out.

S.E. V Circle
C/S. & the Supdt. [illegible]

[illegible] 20.5 [illegible]