

(1) பக்கங்களின் எண்ணிக்கை 6

(2) புதுக்கித் திருப்பிய நாள் 22-8-87

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 6/8

தமிழ்நாடு ஆவணக் காப்பகம்.

66

தமிழ்நாடு அரசு

P. W. D. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2024	அச்சகம் பலவகை
நாள் :	26. 7-1889	1987

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

207

3. Sheets

ஆவண, கா-1-18,006-15-6-87.

Mysore
22nd July 1889.

To

2024

2024

The Under Secretary,
in the Deptt. of Public Works,
to the Government of Madras.

Sir,

C. no.
+6609 007/1977

In continuation of my letter dated 17th July 1889, I have the honour to request that I might be favoured with the details of the Settling ponds, Filters and Service Reservoirs as well, to enable me to show that suitable space at the necessary elevation is available on the direct route (7 miles) from the proposed Magadi road Reservoir to the Cantonment, without first conveying the water to Mantapam hill (7½ miles) and then bringing it back (3 miles) to the cantonment, as provided in Mr Larminie's Estimate.

This single fact established, would make my scheme the cheapest of the three now under consideration.

I have the honor to be

Sir

Your most obedient servant

/ /
[Signature]

PAC No 6817

R 24.7.89

has been read of 26-7-1889

6609.

2024

I fear that if Mr Lee
is furnished with
the details that he asks
for, it will be
impossible to avoid
the controversy which
he alludes to in his
first letter of 1st July 89

It does not seem advisable
to give reasons for the
conclusions arrived at
in C.O. 1326 W of
15th May 1889 and
moreover if Mr Lee is
of opinion that the
cost of his scheme can
be reduced; there is
nothing to prevent him
from preparing a
revised estimate upon
the data already in
his possession. - ~~Very~~
A member may be readily
convinced declining to
accede to his request.
2 WMB
15.7.89

Mysore
17th July 1889.

To

2024

The Under Secretary,

to Government of Madras,

in the Dept of Public Works

Sir,

I have the honor to acknowledge with thanks copy of Report on the Water Supply of Bangalore.

In the words of the summary by Mr Larmine it is "All in favour of Magadi road," but for the cost.

The items that go to swell the Estimate are:-

- | | |
|--|--|
| (1) Dam | Rs 1,92,740 |
| (2) Supply Main | Rs 2,57,000 |
| (3) Trunk main from Mantapam | Cost included in Town Distribution but probably. |
| full to Cantonment for distribution; a distance of 3 miles | |
| | Rs 1,51,000 |

Total Rupees. 5,00,740

These sums, which go to form nearly half the estimate, admit of considerable reductions, and I am sanguine I shall be able to prove this fact

To the satisfaction of the Chief Engineer; but to enable me to do so, I beg to be furnished with the detailed Estimate for those items.

The site of the Dam having been shifted from that proposed by me, I shall require the sections and levels from which the capacity of the Reservoir has been calculated. It appears to me that the dam is needlessly high, but I might be mistaken. I have the honor to be,

Sir,
Your most obedient servant,
Alfred Lee

✓
PAC No 0609
(1)
12.18.7.89
Dist Commr
No. 6609 & 6617

Manus 2185 ca/12-7-89
fo. Nos 1326-27 w 8/18. 5-89

By 2024 at 2/26 July 1897
PB
22 July

The Govt. does not consider it desirable to furnish Mr Lee with the detailed estimates to the documents for which he asks.

(3)

MUR
19.7.89
Pues
22.7.89

To Mr Standish Esq.
270 J 2/8. 27/7

Oct. 10/17
20/7- 26-7-89