

(1) பக்கங்களின் எண்ணிக்கை

30

(2) புதுக்கித் திருப்பிய நாள்

1889

(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

16/4

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

வேங்குலு துறை

No No 2122 & 2123

date 7-8-1889

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

ஆவண, கா-1-18,006-15-6-87.

Adlan

2122

7TH AUGUST 1889, No. 2122 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following papers:—

From A. A. JOPP, Esq., Director-General of Stores, to the Secretary to Government, Public Works Department, dated India Office, Whitehall, S.W., 5th July 1889, No. S.D.O. 3548.

With reference to the following demand in the indent for stores required for the water-supply of the Lawrence Asylum, transmitted with your letter No. 1248 W. of 11th May 1889, viz. —

Item in indent,	{ Cast iron stand pipes, Kennedy's }	£4-2-6	} No. 4.
No. 8.	{ patent, with bracket.	each.	

I have to inform you that, from the result of inquiries made with the view of ascertaining what is required, it is thought that "Kennedy's patent self-closing fountain with bracket for bucket" is probably the article intended to be demanded.

2. I enclose a drawing of such an apparatus, and a copy of a letter from Messrs. Guest and Chrimes stating the price at which they will supply it. You will observe that their price is about half the estimated value quoted in the indent.

3. I shall be obliged if you will inform me whether the article in question will suit your requirements.

ENCLOSURE.

From Messrs. GUEST and CHRIMES, to the Superintendent, India Stores Department, Belvedere Road, Lambeth, London, S.E., dated Foundry and General Brass Works, Botherham, 27th June 1889.

We are obliged by the receipt of your esteemed inquiry of the 26th instant, and have pleasure in enclosing you herewith drawing our Fig. 59 E, which we understand is the article you require, and quote you for it as follows, viz. — For

Fig. 59 E. Cast iron water pillar fitted with self-closing cock and	
stand for bucket	48/ each.
Do. do. do.	
without stand for bucket	44/ "
If with self-closing cock underground and special frost cock	18/ "

2. From these prices we shall be glad to allow your department a discount of 25 per cent.
3. Soliciting a continuance of your esteemed commands, we are, &c.

From Colonel ROSS THOMPSON, R.E., Executive Engineer, Nilgiri Division, to the Chief Engineer, Public Works Department, dated Ootacamund, 30th July 1889, No. 1513.

With reference to your endorsement No. 587 D., dated 25th July 1889, I have the honor to return the accompanying design with the documents received, and to inform you that Fig. No. 59 E is practically the same as Kennedy's patent self-closing fountains, with the exception of the base flange, which in Guest and Chrimes' sketch is too narrow to be bolted to the masonry platform.

2. I would request that the lower base flange be made similar to the sketch herewith enclosed, so as to allow the fountain being bolted to a masonry bed.

ORDER—dated 7th August 1889, No. 2122 W., Public Works.

Ordered that the Director-General of Stores be addressed.

(Here enter No. 2123 W., dated 7th August 1889.)

(True Extract.)

Captain, R.E.,
Under-Secy. to Govt., P.W.D.

To the Superintending Engineer, IV Circle.

" " " V "

Exd. J. Henricus.
Spare Copies

2122
2

GENERAL.
ACCOUNT.

Govt. of {1889} Madras.

PUBLIC WORKS.

Dated August, 7th.

Recd.

Encl.

7th Aug. 1889, No. 2123 W.

AUGUST.

Water-supply of the Lawrence
Asylum, Ootacamund

Describing the kind of stand pipe re-
quired for the —.

2122
11TH MAY 1889, Nos. 1247, 1248, 1249 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—the following papers:—

From Colonel W. H. BURTON, R.E., Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department (through the Examiner of Public Works Accounts), dated Chepak, 3rd April 1889, No. 74.

With reference to G.O., No. 763 W., dated 13th March 1889, I have the honor to forward an indent, in triplicate, on the Home Government for articles required by the Superintending Engineer, IV Circle, for the water-works scheme at the Lawrence Asylum, Ootacamund.

Office-note from the Examiner, Public Works Accounts, to the Chief Engineer, Public Works Department, dated Madras, 30th April 1889, No. 562.

The accompanying letter from the Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department, No. 74, dated 3rd April 1889, with an indent for English stores for transmission to the Secretary of State, is forwarded for necessary action with the usual certificate.

ENCLOSURE.

Certificate.

I certify that funds to meet the estimated outlay in England in connection with this indent during the year 1889-90 will be provided by the local Government to the extent of £411-18-1½ in the estimate of the Public Works Department for that year.

(Signed) O. H. P. CHRISTIE,
Examiner, Public Works Accounts.

ORDER—dated 11th May 1889, No. 1247 W., Public Works.

The indent will be forwarded to the Home Government for compliance.

(Here enter Nos. 1248-49 W., dated 11th May 1889.)

(True Extract.)

(Signed) R. R. E. DRAKE-BROCKMAN, Lt.-Col., R.E.,
Ag. Joint Secy. to Govt., P.W.D.

To the Superintending Engineer, IV Circle.

" " " " " " " "
" Examiner, Public Works Accounts.

LETTER—to the Director-General of Stores, India Office, London, dated Ootacamund, 11th May 1889, No. 1248 W.

I am directed to forward, for favor of compliance, an indent for iron pipes, &c., required for the water-supply of the Lawrence Asylum at Ootacamund.

2. The necessary certificate by the Examiner, Public Works Accounts, is embodied in the Proceedings of this Government forwarded herewith.

(Signed) R. R. E. DRAKE-BROCKMAN, Lt.-Col., R.E.,
Ag. Joint Secy. to Govt., P.W.D.

ENDORSEMENT—dated 11th May 1889, No. 1249 W., Public Works.

Copy of the above, with copy of the indent, forwarded to the Government of India.

(Signed) R. R. E. DRAKE-BROCKMAN, Lieut.-Col., R.E.,
Ag. Joint Secy. to Govt., P.W.D.

2122
6

GENERAL.
ACCOUNT.
Govt. of {1889} Madras.
PUBLIC WORKS.

Dated May, 11th.

Recd.

Encl.

G.O., 11th May 1889, Nos. 1247 W.,
1248, 1249 W.

MAY.

Water-supply of the Lawrence
Asylum at Ootacamund.

Forwarding indent for—

It is requested that in any further communica-
tion on this subject the undermentioned letters and
number may be quoted, and the reply addressed to

The Director General of Stores,
India Office,
Whitehall,
S.W.

S.D.O. 2548.



India Office,

Whitehall, S.W.,

5th July 1889.

Sir,

With reference to the following
demand in the indent for stores required
for the water supply of the Lawrence Asylum,
transmitted with your letter No 1248 W of
11th May 1889, viz.

Item in
indent
No 8. Cast iron stand pipes, Kennedy's } £426 } No 44.
patent, with bracket. } each }

I have to inform you that, from the result of
enquiries made with the view of ascertaining
what is required, it is thought that "Kennedy's
"patent self closing fountain with bracket
"for bucket," is probably the article intended
to be demanded.

I enclose a drawing of such an
apparatus, and a copy of a letter from
Messrs Guest and Rhines stating the price at
which they will supply it. You will observe
that their price is about half the estimated
value
The Secretary to Government,
Public Works Department,
Madras.

7/22/8 210
value quoted in the indent.

I shall be obliged if you will inform
me whether the article in question will
suit your requirements.

I have the honor to be,
Sir,
Your obedient servant,

A. Jopp
Director General of Stores.

Enclosure

2 1/2

38p

4707

Foundry and General Brass Works,
Rotherham 27th June 1889.

D. B. Courtney Esq.
Superintendent,
India Stores Department,
Belvedere Road,
Lambeth,
London S.E.

Print

Dear Sir,

We are obliged by the receipt of your esteemed enquiry of the 26th instant, and have pleasure in enclosing you herewith drawing our Fig. 59 E, which we understand is the article you require, and quote you for it as follows, viz:- For

Fig. 59 E Cast Iron Water Pillar fitted with
Self closing cock and stand for bucket 48/- each
Do. do without stand for bucket 44/- "

If with Self closing cock underground
and special frost cock 18/- each

From these prices we shall be glad to allow your Department a discount of 25%

Soliciting a continuance of your esteemed commands.

We are &c.

Yours &c.

per J. W. Bottoms.

P.H. Case 6999

2/1705

Ref 7-29

Incl 2

PS 112/7



25 JUL 89

urgent
W.C. 6999
73/7/89

W.C. 587 D.
P.W. Department
25th July 1889.

17/7/89
Referred to the
Executive Engineer Nilgiris
for very early reports as
to whether the accompanying
design is what was
intended to be obtained.

Prudata - Buchanan
Lieut Col RB
Ag. P.W. Secretary P.W.D.

To
The Executive Engineer
Nilgiris - to be returned
LS

P. W. Dept.
To be returned with
reply.

N.B.—The number and date of
this letter should be quoted in
any future communications on
this subject.

No 1513.

Nilgiri Division Office,
STATION, Ootacamund 30 July 1889.

From

22/1/4P
Colonel Ross Thompson R.E.
EXECUTIVE ENGINEER,
NILGIRI DIVISION,

To

The Chief Engineer
P.W. Department

Ootacamund.

Encs: 4.

1 Letter No 50 3548
9/5/7/89.

1 Letter 9 27.6.89.
from Messrs. J. & J.
Thomson.

1 Sketch
1 Sketch by
the Engineer only.

SIR,

With reference to your endorsement No.
587 D, dated 25th July 1889, I have the honor to return
the accompanying design with the documents received
and to inform you that Figure No. 59 E. is practically
the same as Kennedy's patent self-closing fountain
with the exception of the base flange which in Lysart
and Lebrunes sketch is too narrow to be bolted to the
masonry platform.

I would request that the lower base flange
be made similar to the sketch herewith enclosed, so as
to allow the fountain being bolted to a masonry bed.

I have the honor to be,
Sir
Your most ob. servant.

Ross Thompson Col RB
Executive Engineer
Nilgiri 17/89

30 JUL 89

80 AC 7317

1000

2000

Received of Mr. J. H. ...
the sum of ...

From,
The Executive Engineer,
Muziris ...

To,
The Chief Engineer,
P.W. Dept.,
Stonehouse ...

No 1578.

Returning the accompanying
design & stating in respect of
Kennedy's Fountains, some
information —

133

Soon
taken

25 JUL 89



2122
12

4107

MANUFACTURED BY
GUEST & CHIMES,
ROTHERHAM,
And 85, Southwark Street, London, S.E.

PLATE 11 N.

FIG. 59.E.



SCALE 1/8 SIZE

FOR PRICES, SEE PAGE 15A OF PRICE LIST.

Moss



W 731

2/22/37 P.W. Dept

Mr.

From
The Director General
of Stores
India Office

No. S.O.O. 3548

of 5th July 1889

Kennedy's patent self closing
fountain with bracket for
bucket -

Enquiring whether -
will suit the requirements
of the Water Supply
Lawrence Asylum,
Pobanamund -

No 587 of 1st July 1889

Refd to the Executive
Engineer Kelgins for reply

Early report as to whether the
accompanying design is
what was intended to be
obtained

(Sd) A R D Drake Buchanan
Lt Col R.

W

To the En Engr Nilgiris

to be returned 24/7/89

No 587 Dated 25 July 1889

Received 24/7/89

Col 927

2122/14

5P

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

From the Dir-Genl of Stms India Office by 352, 8 of 5. 7. 89
From the Executive Engineer (H.E. No 1513 of 30th July 1889)
Nilgiri Division

Read the following

Orders that the Director
General of Stms be addressed.

6P

H.E. No 1123 of 1/7/89
To the Director General of Stms
India Office London.

I am directed to acknowledge
the receipt of your letter No 500.
3548 of 5th July 1889 on the subject
of the Cast Iron Stand Pipes indicated
for on account of the Water Supply
of the Lawrence Asylum, and in
reply to say that the Stand
pipe shown as Figure No 598 is
what is required, except that
the base flange is too narrow

To the Supy Engineer 10 lines
" " " " 7 lines

to be bolted to the masonry
platform - It is requested
that the lower base flange
be made in accordance with
the sketch herewith enclosed,
signed by Col Ross Thompson,
Executive Engineer, so as to allow
of the fountain being bolted to
the masonry bed -

Ruesh
5-8-87

Rec'd with 1
sketch
17/8

Print
Lyon

2122
15

Govt. of Madras

PUBLIC WORKS.

Dated

Recd.

Encl.

G.O. 7 Aug 189 No. 21224
21224

Water Supply of the Lawrence

Asylum, Port of Madras

Ordered that the S. P. S. Co.
Ltd., Madras Office, be
authorized to the extent
of the cost of iron stand
pipe required for the

~~1/2~~ 1/2
~~1/2~~ 1/2
~~1/2~~ 1/2

30 Water Supply of the Lawrence

Asylum, Port of Madras

Describing the kind
of stand pipe required for
the

1895 21224