

- (1) பக்கங்களின் எண்ணிக்கை 4
 (2) புதுக்கித் திருப்பிய நாள் Sep - 9
 (3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம் 10/9

தமிழ்நாடு ஆவணக் காப்பகம்.

(4)

தமிழ்நாடு அரசு

P. W. D. துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2423	அச்சகம் பலவகை
நாள் :	3.9.1889	198 X

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

2. Sheets

ஆவண, கா-1-18,006-15-6-87.

edus

(2)

(32)

24/23 No. 308 G.L.

FROM,

Major D. Mc Neil Campbell R.R.

SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DOWLAISHWERAM, 21st August 1889

SIR,

With reference to para 2 of G.O. No 2217 dated 15-8-89, I have the honor to inform you that the memos received from the Chief Engineer P.W.D. have not been included in the unanswered reference lists of this office from July/82 on the strength of the orders contained in para 4 of G.O. No 2163 dated 23rd August/82 wherein it was said that the lists should be made for orders of Govt & the non-insertion of the memos in the lists has never been objected to.

2. Your memo No 133c dated 11-1-89 has

has been replied to in this office no 690
G.O. dated 14-8-29.

Ca 7937
and 6744
27/7/13

3. With reference to your memo no 1839c
dated 23-8-29 I beg to state that the

2 Estimates therewith
returned have been

Metalling road from Sadey
palligerum to Koder in } Rs
miles 16.587 to 29 — } 95,340

forwarded to the
President L.F. Board

Gravelling the latter por-
tion of road from Gannam-
ram Agunduch to Razole } 6260

with this office no 77 G.O.

dated 8-11-29 for his countersignature

and for an explanation from the L.
F. Engineer for providing in the esti-
mates heavy charges for metalling
and gravelling the roads.

4. The Estimate (Rs 6260) for gravel-
ling the latter portion of Road from
Gannaram Agunduch to Razole has
been received back from the Presi-
dent L.F. Board with the required
information on the 10-6-29 but it
could not be checked in this office
pending receipt of the schedule of rates
for road work called for from Central
Division

Division Godavari which Division
the work is situated. The schedule
has however been received in this
office on the 18-Instant and the
Estimate is now being checked. The
other Estimate (Rs 95,340) since reduced
by the L.F. Department to Rs 90,270
has been received from the President
L.F. Board on the 18-7-29 but it
has been returned to him for want
of comparative statement.

I have the honor to be

Sir

Your most obedient servant

J. W. Campbell Major R.E.
Superintending Engineer

101 (incl)

msc

2

FROM,

Harold Melville Campbell Esq.

SUPERINTENDING ENGINEER

FIRST CIRCLE.

TO,

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DATED

21st

DESPATCHED

23rd

RECEIVED

August 1889.

NO 308 G.L.

ENCLOSURES

SUBJECT

Informing that the Memo.
received from Chief Engineer
P.W.D. have not been included
in the unanswered reference
list on the strength of the
Order contained in G.O.
No. 2163 W of 23-8-82.

W.C.P.

2.9.89

S.E.I.C. 1/9
S.E.I. encl

29/9.

(2)

in the order

Recorded with
Remark that para 4 of
order no. 2163 W of 23rd Aug
1882 was not intended
to restrict the half yearly
return to foot, orders
only but to show that
correct periods for
which the return should
be prepared - the return
disposed of by the P.O.
of August 1882 above
quoted was prepared
for an incorrect period.
In future all un-
answered references from
the office of the Chief Engr.
to foot, should
be included.