(1) பக்கங்களின் எண்ணிக்கை 22
(2) புதுக்கித் திருப்பிய நாள் 9.90
(3) ஆதாரங்குறிப்பவர் சுருக்கொப்பம்

தமிழ்நாடு ஆவணக் காப்பகம்.

தமிழ்நாடு அரசு

(40)

P. W. D துறை

அரசாணை எண். மு. கோப்புத் தாள் எண்.	2672	அச்சகம் பலவகை
நாள் : 5 — 9 — 1889 ~~198~~.		

மடிக்கவோ கண்டபடி கையாளவோ கூடாது

11. Sheets

ஆவண, கா-1—18,006—15-6-87.

(11)

2472
1

6th September 1889, No. 2472 W., Public Works.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

Read—the following papers :—

From J. L. HOLLAND, Esq., Manager, Murree Brewery Company (Limited), to the Chief Secretary to Government, dated Ootacamund, 9th July 1889.

I beg to address you regarding the water-supply of this Brewery, and to request that permission may be granted to the company to erect a pumping station in a suitable position by the Upper (next A. B. C. ground) lake, for the purpose of pumping water from that into the Brewery for cooling purposes.

2. This Brewery has two large and excellent wells, which give an ample supply of good brewing water, but there is no surplus for refrigerating and other like works for which pure well water is not a necessity. The supply for the latter works we have hitherto drawn from the Dodabetta channel, but every year, in the months of March, April and May, this supply has run short, and this year it was actually dry for six weeks or more, so that it was with the utmost difficulty that we succeeded in brewing the beer we required to supply our trade.

3. The company has decided, therefore, that steps must be at once taken to guard against a like scarcity of water in any future season, when, should our trade have increased, the danger of our failing in our engagements to supply beer would be much greater.

4. The Managing Brewer of the company went into the matter lately whilst here, and decided that, if the company could obtain permission to pump from the lake, that this would be the best and surest supply for the Brewery.

5. The company, thereupon, applied to the municipality for permission to erect a pumping station near the lake, and in a position which would in no way interfere with the interests of the public. We now find, however, that the power to grant permission rests with Government, and I therefore write you on the matter, trusting you will grant us the permission we ask.

6. I may mention that the design for the pumping station, which would be ornamental, would be submitted for the approval of Government. The pumps would not be used at all in any ordinary season, but only in seasons like the present one in which the Dodabetta channel has completely failed, and when an outside independent supply would assist the company very materially in carrying out its contract with Government.

7. Trusting we may receive a favorable and early reply.

P.S.—The position selected by the Managing Brewer—subject, of course, to the approval of Government—is at the south-west end and outside the A. B. C. ground at a convenient distance from the road and race-course.

No. 585.

Transferred to the Public Works Department.

(Signed) W. S. MEYER,
Assistant Secretary.

Fort St. George,
22nd July 1889.

No. 581 D.

Referred to the Superintending Engineer, IV Circle, for favor of early report.

Ootacamund, 25th July 1889. (Signed) R. R. E. DRAKE-BROCKMAN, Lt.-Col., R.E.,
Ag. Joint Secy. to Govt., P.W.D.

From Colonel ROSS THOMPSON, R.E., Executive Engineer, Nílgiri Division, to the Superintending Engineer, IV Circle, dated Ootacamund, 12th August 1889, No. 1674.

With reference to your endorsement No. 346 N.I., of 27th July 1889, I have the honor to forward, herewith, site-plan, line of levels, and elevation of pumping house proposed to be erected by the Murree Brewery Company.

2. I can see no objection to the building being erected at the point marked A in the site-plan. It would be surrounded by trees, and scarcely visible from the A. B. C. ground. I have gone over the ground carefully.

No. 372 E.W.

Copy forwarded to the Chief Engineer, Public Works Department, with reference to his endorsement No. 581 D., of 25th July 1889, on the letter of the Manager, Murree Brewery Company, Ootacamund, herewith returned.

19th August 1889. (Signed) H. M. VIBART, Colonel, R.E.,
Superintending Engineer, IV Circle.

Order—dated 6th September 1889, No. 2472 W., Public Works.

Permission is granted to the Murree Brewery Company to erect a pumping station near the Upper lake, Ootacamund, at the site indicated by the Executive Engineer.

2. It will be understood that this permission gives the company no absolute right to the site, and that should the Government require the removal of the pumping station at any future time, it will be removed at once and without demur and that no claim to compensation will arise either on account of its removal, or on account of the water-supply in the lake running short or disappearing in the event of the upper end of the lake being reclaimed.

(True Extract.)

(Signed) R. R. E. DRAKE-BROCKMAN, Lt.-Col., R.E.,
Ag. Joint Secy. to Govt., P.W.D.

To the Superintending Engineer, IV Circle, with plans.
„ Manager, Murree Brewery Company (Limited), Ootacamund.
„ Local and Municipal Department.

Exd. P. L. Pereira.
Spare Copies

2472/2

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1889} Madras.

PUBLIC WORKS.

Dated September, 6th.

Recd. *Encl.*

G.O., 6th Sept. 1889, No. 2472 W.

SEPTEMBER.

Pumping Station near the Upper Lake Ootacamund

Permission granted to the Murree Brewery Company to erect a — on certain conditions.

2472/5 P

No. 1674

Nilgiri Division Office,
Ootacamund, 12th Augt. /89.

From,

2472/3 1P

Murree Brewery Company (Ld.)

All letters to be addressed "The Manager"

No.

Ootacamund 9 . 7 . 1889

CHIEF SECRETARY'S ... 10 JUL 89 ... DEPARTMENT

Local & Municipal Dept.
CURRENT No. 1530

The Hon. J. F. Price
Chief Secretary
the Govt. of Madras,
Ootacamund.

Sir -
I beg to address you regarding the water supply of this Brewery and to request that permission may be granted to the Company to erect a pumping station in a suitable position by the Upper (near A.S.C. ground) lake for the purpose of pumping water from that into the Brewery for cooling purposes -

This Brewery has two large and excellent wells which give an ample supply of good brewing water but there is no surplus for refrigerating and other like works for which pure well water is not a necessity - The supply for the latter works we have hitherto

3 3

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1889} Madras.

PUBLIC WORKS.

Dated September, 6th.

Recd.

Encl.

G.O., 6th Sept. 1889, No. 2472 W.

SEPTEMBER.

Pumping Station near the Upper Lake Ootacamund

Permission granted to the Murree Brewery Company to erect a — on certain conditions.

2472/3 1P

Murree Brewery Company (Ld)

All letters to be addressed "The Manager"

No.

Ootacamund 9. 7. 188

CHIEF SECRETARY'S OFFICE
10 JUL 89
GOVERNMENT OF MADRAS

Local & Municipal Dept
CURRENT No. 1530

The Hon. J. F. Price
Chief Secretary
the Govt. of Madras,
Ootacamund.

Sir -
I beg to address you regarding the water supply of this Brewery and to request that permission may be granted to the Company to erect a pumping station in a suitable position by the Upper (not A.L.C. Grounds) lake for the purpose of pumping water from that into the Brewery for Cooling purposes.

This Brewery has two large and excellent wells which give an ample supply of good brewing water but there is no surplus for refrigerating and other like works for which pure water is not a necessity. The supply for the latter works we have hitherto

3 3

55/4f.

2472/4 21

hitherto drawn from the Dodabetta Channel, but every year in the months of March, April and May, the supply has run short and this year it was actually dry for 6 weeks or more so that it was with the utmost difficulty that we succeeded in brewing the beer we required to supply our trade -

The Company has decided therefore, that steps must be at once taken to guard against a like scarcity of water in any future season, when should our trade have increased the danger of our failing ~~to~~ ~~supply~~ in our engagements to supply beer would be much greater.

The Managing Director of the Coy. went into the matter lately whilst here, and decided that, if the Coy. could obtain permission

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1889} Madras.

PUBLIC WORKS

N

2472/5 3P

permission to pump from the lake, that this would be the best and purest supply for the Brewery.

The Company thereupon applied to the Municipality for permission to erect a pumping Station near the lake, and in a position which would in no way interfere with the interests of the public. We now find however, that the power to grant permission rests with Government and I therefore write you on the matter, trusting you will grant us the permission we ask.

I may mention that the design for the pumping Station, which would be ornamental, ~~it~~ would be submitted for the approval of Government. The pumps would not be used at all in any ordinary season, but only in seasons like

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1889} Madras.

PUBLIC WORKS

2472/6 4P

like the present one in which the Dodabetta Channel has completely failed, and where an outside independent supply would assist the Coy. very materially in carrying out its Contract with Government –

Trusting we may receive a favorable and early reply –

I have the honor &c
Sir,
Your obdt. Servant

Manager

P.S.

The position selected by the Mang. Brewer – subject of course to the approval of Government – is at the South West End and outside the A.B.C ground at a convenient distance from the road & race course.

6

BUILDINGS AND ROADS.
CIVIL WORKS.

Govt. of {1889} Madras.

SUPDG. ENGINEER'S OFFICE
No. 11733
28 JUL. 89
P.W.D.
FOURTH CIRCLE

SUPDG. ENGINEER'S OFFICE
14 AUG. 89
FOURTH CIRCLE

7422/7 5P

Nilgiri Division Office,
No. 1674 Ootacamund, 12th Augt./89.

From,

Colonel Ross Thompson, R.E.,
Executive Engineer,
Nilgiri Division,

To,

The Superintending Engineer,
Fourth Circle,
Coimbatore

Sir,

With reference to your Endorsement No. $\frac{346}{N.J.}$ of 27th July 1889, I have the honor to forward herewith, site plan, line of levels, and elevation of pumping house proposed to be erected by the Murree Brewery Company.

I can see no objection to the building being erected at the point marked A in the site plan It would be surrounded by trees, and scarcely visible from the

8 A

A.B.C. ground. I have gone over the ground carefully.

I have &ca
(Sd) Ross Thompson, Col. R.E.,
Executive Engineer.

No 372/W.

Copy - Forwarded to the Chief Engineer P.W. Department with reference to his Endorsement No. 581D of 25th July 1889 on the letter of the Manager, Murree Brewery Company, Ootacamund, herewith returned.

Enclosu

Colonel, R.E.,
19/8/89 Supg. Engineer, 4th Circle.
S.N.

2422/8

7

[9] P.W.C. No. 6785 E.K.

LOCAL AND MUNICIPAL DEPARTMENT

Local & Municipal Dept
1832/89
CURRENT No. 1530 M

(5)

From

The Manager,
Murree Brewery Coy (Ld)
Ootacamund

No.

Dated 9th July
Received 12th July } 1889.
Enclosures G.2 3.7.89

E. 1

SUBJECT.

Requesting that permission may be accorded to erect a pumping station near the Upper Lake to pump out water for the Brewery in case of need.

P.W. 1157.

For

SUPG: ENGINEER'S OFFICE
NO.
14 AUG. 89
P.W.D.
FOURTH CIRCLE

EXECUTIVE ENGINEER'S OFFICE
No. 1756
30 JUL. 89
NILGIRIS

Enclo: 4/372/Rd/89 from S.E. 4th circle.

No 685

Transferred to the Public Works Department.

Assistant Secretary

V.9
16/7/89 - 18-7-
Fort St George }
22nd July 1889 }

SUPG: ENGINEER'S OFFICE
NO. 739
26 JUL. 89
P.W.D.
FOURTH CIRCLE

To The Public Works Departt

P.W. Department
Ootacamund. 25 July 1889

P
P.W. 54
23.7

No. 581 D.

Referred to the Supdg Engineer IV Circle, for favor of early report.

Rundall - Brackman Lt Col RE
Asst Secy to Govt P.W. Dept

0
23/7.
11

Pg 11

2472/9

9

From

The Supdg. Engineer,
Fourth circle.

(6)

No 581 B - 25.7.89

Dated 19-8-89

No. 372/EW

Enclo. 4

Pumping House:-

Forwarding copy of letter from the Executive Engineer, Nilgiri Dn forwarding site plan, line of levels &c. of — proposed to be erected by the Murree Brewery Company

O.S. | 114/8.

No. 2472 W

Public Works Department.

2472/10

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the 6th Septr 1889

Read the following

Letter from the Manager, Murree Brewery Co. (Ld.) (H.E. … dated July 9, 1889.)

do from the Ex: Engineer Nilgiris (" No 1674 d/ Aug: 12. ")

Endorsement thereon by the S.E. IV Circle (" " 372 E.W. d/ " 19. ")

---

6 P

The erection of the House proposed will tend to the reclamation of an unsightly bit of swamp but care should be taken so to locate the building that the discharge of drainage at the spot, which is considerable & may be more hereafter, will not be interfered with.

MLS.

Circ.

Yes. and it will be necessary to provide that the supply of water in the lake is not in any way guaranteed. If, for instance, the upper end of the lake is filled up & reclaimed, where will the pumping station be? Another point is that the whole of the water so pumped up to the Brewery will after use be discharged into the lake - but how! It is high time that steps were taken to regulate the existing discharge - & if it is increased during [illegible]

(MLS 28 Aug)

Permission is granted to the Murree Brewery Company to erect a pumping station near the Upper lake, Ootacamund, at the site indicated by the Executive Engineer.

2. It will be understood

10

hat this permission
gives the Company no
absolute right to the
ite, and that should
the Government require
the removal of the
pumping station at any
future time, it will be removed at once & without demur & that no claim
t compensation will
arise either on acct of its removal or on acct of the water supply in the lake running short or disappearing in the event of the upper end of the lake[illegible] reclaimed.

St
26 Augt

[illegible] 14.8.89

C/1

The Hon Mr J.B. Garm[illegible]
C S I

The Rt. Hon the Governor

The hot weather months when cesspit [illegible] rotting is worse than [illegible] seemingly to think have the drainage from the [illegible] being a greater nuisance than at present.

I think the question of laying a pipe-drain from the brewery to the bazaar drain shd. be taken up & carried out either by Gt or the Municipality

2/9/89

C/1

Estimate called for by the C.E. 14.1?.89

S. E. IV Circle with 3 plans

The Manager
Murree Brewery Co (Ld) ✓

" L & M. Dept ✓

To the Chief Secretary to Govt
for [illegible]

14/9

Hm 28/8. H E the Govr 28/8.
O S. 11/4/8. P.S. 24/8. Hm 27/8.

2472
11

7

11

Govt. of 18 Madras.

PUBLIC WORKS.

Dated 7/9/89

Recd.

Endd.

G.O. 6 Sept 1889 No. 2472 W

Pumping Station near the Upper Lake, Ootacamund

Permission granted to the Murree Brewery Company to erect a — on certain conditions.

GO 1/5

(W)

a/6